

DAFTAR PUSTAKA

- Ahsan, M., & Abualait, T. (2021). Comparison of gender, age, and body mass index for spatiotemporal parameters of bilateral gait pattern. *F1000Research*, 10, 1–21. <https://doi.org/10.12688/f1000research.51700.1>
- Alghadir, A. H., Anwer, S., Iqbal, A., & Iqbal, Z. A. (2018). *Test – retest reliability , validity , and minimum detectable change of visual analog , numerical rating , and verbal rating scales for measurement of osteoarthritic knee pain*. 851–856.
- Bytyçi, I., & Henein, M. Y. (2021). Stride length predicts adverse clinical events in older adults: A systematic review and meta-analysis. *Journal of Clinical Medicine*, 10(12). <https://doi.org/10.3390/jcm10122670>
- Callisaya, M. L., Blizzard, L., McGinley, J. L., & Srikanth, V. K. (2012). Risk of falls in older people during fast-walking - The TASCOG study. *Gait and Posture*, 36(3), 510–515. <https://doi.org/10.1016/j.gaitpost.2012.05.003>
- Celuk, B., & Gianyar, B. (2022). *Keseimbangan dinamis dengan kecepatan berjalan pada lansia di Banjar Celuk Buruan Gianyar*. 2(5), 2097–2104.
- Courtial, E., Brulin, D., & Barelle, C. (2015). *A decision support system for preventing falls in elderly people*. <https://doi.org/10.4108/eai.14-10-2015.2261690>
- Darmojo, B. (2015). Buku Ajar Geriatri (Ilmu Kesehatan Usia Lanjut). In P. kris Martono, H;Hadi (Ed.), *Badan Penerbit Fakultas Kedokteran Universitas Indonesia: Vol. Edisi ke-* (5th ed.). Badan Penerbit Fakultas Kedokteran Universitas Indonesia.
- Gonzalez, M., Gates, D. H., & Rosenblatt, N. J. (2020). The impact of obesity on gait stability in older adults. *Journal of Biomechanics*, 100. <https://doi.org/10.1016/j.jbiomech.2019.109585>
- Hartini, W. M., Roosarjani, C., & Dewi, Y. A. (2019). *Bahan Ajar Teknologi Bank Darah (TBD) Metodologi Penelitian dan Statistik* (Vol. 1). Kementerian Kesehatan Republik Indonesia.
- Herrero-Larrea, A., Miñarro, A., Narvaiza, L., Gálvez-Barrón, C., León, N. G., Valldosera, E., Felipe, E., Valverde, R. A., Kruse, L., Sabater, J. B., & Rodríguez-Molinero, A. (2018). Normal limits of home measured spatial gait parameters of the elderly population and their association with health variables. *Scientific Reports*, 8(1), 1–8. <https://doi.org/10.1038/s41598-018-31507-1>
- Ivanenko, Y., & Gurfinkel, V. S. (2018). Human postural control. *Frontiers in Neuroscience*, 12(MAR), 1–9. <https://doi.org/10.3389/fnins.2018.00171>
- Komaliq, F. M., Waluyo, I., Subu, M. A., & Gustyanti, R. (2013). *Perbedaan keseimbangan berdasarkan jenis kelamin dan usia 20-65 tahun, rasio lingkar pinggang panggul (RLPP) serta pendidikan masy arakat kelurahan Duren Sawit Jakarta Timur tahun 2012*. 3, 47–62.

- L. Sturnieks, D., St George, R., & R. Lord, S. (2008). Balance disorders in the elderly. *Neurophysiologie Clinique*, 38(6), 467–478.
<https://doi.org/10.1016/j.neucli.2008.09.001>
- Mehmet, H., Robinson, S. R., & Yang, A. W. H. (2020). Assessment of Gait Speed in Older Adults. *Journal of Geriatric Physical Therapy*, 43(1), 42–52.
<https://doi.org/10.1519/JPT.0000000000000224>
- Misu, S., Asai, T., Murata, S., Nakamura, R., Isa, T., Tsuboi, Y., Oshima, K., Koyama, S., Sawa, R., Fukumoto, Y., & Ono, R. (2022). Association between Abnormal Gait Patterns and an Elevated Degree of Pain after Daily Walking: A Preliminary Study. *International Journal of Environmental Research and Public Health*, 19(5). <https://doi.org/10.3390/ijerph19052842>
- Munawwarah, M., & Halimah, N. (2020). Hubungan antara panjang langkah dengan keseimbangan dinamis pada pasien lanjut usia dengan kondisi knee osteoarthritis (OA) grade II. *Jurnal Ilmiah Fisioterapi E-ISSN*, 2528, 3235, 20(1), 32–39.
- Munawwarah, M., & Nindya, P. (2015). Pemberian Latihan Pada Lansia Dapat Meningkatkan Keseimbangan dan Mengurangi Resiko Jatuh Lansia. *Fakultas Fisioterapi Universitas Esa Unggul*, 15(April), 38–44.
<http://ejurnal.stikesbaptis.ac.id/index.php/STIKES/article/view/306/279>
- Nagaratnam, Nages Nagaratnam, K. (2012). Gait disorders in the elderly. *Medicine and Health, Rhode Island*, 95(3), 84–85.
- Nielsen, J. B. (2003). How we walk: Central control of muscle activity during human walking. *Neuroscientist*, 9(3), 195–204.
<https://doi.org/10.1177/1073858403009003012>
- Novianti, N. D., Munawarah, M., Cahyani, T. D., & Ivanali, K. (2023). Efek Latihan Stabilisasi terhadap Keseimbangan pada Nyeri Sendi Degeneratif. 5(2). <https://doi.org/10.35451/jkf.v5i2.1560>
- Nugraha, I. G. B., Darmawijaya, I., & Vitalistyawati, L. P. A. (2022). Pengaruh Pemberian Ankle Strategy Exercise Terhadap Keseimbangan Dinamis Pada Lansia Di Banjar Buruan Desa Tampaksiring. *Journal of Innovation Research and Knowledge*, 2(4), 1993–1998.
- Nurmalasari, M., Widajanti, N., & Dharmanta, R. S. (2018). Hubungan Riwayat Jatuh dan Timed Up and Go Test pada Pasien Geriatri. 5(4), 164–168.
- Osoba, M. Y., Rao, A. K., Agrawal, S. K., & Lalwani, A. K. (2019). Balance and gait in the elderly: A contemporary review. *Laryngoscope Investigative Otolaryngology*, 4(1), 143–153. <https://doi.org/10.1002/lio2.252>
- Pangribowo Supriyono (Ed.). (2022). *Lansia Berdaya, Bangsa Sejahtera* (H. Hira). Pusat Data & Informasi Kementerian Kesehatan RI.
- Park, K.-N. (2021). Comparison of Spatio-Temporal Parameter and Symmetry during Gait between Healthy Elderly and Young People. *Journal of Musculoskeletal Science and Technology*, 5(1), 27–33.

<https://doi.org/10.29273/jmst.2021.5.1.27>

- Pirker, W., & Katzenschlager, R. (2017). *Gait disorders in adults and the elderly*. 81–95. <https://doi.org/10.1007/s00508-016-1096-4>
- Pramadita, A. P., Wati, A. P., & Muhartomo, H. (2019). Hubungan Fungsi Kognitif Dengan Gangguan Keseimbangan Postural Pada Lansia. *Diponegoro Medical Journal (Jurnal Kedokteran Diponegoro)*, 8(2), 626–641.
- Pranata, I. M. S. W., Widhiantara, I. G., & Pramita, I. (2020). Balance Training Meningkatkan Keseimbangan Dinamis Pada Orang. *Jurnal Kesehatan Terpadu* 4, 4(1), 13–16.
- Purwanza dkk., S. W. (2022). Metodologi Penelitian Kuantitatif, Kualitatif dan Kombinasi. In *News.Ge* (Issue March).
- Rose, J., & Gamble, J. G. (2006). *Human walking* (Third Edit). Lippincott Williams & Wilkins.
- Salzman, B. (2011). Gait and balance disorders in older adults. *American Family Physician*, 82(1), 61–68.
- Schofield, D. P. (2007). *Pain in Older Adults: Epidemiology, Impact and Barriers to Management*. 1(6), 129.
- Shumway-Cook, A., Brauer, S., & Woollacott, M. (2000). Predicting the Probability for Falls in Community-Dwelling Older Adults Using the Timed Up & Go Test. *Canadian Journal of Zoology*, 80.
- Sirintawat, N., Sawang, K., Chaiyasamut, T., & Wongsirichat, N. (2017). *Pain measurement in oral and maxillofacial surgery*. December. <https://doi.org/10.17245/jdapm.2017.17.4.253>
- Timothy, K. L., Ron, S., Barr, J. o., & Moran, M. L. (2014). *A Comprehensive Guide to Geriatric Rehabilitation* (K. L. TimoThy, S. Ron, J. o. BaRR, & michaEL L. MoRan (Eds.)).
- Utami, R. F., Syah, I., Kesehatan, F., Fort, U., & Bukittinggi, D. K. (2022). Analisis Faktor Yang Mempengaruhi Keseimbangan Lansia. *Jurnal Endurance*, 7(1), 23–30. <https://doi.org/10.22216/jen.v7i1.712>
- Utomo, B., & Takarini, N. (2009). Uji Validitas Kriteria Time Up and Go Test (Tug) Sebagai Alat Ukur Keseimbangan Pada Lansia. *Jurnal Fisioterapi*, 9(2), 86–93.
- Wolfson, L., Whipple, R., Derby, C. A., Amerman, P., & Nashner, L. (1994). Gender differences in the balance of healthy elderly as demonstrated by dynamic posturography. *Journals of Gerontology*, 49(4). <https://doi.org/10.1093/geronj/49.4.M160>