

GET

```
FILE='D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav'.  
DATASET NAME DataSet1 WINDOW=FRONT.  
FREQUENCIES VARIABLES=Umur  
  /PIECHART FREQ  
  /ORDER=ANALYSIS.
```

Frequencies

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Statistics

Umur

N	Valid	58
	Missing	0

Umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<= 20	4	6.9	6.9	6.9
	21-35	45	77.6	77.6	84.5
	>36	9	15.5	15.5	100.0
	Total	58	100.0	100.0	

Frequencies

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Statistics

Pendidikan

N	Valid	58
	Missing	0

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	PT	1	1.7	1.7	1.7
	SD	21	36.2	36.2	37.9
	SMA	6	10.3	10.3	48.3
	SMP	30	51.7	51.7	100.0
	Total	58	100.0	100.0	

Frequencies

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Statistics

Pekerjaan

N	Valid	58
	Missing	0

Pekerjaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid IRT	41	70.7	70.7	70.7
Pegawai swasta	4	6.9	6.9	77.6
Petani	13	22.4	22.4	100.0
Total	58	100.0	100.0	

Frequencies

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Statistics

Pengetahuan

N	Valid	58
	Missing	0

Pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Baik	32	55.2	55.2	55.2
Kurang Baik	26	44.8	44.8	100.0
Total	58	100.0	100.0	

Frequencies

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Statistics

Jarak

N	Valid	58
	Missing	0

Jarak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Jauh	18	31.0	31.0	31.0
	Dekat	40	69.0	69.0	100.0
	Total	58	100.0	100.0	

Frequencies

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Statistics

PeranNakes

N	Valid	58
	Missing	0

PeranNakes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Baik	46	79.3	79.3	79.3
	Kurang Baik	12	20.7	20.7	100.0
	Total	58	100.0	100.0	

Frequencies

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Statistics

PenolongPersalinan

N	Valid	58
	Missing	0

PenolongPersalinan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Non Kesehatan	27	46.6	46.6	46.6
	Tenaga Kesehatan	31	53.4	53.4	100.0
	Total	58	100.0	100.0	

Crosstabs

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pendidikan * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

Pendidikan * PenolongPersalinan Crosstabulation

			PenolongPersalinan		Total
			Non Kesehatan	Tenaga Kesehatan	
Pendidikan	PT	Count	0	1	1
		% within Pendidikan	.0%	100.0%	100.0%
	SD	Count	16	5	21
		% within Pendidikan	76.2%	23.8%	100.0%
	SMA	Count	1	5	6
		% within Pendidikan	16.7%	83.3%	100.0%
	SMP	Count	10	20	30
		% within Pendidikan	33.3%	66.7%	100.0%
Total		Count	27	31	58
		% within Pendidikan	46.6%	53.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	12.546 ^a	3	.006
Likelihood Ratio	13.479	3	.004
N of Valid Cases	58		

a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is .47.

Crosstabs

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pekerjaan * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

Pekerjaan * PenolongPersalinan Crosstabulation

			PenolongPersalinan		Total
			Non Kesehatan	Tenaga Kesehatan	
Pekerjaan	IRT	Count	21	20	41
		% within Pekerjaan	51.2%	48.8%	100.0%
Pegawai swasta	Petani	Count	0	4	4
		% within Pekerjaan	.0%	100.0%	100.0%
Total		Count	27	31	58
		% within Pekerjaan	46.6%	53.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.844 ^a	2	.146
Likelihood Ratio	5.370	2	.068
N of Valid Cases	58		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 1.86.

Crosstabs

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pengetahuan * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

Pengetahuan * PenolongPersalinan Crosstabulation

			PenolongPersalinan		Total
			Non Kesehatan	Tenaga Kesehatan	
Pengetahuan	Baik	Count	5	27	32
		% within Pengetahuan	15.6%	84.4%	100.0%
	Kurang Baik	Count	22	4	26
		% within Pengetahuan	84.6%	15.4%	100.0%
Total		Count	27	31	58
		% within Pengetahuan	46.6%	53.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	27.441 ^a	1	.000		
Continuity Correction ^b	24.738	1	.000		
Likelihood Ratio	30.067	1	.000		
Fisher's Exact Test				.000	.000
N of Valid Cases	58				

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	27.441 ^a	1	.000		
Continuity Correction ^b	24.738	1	.000		
Likelihood Ratio	30.067	1	.000		
Fisher's Exact Test				.000	.000
N of Valid Cases	58				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.10.

b. Computed only for a 2x2 table

CROSSTABS

```

/TABLES=Jarak BY PenolongPersalinan
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ
/CELLS=COUNT ROW
/COUNT ROUND CELL.

```

Crosstabs

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jarak * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

Jarak * PenolongPersalinan Crosstabulation

			PenolongPersalinan		Total
			Non Kesehatan	Tenaga Kesehatan	
Jarak	Jauh	Count	10	8	18
		% within Jarak	55.6%	44.4%	100.0%
	Dekat	Count	17	23	40
		% within Jarak	42.5%	57.5%	100.0%
Total		Count	27	31	58
		% within Jarak	46.6%	53.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.850 ^a	1	.356		
Continuity Correction ^b	.407	1	.524		
Likelihood Ratio	.850	1	.357		
Fisher's Exact Test				.404	.262
N of Valid Cases	58				

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.850 ^a	1	.356		
Continuity Correction ^b	.407	1	.524		
Likelihood Ratio	.850	1	.357		
Fisher's Exact Test				.404	.262
N of Valid Cases	58				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.38.

b. Computed only for a 2x2 table

CROSSTABS

```

/TABLES=PeranNakes BY PenolongPersalinan
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ
/CELLS=COUNT ROW
/COUNT ROUND CELL.
    
```

Crosstabs

[DataSet1] D:\Hasil Validitas Kuesioner Skripsi\CHI SQUARE.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PeranNakes * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

PeranNakes * PenolongPersalinan Crosstabulation

			PenolongPersalinan		Total
			Non Kesehatan	Tenaga Kesehatan	
PeranNakes Baik	Count	25	21	46	
	% within PeranNakes	54.3%	45.7%	100.0%	
Kurang Baik	Count	2	10	12	
	% within PeranNakes	16.7%	83.3%	100.0%	
Total	Count	27	31	58	
	% within PeranNakes	46.6%	53.4%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.431 ^a	1	.020		
Continuity Correction ^b	4.022	1	.045		
Likelihood Ratio	5.894	1	.015		
Fisher's Exact Test				.025	.020
N of Valid Cases	58				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.59.

b. Computed only for a 2x2 table