

```

CROSSTABS
  /TABLES=KategoriPendidikan BY PenolongPersalinan
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ RISK
  /CELLS=COUNT
  /COUNT ROUND CELL.

```

## Crosstabs

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KategoriPendidikan * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

### KategoriPendidikan \* PenolongPersalinan Crosstabulation

Count

		PenolongPersalinan		Total
		Non Kesehatan	Tenaga Kesehatan	
KategoriPendidikan	Rendah	25	26	51
	Tinggi	1	6	7
Total		26	32	58

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.002 <sup>a</sup>	1	.083		
Continuity Correction <sup>b</sup>	1.762	1	.184		
Likelihood Ratio	3.360	1	.067		
Fisher's Exact Test				.116	.090
N of Valid Cases	58				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.14.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Pendidikan (Rendah / Tinggi)	5.769	.648	51.397
For cohort PenolongPersalinan = Non Kesehatan	3.431	.547	21.520
For cohort PenolongPersalinan = Tenaga Kesehatan	.595	.397	.892
N of Valid Cases	58		

CROSSTABS

```

/TABLES=KatePekerjaan BY PenolongPersalinan
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ RISK
/CELLS=COUNT
/COUNT ROUND CELL.
    
```

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KatePekerjaan * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

**KatePekerjaan \* PenolongPersalinan Crosstabulation**

Count

		PenolongPersalinan		Total
		Non Kesehatan	Tenaga Kesehatan	
KatePekerjaan	Tidak Bekerja	22	19	41
	Bekerja	4	13	17
Total		26	32	58

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.411 <sup>a</sup>	1	.036		
Continuity Correction <sup>b</sup>	3.277	1	.070		
Likelihood Ratio	4.615	1	.032		
Fisher's Exact Test				.046	.034
N of Valid Cases	58				

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.411 <sup>a</sup>	1	.036		
Continuity Correction <sup>b</sup>	3.277	1	.070		
Likelihood Ratio	4.615	1	.032		
Fisher's Exact Test				.046	.034
N of Valid Cases	58				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.62.

b. Computed only for a 2x2

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KatePekerjaan (Tidak Bekerja / Bekerja)	3.763	1.049	13.504
For cohort PenolongPersalinan = Non Kesehatan	2.280	.924	5.626
For cohort PenolongPersalinan = Tenaga Kesehatan	.606	.397	.924
N of Valid Cases	58		

### CROSSTABS

```

/TABLES=Pengetahuan BY PenolongPersalinan
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ RISK
/CELLS=COUNT
/COUNT ROUND CELL.

```

### Crosstabs

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pengetahuan * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

**Pengetahuan \* PenolongPersalinan Crosstabulation**

Count

		PenolongPersalinan		Total
		Non Kesehatan	Tenaga Kesehatan	
Pengetahuan	Kurang Baik	9	23	32
	Baik	17	9	26
Total		26	32	58

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.052 <sup>a</sup>	1	.005		
Continuity Correction <sup>b</sup>	6.616	1	.010		
Likelihood Ratio	8.217	1	.004		
Fisher's Exact Test				.008	.005
N of Valid Cases	58				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.66.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pengetahuan (Kurang Baik / Baik)	.207	.068	.633
For cohort PenolongPersalinan = Non Kesehatan	.430	.231	.800
For cohort PenolongPersalinan = Tenaga Kesehatan	2.076	1.173	3.675
N of Valid Cases	58		

CROSSTABS

/TABLES=Jarak BY PenolongPersalinan

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ RISK

/CELLS=COUNT

/COUNT ROUND CELL.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jarak * PenolongPersalinan	58	100.0%	0	.0%	58	100.0%

**Jarak \* PenolongPersalinan Crosstabulation**

Count

		PenolongPersalinan		Total
		Non Kesehatan	Tenaga Kesehatan	
Jarak	Jauh	11	7	18
	Dekat	15	25	40
Total		26	32	58

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.798 <sup>a</sup>	1	.094		
Continuity Correction <sup>b</sup>	1.925	1	.165		
Likelihood Ratio	2.801	1	.094		
Fisher's Exact Test				.153	.083
N of Valid Cases	58				

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.798 <sup>a</sup>	1	.094		
Continuity Correction <sup>b</sup>	1.925	1	.165		
Likelihood Ratio	2.801	1	.094		
Fisher's Exact Test				.153	.083
N of Valid Cases	58				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.07.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jarak (Jauh / Dekat)	2.619	.835	8.218
For cohort	1.630	.946	2.807
PenolongPeralinan = Non Kesehatan			
For cohort	.622	.332	1.165
PenolongPeralinan = Tenaga Kesehatan			
N of Valid Cases	58		

CROSSTABS

```

/TABLES=PeranNakes BY PenolongPeralinan
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ RISK
/CELLS=COUNT
/COUNT ROUND CELL.
    
```

**Crosstabs**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PeranNakes *	58	100.0%	0	.0%	58	100.0%
PenolongPeralinan						

**PeranNakes \* PenolongPersalinan Crosstabulation**

Count

		PenolongPersalinan		Total
		Non Kesehatan	Tenaga Kesehatan	
PeranNakes	Baik	22	24	46
	Kurang Baik	4	8	12
Total		26	32	58

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.808 <sup>a</sup>	1	.369		
Continuity Correction <sup>b</sup>	.328	1	.567		
Likelihood Ratio	.824	1	.364		
Fisher's Exact Test				.518	.286
N of Valid Cases	58				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.38.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PeranNakes (Baik / Kurang Baik)	1.833	.484	6.948
For cohort PenolongPersalinan = Non Kesehatan	1.435	.610	3.374
For cohort PenolongPersalinan = Tenaga Kesehatan	.783	.481	1.273
N of Valid Cases	58		