

## DAFTAR PUSTAKA

- Chaves, J. O., de Souza, M. C., da Silva, L. C., Lachos-Perez, D., Torres-Mayanga, P. C., Machado, A. P. da F., Forster-Carneiro, T., Vázquez-Espinosa, M., González-de-Peredo, A. V., Barbero, G. F., & Rostagno, M. A. (2020). Extraction of Flavonoids From Natural Sources Using Modern Techniques. *Frontiers in Chemistry*, 8(September). <https://doi.org/10.3389/fchem.2020.507887>
- Dirjen KemenkesRI. (2017). *Farmakope Herbal Indonesia* (II). Kementerian Kesehatan RI.
- Dirjen POM. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat*. Departemen Kesehatan.
- Ditjen POM. (1986). *Sediaan Galenik*. Departemen Kesehatan RI.
- Ditjen POM. (1992). *Cara Pembuatan Obat Tradisional Yang Baik*. Departemen Kesehatan Republik Indonesia.
- Fadillah, A., Rahmadani, A., & Rijai, L. (2017). Analysis of total flavonoid and antioxidant activity of Passion leaves (*Passiflora foetida* L.). *Proceeding of the 5th Mulawarman Pharmaceuticals Conference, April*, 23–24.
- Febriani, Y., Riasari, H., Winingsih, W., Aulifa, L., & Permatasari, A. (2018). The Potential Use of Red Ginger (*Zingiber officinale Roscoe*) Dregs as Analgesic. *Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage*, 1(1), 57–64. <http://jurnal.unpad.ac.id/ijpst/UNPAD57>
- Flieger, J., Flieger, W., & Baj, J. (2021). Antioxidants : Classification , Natural Sources , Activity / Capacity. *Materials*, 14(4135), 1–54. <https://www.mdpi.com/journal/materials>
- Foudah, A. I., Shakeel, F., Yusufoglu, H. S., Ross, S. A., & Alam, P. (2020). Simultaneous determination of 6-shogaol and 6-gingerol in various ginger (*Zingiber officinale Roscoe*) extracts and commercial formulations using a green RP-HPTLC-densitometry method. *Foods*, 9(8). <https://doi.org/10.3390/foods9081136>
- Ghasemzadeh, A., Jaafar, H. Z. E., Baghdadi, A., & Tayebi-Meigooni, A. (2018). Formation of 6-, 8- and 10-shogaol in ginger through application of different drying methods: Altered antioxidant and antimicrobial activity. *Molecules*, 23(7). <https://doi.org/10.3390/molecules23071646>
- Ghasemzadeh, A., Jaafar, H. Z. E., & Rahmat, A. (2010). Identification and concentration of some flavonoid components in Malaysian young ginger (*Zingiber officinale Roscoe*) varieties by a high performance liquid chromatography method. *Molecules*, 15(9), 6231–6243. <https://doi.org/10.3390/molecules15096231>
- Ghasemzadeh, A., Jaafar, H. Z. E., & Rahmat, A. (2015). Optimization protocol for the extraction of 6-gingerol and 6-shogaol from *Zingiber officinale* var. *rubrum* Theilade and improving antioxidant and anticancer activity using response surface methodology. *BMC Complementary and Alternative Medicine*, 15(1).

- <https://doi.org/10.1186/s12906-015-0718-0>
- Gigiringi, F. C., Nurali, E. J. N., & Ludong, M. M. (2022). *Formulasi Tepung Komposit Ubi Jalar Kuning (Ipomea batatas L.) Dan Kacang Merah (Phaseolus vulgaris L.) Untuk Pembuatan Biskuit.* 3, 325–337.
- Ginting, M., Satria, A. M., & Khalil, R. (2007). *Perairan Nusantara.* Universitas Diponegoro.
- Handrianto, P. (2016). Uji Antibakteri Ekstrak Jahe Merah (*Zingiber officinale* Var. *Rubrum*) Terhadap *Staphylococcus aureus* dan *Escherichiacoli*. *Journal Of Research And Technologies*, 2(1), 24.
- Hapsoh, H. (2008). *Budidaya Tanaman Obat dan Rempah.* USU Press.
- Hasnaeni, Wisdawati, & Usman, S. (2019). Pengaruh Metode Ekstraksi Terhadap Rendemen Dan Kadar Fenolik Ekstrak Tanaman Kayu Beta-Beta (*Lunasia amara Blanco*). *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(2), 166–174. <https://doi.org/10.22487/j24428744.2019.v5.i2.13149>
- Herawati, I. E., & Saptarini, N. M. (2020). Studi Fitokimia pada Jahe Merah (*Zingiber officinale Roscoe* Var. *Sunti Val*). *Majalah Farmasetika.*, 4. <https://doi.org/10.24198/mfarmasetika.v4i0.25850>
- Hilma, H., Putri, N. A. Della, & Lely, N. (2021). PENENTUAN KANDUNGAN TOTAL FENOL DAN TOTAL FLAVONOID EKSTRAK DAUN KELENGKENG (*Dimocarpus longan* Lour.). *Jurnal Ilmiah Farmako Bahari*, 12(1), 80. <https://doi.org/10.52434/jfb.v12i1.1037>
- Kaban, A. N., Daniel, & LSaleh, C. (2016). Uji Fitokimia, Toksisitas dan Aktivitas Antioksidan Fraksi n-Heksana dan Etil Asetat Terhadap Ekstrak Jahe Merah. *Jurnal Kimia Mulawarman*, 14(1), 24–28.
- Karim, K., Jura, M. R., & Sabang, M. (2015). *Uji Aktivitas Antioksidan Ekstrak Daun Patikan Kebo (Euphorbia hirta L.).* 4(May), 56–63.
- Kementerian Pertanian. (2011). *Pedoman Penyusunan Deskripsi Varietas Hortikultura.* Direktorat Perbenihan Hortikultura dan Direktorat Jenderal Hortikultura.
- Kumalaningsih. (2007). *Antioksidan Alami Penangkal Radikal Bebas.* Tribus Agrisarana.
- Kuntum, K. (2010). Menangkal Radikal Bebas dengan Antioksidan. *Jurnal Sainstek*, II(2), 183–187.
- Leba, M. (2017). *Ekstraksi dan Real Kromatograf.* Deepublish.
- Lukito, A. M. (2007). *Petunjuk Praktis Bertanam Jahe.* Agromedia Pustaka.
- Mahayashih, P. G. M. W., Putry, A. E. S., & Rahayu, S. T. (2022). Pengaruh Konsentrasi Pelarut terhadap Aktivitas Antioksidan Pegagan (*Centella asiatica* (L) Urban) yang Diekstraksi dengan Metode MAE. *Archives Pharmacia*, 4(2). <https://doi.org/10.47007/ap.v4i2.5795>
- Mai, X., Liu, Y., Tang, X., Wang, L., Lin, Y., Zeng, H., Luo, L., Fan, H., & Li, P. (2020). Sequential extraction and enrichment of flavonoids from *Euonymus alatus* by ultrasonic-assisted polyethylene glycol-based extraction coupled to temperature-induced cloud point extraction. *Ultrasonics Sonochemistry*,

- 66(December 2019), 105073. <https://doi.org/10.1016/j.ultronch.2020.105073>
- Majeed, M., Hussain, A. I., Chatha, S. A. S., Khosa, M. K. K., Kamal, G. M., Kamal, M. A., Zhang, X., & Liu, M. (2016). Optimization protocol for the extraction of antioxidant components from *Origanum vulgare* leaves using response surface methodology. *Saudi Journal of Biological Sciences*, 23(3), 389–396. <https://doi.org/10.1016/j.sjbs.2015.04.010>
- Mao, Q. Q., Xu, X. Y., Cao, S. Y., Gan, R. Y., Corke, H., Beta, T., & Li, H. Bin. (2019). Bioactive compounds and bioactivities of ginger (*Zingiber officinale* roscoe). *Foods*, 8(6), 1–21. <https://doi.org/10.3390/foods8060185>
- Molyneux, P. (2004). The use of the stable radical Diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Journal of Science and Technology*, 26(2), 211–219. <https://www.researchgate.net/publication/237620105>
- Motikar, P. D., More, P. R., & Arya, S. S. (2020). A novel, green environment-friendly cloud point extraction of polyphenols from pomegranate peels: a comparative assessment with ultrasound and microwave-assisted extraction. *Separation Science and Technology (Philadelphia)*, 56(6), 1014–1025. <https://doi.org/10.1080/01496395.2020.1746969>
- Munadi, R. (2018). Analisis Komponen Kimia Dan Uji Antioksidan Ekstrak Rimpang Merah (*Zingiber officinale* Rosc.Var rubrum). *Cokroaminoto Journal Of Chemical Science*, 2(1), 1–6.
- Mustafa, I., Chin, N. L., Fakurazi, S., & Palanisamy, A. (2019). Comparison of phytochemicals, antioxidant and anti-inflammatory properties of sun-, oven- And freeze-dried ginger extracts. *Foods*, 8(10). <https://doi.org/10.3390/foods8100456>
- Nur, Y., Cahyotomo, A., Nanda, & Fistoro, N. (2020). Profil GC-MS Senyawa Metabolit Sekunder dari Jahe Merah (*Zingiber officinale*) dengan Metode Etil Asetat, Etanol, dan Destilasi. *Jurnal Sains Dan Kesehatan*, 3(3), 198–204.
- Nyoman Yuliani, N., Sambara, J., & Alexandria Mau, M. (2016). Uji Aktivitas Antioksidan Fraksi Etilasetat Ekstrak Etanol Rimpang Jahe Merah (*Zingiber officinale* var. Rubrum) dengan Metode DPPH(1,1-Diphenyl-2-Picrylhydrazyl). *Jurnal Info Kesehatan*, 14(1), 1091–1111.
- Pamungkas, Y. P., & Dewi, M. (2013). Efek Antibakteri Perasan Jahe Merah (*Zingiber Officinale* var. Rubrum) Terhadap Bakteri *Escherichia coli* Secara In Vitro. *Jurnal Farmasetis*, 2(2), 46–51.
- Pathiassana, M. T., Mariani, D., & Nurlaila. (2020). Analisis Senyawa 6-Gingerol terhadap Rimpang Jahe yang Diekstraksi dengan Metode Liquid Chromatography Massa Spectrometry (LC-MS). *Agritepa*, VII(2), 2407–1315.
- Prasetyo, D. A., & Vifta, R. L. (2022). Pengaruh Metode Ekstraksi Terhadap Kadar Flavonoid Total Ekstrak Jahe Merah (*Zingiber Officinale* Var Rubrum). *Journal of Holistics and Health Sciences*, 4(1), 192–201.
- Pratiwi, R. A., & Nandiyanto, A. B. D. (2022). How to Read and Interpret UV-VIS Spectrophotometric Results in Determining the Structure of Chemical Compounds. *Indonesian Journal of Educational Research and Technology*, 2(1), 1–20. <https://doi.org/10.17509/ijert.v2i1.35171>

- Putri, A. A. S., & Hidajati, N. (2015). Uji Aktivitas Senyawa Fenolik Ekstrak Metanol Kulit Batang Tumbuhan Nyiri Batu (*Xylocarpus moluccensis*). In *Joernal of Chemistry: Vol. IV* (Issue 1). Fakultas Sains dan Matematika Universitas Surabaya.
- Rahminiwati, M., p mustika, aulia andi, Saadiah, S., Andriyanto, Soeripto, & P, U. (2010). Bioprospeksi Ekstrak Jahe Gajah Sebagai Anti-Crd: Kajian Aktivitas Antibakteri Terhadap Mycoplasma Galliseptikum Dan E. Coli in Vitro. *Jurnal Ilmu Pertanian Indonesia*, 15(1), 7–13.
- Robinson, T. (1995). *Kandungan organik tumbuhan tinggi / trevor Robinson ; penerjemah, Kosasih Padmawinata* (6th ed.). ITB.
- Sadeer, N. B., Montesano, D., Albrizio, S., Zengin, G., & Mahomoodally, M. F. (2020). The versatility of antioxidant assays in food science and safety—chemistry, applications, strengths, and limitations. *Antioxidants*, 9(8), 1–39. <https://doi.org/10.3390/antiox9080709>
- Salim, S. A., Saputri, F. A., Saptarini, N. M., & Levita, J. (2020). Review Artikel: Kelebihan dan Keterbatasan Pereaksi Folinciocalteu dalam Penentuan Kadar Fenol Total Pada Tanaman. *Farmaka*, 18(1), 46–57. <http://jurnal.unpad.ac.id/farmaka/article/view/21909/pdf>
- Sari, D., & Nasuha, A. (2021). Kandungan Zat Gizi, Fitokimia, dan Aktivitas Farmakologis pada Jahe (*Zingiber officinale Rosc.*): Review. *Tropical Bioscience: Journal of Biological Science*, 1(2), 11–18. <http://jurnal.uinbanten.ac.id/index.php/tropicalbiosci/article/view/5246>
- Septia Ningih, D., Henri, H., Roanisca, O., & Gus Mahardika, R. (2020). Skrining Fitokimia dan Penetapan Kandungan Total Fenolik Ekstrak Daun Tumbuhan Sapu-Sapu (*Baeckea frutescens L.*). *Biotropika: Journal of Tropical Biology*, 8(3), 178–185. <https://doi.org/10.21776/ub.biotropika.2020.008.03.06>
- Setiawan, F., Yunita, O., & Kurniawan, A. (2018). Uji Aktivitas Antioksidan Ekstrak Etanol Kayu Secang (*Caesalpinia sappan*) Menggunakan Metode DPPH, ABTS, dan FRAP. In *Media Pharmaceutica Indonesiana* ; (Vol. 2, Issue 2).
- Setyaningrum, E., Fitriana, A. S., & Samodra, G. (2021). Pengaruh Metode Pengeringan terhadap Kadar Flavonoid Total dan Aktivitas Antioksidan pada Ekstrak Daun Seledri (*Apium Graveolens L.*). 504–510, 504–510.
- Setyati, W. A., Pramesti, R., & Suryono, C. A. (2020). Analisis Kadar Senyawa Fenol dan Aktivitas Antioksidan pada Tiga Jenis *Sargassum* dari Pantai Jepara, Indonesia. *Buletin Oseanografi Marina*, 9(2), 83–92. <https://doi.org/10.14710/buloma.v9i2.32127>
- Srikandi, Humairoh, M., & Sutamihardja, R. (2020). Kandungan Gingerol dan Shogaol dari Ekstrak Jahe Merah (*Zingiber Officinale Roscoe*) dengan Metode Maserasi Bertingkat. *Jurnal Al-Kimiya*, 7(2), 75–81.
- Suhartati, T. (2017). *Dasar-dasar Spektrofotometri UV-Vis dan Spektrometri Massa untuk Penentuan Struktur Senyawa Organik*. AURA.
- Suhendra, C. P., Widarta, I. W. R., & Wiadnyani, A. A. I. S. (2019). Pengaruh Konsentrasi Etanol Terhadap Aktivitas Antioksidan Ekstrak Rimpang Ilalang

- (Imperata cylindrica (L) Beauv.) Pada Ekstraksi Menggunakan Gelombang Ultrasonik. *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 8(1), 27. <https://doi.org/10.24843/itepa.2019.v08.i01.p04>
- Supu, R. D., Diantini, A., & Levita, J. (2018). Red Ginger (*Zingiber officinale* var. *rubrum*): Its Chemical Constituents, Pharmacological Activities and Safety. *Fitofarmaka - Jurnal Ilmiah Farmasi*, 8(1), 25–31. <https://doi.org/10.33751/jf.v8i1.1168>
- Syafitri, N. E., Bintang, M., & Falah, S. (2014). Kandungan Fitokimia, Total Fenol, dan Total Flavonoid Ekstrak Buah Harendong (*Melastoma affine* D. Don). *Current Biochemistry*, 1(3), 105–115.
- Teng, H., Seuseu, K. T., Lee, W. Y., & Chen, L. (2019). Comparing the effects of microwave radiation on 6-gingerol and 6-shogaol from ginger rhizomes (*Zingiber officinale Rosc*). *PLoS ONE*, 14(6). <https://doi.org/10.1371/journal.pone.0214893>
- Tim Lentera. (2004). *Khasiat dan Manfaat Jahe Merah si Rimpang Ajaib*. Agromedia Pustaka.
- Treyball, R. (1980). *Mass Transfer Operation* (Third). McGraw Hill Book Company.
- Verma, G., & Mishra, M. (2018). Development and Optimization Of UV-Vis Spectroscopy - A Review. *World Journal of Pharmaceutical Research*, 7(11), 1170–1180. <https://doi.org/10.20959/wjpr201811-12333>
- Vifta, R. L., & Advistasari, Y. D. (2018). Skrining Fitokimia, Karakterisasi, dan Penentuan Kadar Flavonoid Total Ekstrak dan Fraksi-Fraksi Buah Parijoto (*Medinilla speciosa* B.). *Prosiding Seminar Nasional Unimus*, 1, 8–14.
- Wahyulianingsih, W., Handayani, S., & Malik, A. (2016). Penetapan Kadar Flavonoid Total Ekstrak Daun Cengkeh (*Syzygium aromaticum* (L.) Merr & Perry). *Jurnal Fitofarmaka Indonesia*, 3(2), 188–193. <https://doi.org/10.33096/jffi.v3i2.221>
- Y. P. U., A. M., R. S., & I. K. (2017). Standardisasi Simplisia dan Ekstrak Etanol Daun Leilem (*Clerodendrum minahassae* Teism. & Binn.). *Journal of Pharmaceutical and Medicinal Sciences*, 32–39.
- Yuslanti, E. R. (2018). *Pengantar Radikal Bebas dan Antioksidan*. Deepublish.
- Zhang, S., Kou, X., Zhao, H., Mak, K. K., Balijepalli, M. K., & Pichika, M. R. (2022). *Zingiber officinale* var. *rubrum*: Red Ginger's Medicinal Uses. *Molecules*, 27(3). <https://doi.org/10.3390/molecules27030775>