

DAFTAR PUSTAKA

- Ahmad, I., Pertiwi, A. S., Kembaren, Y. H., Rahman, A., & Mun'im, A. (2018). Application of Natural Deep Eutectic Solvent-Based Ultrasonic Assisted Extraction of Total Polyphenolic and Caffeine Content from Coffe Beans (Coffea Beans L.) for Instant Food Products. *Journal of Applied Pharmaceutical Science*, 8(8), 138–143. <https://doi.org/10.7324/JAPS.2018.8819>
- Ahmad, I., Prabowo, Wi. C., Nur, Y., Ardana, M., Rahayu, P. B., & Herman. (2020). Optimasi Metode Ekstraksi Berbantu Mikrowave Dengan Pelarut Hijau (Asam Sitrat-Glukosa) Terhadap Kadar Polifenol Total Dari Daun Kadamba (*Mitragyna speciosa* Korth. Havil) Menggunakan Response Surface Methodology. *Majalah Farmasi Dan Farmakologi*, 24(1), 11–16. <https://doi.org/10.20956/mff.v24i1.9456>
- Airouyuwa, J. O., Hussein, M., Asad, R., & Sajid, M. (2022). Utilization of natural deep eutectic solvents and ultrasound-assisted extraction as green extraction technique for the recovery of bioactive compounds from date palm (*Phoenix dactylifera* L.) seeds: An investigation into optimization of process parameters. *Ultrasonics Sonochemistry*, 91(December), 106233. <https://doi.org/10.1016/j.ultsonch.2022.106233>
- Anggraito, Y. U., R, S., Retno, S. I., Ari, Y., Lisdiana, Nugrahaningsih, W., Noor, A. H., Siti, H. B., & Muchammad, D. (2018). *Metabolit Sekunder dari Tanaman : Aplikasi dan Produksi* (1st ed.). Universitas Negeri Semarang Press.
- Baihaqi, L., Wisanti, & Eva, K. P. (2022). Pemanfaatan Tradisional dan Pengetahuan Lokal Tanaman Lontar (*Borassus flabellifer* L .) oleh Masyarakat Pamekasan Madura. *LenteraBio*, 11(1), 208–216. <https://journal.unesa.ac.id/index.php/lenterabio/index>
- Bakirtzi, C., Triantafyllidou, K., & Makris, D. P. (2016). Novel Lactic Acid-Based Natural Deep Eutectic Solvents: Efficiency in the Ultrasound-Assisted Extraction of Antioxidant Polyphenols from Common Native Greek Medicinal Plants. *Journal of Applied Research on Medicinal and Aromatic Plants*, 3(3), 120–127. <https://doi.org/10.1016/j.jarmap.2016.03.003>
- Batubara, I., & Wulan, T. W. (2022). *Buku Ajar Analisis Bahan Hayati (Prinsip Analisis Kimia pada Bahan Hayati)* (1st ed.). PT Penerbit IPB Press.
- Candra, L. M. M., Andayani, Y., & Wirasisya, D. G. (2021). Pengaruh Metode Ekstraksi Terhadap Kandungan Fenolik Total dan Flavonoid Total Pada Ekstrak Etanol Buncis (*Phaseolus vulgaris* L.). *Jurnal Pijar Mipa*, 16(3), 397–405. <https://doi.org/10.29303/jpm.v16i3.2308>
- Ceunfin, S., Yakobus, & Manikin, M. R. (2021). Pengaruh Modifikasi Tinggi Sok Penyulingan dan Jenis Bunga Lontar (*Borassus flabellifer* L.) Terhadap Kualitas Produk Sopi Timor. *Jurnal Penelitian Kehutanan Faloak*, 5(2), 132–143. <http://ejournal.forda-mof.org/ejournal-litbang/index.php/JPKF/article/view/5920>
- Choudhary, P., Guleria, S., Sharma, N., Salaria, K. H., Chalotra, R., Ali, V., & Vyas, D. (2021). Comparative Phenolic Content and Antioxidant Activity of

- Some Medicinal Plant Extracts Prepared by Choline Chloride Based Green Solvents and Methanol. *Current Research in Green and Sustainable Chemistry*, 4(July), 1–8. <https://doi.org/10.1016/j.crgsc.2021.100224>
- Datu, K. A. T., Fitriani, N., & Islamudin, A. (2019). Pengaruh Penggunaan Metode Lactic Acid-Sucrose dengan Microwave Assisted Extraction (MAE) Terhadap Polifenol Total Dari Herba Suruhan (*Peperomia pellucida* (L.) Kunth). *Proceeding of Mulawarman Pharmaceuticals Conferences*, 10, 114–117. <https://doi.org/10.25026/mpc.v10i1.373>
- DEPKES RI. (2017). Formularies. In *Pocket Handbook of Nonhuman Primate Clinical Medicine* (3rd ed.). Kementerian Kesehatan Republik Indonesia. <https://doi.org/10.1201/b12934-13>
- Dona, R., Furi, M., & Suryani, F. (2020). Penentuan Kadar Total Fenolik, Total Flavonoid Dan Uji Aktivitas Antioksidan Dari Ekstrak Dan Fraksi Daun Karamunting (*Rhodomyrtus tomentosa* (Aiton) Hassk). *Jurnal Penelitian Farmasi Indonesia*, 9(2), 72–78.
- Erlidawati, Safrida, & Mukhlis. (2018). *Potensi Antioksidan sebagai Antidiabetes* (1st ed.). Syiah Kuala University Press.
- Espino, M., Fernández, M. D. L. Á., Gomez, F. J. V., & Silva, M. F. (2016). Natural Designer Solvents for Greening Analytical Chemistry. *Trends in Analytical Chemistry*, 76(April), 126–136. <https://doi.org/10.1016/j.trac.2015.11.006>
- Fikriyah, Y. U., & Nasution, R. S. (2021). Analisis Kadar Air Dan Kadar Abu Pada Teh Hitam yang Dijual di Pasaran dengan Menggunakan Metode Gravimetri. *Amina*, 3(2), 50–54.
- Fitriani, N., Herman, & Rijai, L. (2019). Antioksidan Ekstrak Daun Sumpit (*Brucea javanica* (L.) Merr) dengan Metode DPPH. *Jurnal Sains Dan Kesehatan*, 2(1), 57–62.
- H, R. M., Jamilah, B., Sharifah, K. S. M., & Russly, A. R. (2019). Physico-Chemical and Antioxidant Properties of Mesocarp and Exocarp from *Borassus flabellifer*. *International Food Research Journal*, 26(October), 1469–1476.
- Harbone, J. B. (1998). *Phytochemical Methods: A Guide To Modern Techniques of Plant Analysis* (3rd ed.). Chapman & Hall.
- Hikmawanti, N. P. E., Ramadon, D., Jantan, I., & Mun'im, A. (2021). Natural Deep Eutectic Solvents (NADES): Phytochemical Extraction Performance Enhancer for Pharmaceutical and Nutraceutical Product Development. *Plants*, 10(October), 1–20. <https://doi.org/10.3390/plants10102091>
- Idayati, E., Suparmo, & Purnama, D. (2014). Potensi Senyawa Bioaktif Mesocarp Buah Lontar (*Borassus flabellifer* L.) Sebagai Sumber Antioksidan Alami. *AGRITECH*, 34(3), 277–284.
- Jana, H., & Suchhanda, J. (2017). Palmyra palm : Importance in Indian agriculture. *Rashatriya Krishi*, 12(2), 35–40. www.researchjournal.co.in
- Jerry, A. (2018). A Comprehensive Review on the Medicinal Properties of *Borassus flabellifer*. *Journal of Academia and Industrial Research (JAIR)*, 7(7), 93–97.
- Julianto, T. S. (2019). *Fitokimia Tinjauan Metabolit Sekunder Dan Skrining Fitokimia* (1st ed.). Universitas Islam Indonesia.
- Jurić, T., Mićić, N., Potkonjak, A., Milanov, D., Dodić, J., Trivunović, Z., & Popović, B. M. (2021). The Evaluation of Phenolic Content, In Vitro

- Antioxidant and Antibacterial Activity of *Mentha piperita* Extracts Obtained by Natural Deep Eutectic Solvents. *Food Chemistry*, 362(June), 1–8. <https://doi.org/10.1016/j.foodchem.2021.130226>
- Kavatagimath, S. A., Sunil, S. J., & Ravindra, D. H. (2016). Screening of Ethanolic Extract of *Borassus flabellifer* Flowers for its Antidiabetic and Antioxidant potential. *Journal of Natural Remedies*, 16(1), 22–32. <https://doi.org/10.18311/jnr/2016/654>
- Krishnaveni, T. R. S., Arunachalam, R., Chandrakumar, M., Parthasarathi, G., & Nisha, R. (2020). Potential Review on Palmyra (*Borassus flabellifer* L.). *Advances in Research*, 9(August), 29–40. <https://doi.org/10.9734/air/2020/v21i930229>
- Mahayasih, P. G. M. W., Elya, B., & Hanafi, M. (2018). Fractionation And Antioxidant Activity Potency Of The Extract Of *Garcinia Lateriflora* Blume var. *javanica* Boerl Leaf. *AIP Conference Proceedings*, 1933, 0300, 1–5. <https://doi.org/10.1063/1.5023969%0AAIP>
- Masyudi, Hanafiah, M., Rinidar, Usman, S., & Marlina. (2022). Phytochemical Screening and GC-MS Analysis of Bioactive Compounds of *Blumea balsamifera* Leaf Extracts from South Aceh, Indonesia. *Biodiversitas*, 23(3), 1346–1354. <https://doi.org/10.13057/biodiv/d230319>
- Mustinda, L. (2019). *Buah Lontar, Ketahui Manfaat Dan Cara Makannya*. <https://food.detik.com/info-kuliner/d-4636975/buah-lontar-ketahui-manfaat-hingga-cara-makannya>
- Najib, A. (2018). *Ekstraksi Senyawa Bahan Alam* (1st ed.). Deepublish.
- Nasri, Rahma, S., & Edi, K. (2017). Ekologi, Pemanfaatan, dan Sosial Budaya Lontar (*Borassus flabellifer* Linn.) Sebagai Flora Identitas Sulawesi Selatan. *Info Teknis EBONI*, 14(1), 35–46.
- Phaisan, S., Fonthip, M., Waraporn, P., Seiichi, S., & Gorawit, Y. (2021). Development of a Colorless *Centella asiatica* (L) Urb. Extract Using a Natural Deep Eutectic Solvent (NADES) and Microwave-Assisted Extraction (MAE) Optimized by Response Surface Methodology. *Royal Society of Chemistry*, 11(February), 8741–8750. <https://doi.org/10.1039/d0ra09934a>
- Plantamor. (2023). *Plantamor Situs Dunia Tumbuhan Informasi Spesies Lontar*. <http://plantamor.com/species/info/borassus/flabellifer#gsc.tab=0>
- Roni, A., Fitriani, L., & Marliani, L. (2019). Penetapan Kadar Total Flavonoid, Fenolat, dan Karotenoid, serta Uji Aktivitas Antioksidan dari Daun dan Kulit Batang Tanaman Kenitu (*Chrysophyllum cainito* L.). *Jurnal Sains Dan Kesehatan*, 2(2), 83–88. <https://doi.org/10.25026/jsk.v2i2.114>
- Santana, A. P. R., Mora-Vargas, J. A., Guimarães, T. G. S., Amaral, C. D. B., Oliveira, A., & Gonzalez, M. H. (2019). Sustainable Synthesis of Natural Deep Eutectic Solvents (NADES) by Different Methods. *Journal of Molecular Liquids*, 293, 17–20. <https://doi.org/10.1016/j.molliq.2019.111452>
- Sayuti, K., & Yenrina, R. (2015). *Antioksidan Alami Dan Sintetik* (1st ed.). Andalas University Press.
- Sembiring, E. N., Elya, B., & Sauriasari, R. (2018). Phytochemical Screening, Total Flavonoid and Total Phenolic Content and Antioxidant Activity of Different Parts of *Caesalpinia bonduc* (L.) Roxb. *Pharmacognosy Journal*, 10(1), 123–

127. <https://doi.org/10.5530/pj.2018.1.22>
- Senet, M. R. M., Raharja, I. G. M. A. P., Darma, I. K. T., Prastakarini, K. T., Dewi, N. M. A., & Parwata, I. M. O. A. (2018). Penentuan Kandungan Total Flavonoid Dan Total Fenol Dari Akar Kersen (*Muntingia calabura*) Serta Aktivitasnya Sebagai Antioksidan. *Jurnal Kimia*, 12(1), 13. <https://doi.org/10.24843/jchem.2018.v12.i01.p03>
- Shanmugalingam, V., Saravanan, V. S., & Srivijeindran, S. (2021). Pharmacological Activities of *Borassus flabellifer* L . Extracts and Isolated Compounds. *International Journal of Innovative Research and Reviews*, 5(2), 23–31. <http://www.injirr.com/article/view/78>
- Strieder, M. M., Silva, E. K., & Meireles, M. A. A. (2019). Specific Energy : A New Approach to Ultrasound-assisted Extraction of Natural Colorants. *Food and Public Health*, 9(2), 45–52. <https://doi.org/10.5923/j.fph.20190902.02>
- Sudiono, J., & Gabriella, R. S. (2021). Antioxidant Content of Palm Fruit (*Borassus flabellifer* L.) Seed Coat. *Biomedical Journal of Scientific & Technical Research*, 34(3), 26695–26699. <https://doi.org/10.26717/bjstr.2021.34.005540>
- Tambunan, P. (2010). Potensi Dan Kebijakan Pengembangan Lontar Untuk Menambah Pendapatan Penduduk. *Jurnal Analisis Kebijakan Kehutanan*, 7(1), 27–45. <https://doi.org/10.20886/jakk.2010.7.1.27-45>
- Ukleyanna, E. (2012). Aktivitas Antioksidan, Kadar Fenolik, dan Flavonoid Total Tumbuhan Suruhan (*Peperomia pellucida* L. Kunth). In *Jurnal MIPA IPB*.
- Wang, H., Ma, X., Cheng, Q., Xi, X., & Zhang, L. (2018). Deep Eutectic Solvent-Based Microwave-Assisted Extraction of Baicalin from *Scutellaria baicalensis Georgi*. 2018.
- Yulianti, D., Sunyoto, M., & Wulandari, E. (2019). Aktivitas Aantioksidan Daun Pegagan (*Centella asiatica* L.Urban) Dab Bunga Krisan (*Crhysanthemum sp*) Pada Tiga Variasi Suhu Pengeringan. *Pasundan Food Technology Journal*, 6(3), 142–147. <https://doi.org/10.23969/pftj.v6i3.1215>
- Yuslanti, E. R. (2018). *Pengantar Radikal Bebas Dan Antioksidan* (1st ed.). Deepublish.
- Zuraida, Sulistiyani, Sajuthi, D., & Suparto, I. H. (2017). Fenol, Flavonoid, Dan Aktivitas Antioksidan Pada Ekstrak Kulit Batang Pulai (*Alstonia scholaris* R.Br). *Jurnal Penelitian Hasil Hutan*, 35(3), 211–219. <https://doi.org/10.20886/jphh.2017.35.3.211-219>