

## DAFTAR PUSTAKA

- Akre, A., & Kumaresan, K. (2014). Comparison of a strengthening programme to a proprioceptive training in improving dynamic balance in athletes with chronic ankle instability (CAI). *IOSR Journal of Sports and Physical Education*, 1(5), 18–20. <https://doi.org/10.9790/6737-0151820>
- Alwi, I. (2012). Kriteria Empirik Dalam Menentukan Ukuran Sampel. *Jurnal Formatif*, 2(2), 140–148.
- Anggita, M. Y., & Ramadani, F. S. (2018). Perbedaan Intervensi Wobble Board Exercise Dengan 4 Single Limb Hopping Exercise Untuk Meningkatkan. *Jurnal Fisioterapi*, Volume 18.
- Batson, G. (2009). Update on Proprioception. *Journal of Dance Medicine & Science*, 13(2), 35–41. <https://www.ncbi.nlm.nih.gov/pubmed/19508807>
- Bordoni, B. (2021). Anatomy, Bony Pelvis and Lower Limb, Gastrocnemius Muscle. In *Anatomy, Bony Pelvis and Lower Limb, Gastrocnemius Muscle*. <https://www.ncbi.nlm.nih.gov/books/NBK532946/>
- Brockett, C. L., & Chapman, G. J. (2016). Biomechanics of the ankle. *Orthopaedics and Trauma*, 30(3), 232–238. <https://doi.org/10.1016/j.mporth.2016.04.015>
- Butler, R. J., Lehr, M. E., Fink, M. L., Kiesel, K. B., & Plisky, P. J. (2013). Dynamic Balance Performance and Noncontact Lower Extremity Injury in College Football Players: An Initial Study. *Sports Health*, 5(5), 417–422. <https://doi.org/10.1177/1941738113498703>
- Cael, C. (2018). *Anatomi Muskuloskeletal, kinesiologi, dan palpasi untuk fisioterapi* (A. Sudarsono (Ed.)).
- Doherty, C., Delahunt, E., Caulfield, B., Hertel, J., Ryan, J., & Bleakley, C. (2014). The incidence and prevalence of ankle sprain injury: A systematic review and meta-analysis of prospective epidemiological studies. *Sports Medicine*, 44(1), 123–140. <https://doi.org/10.1007/s40279-013-0102-5>
- Fratti Neves, L. (2017). The Y Balance Test – How and Why to Do it? *International Physical Medicine & Rehabilitation Journal*, 2(4), 10–12. <https://doi.org/10.15406/ipmrj.2017.02.00058>
- Garber, C. E., Blissmer, B., Deschenes, M. R., Franklin, B. A., Lamonte, M. J., Lee, I. M., Nieman, D. C., & Swain, D. P. (2011). Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: Guidance for prescribing exercise. *Medicine and Science in Sports and Exercise*, 43(7), 1334–1359. <https://doi.org/10.1249/MSS.0b013e318213fefb>
- Gillett, J. (2019). *Strength Training for Basketball* (R. (NSCA), The National Strength and Conditioning Association, Javair Gillett, MS, CSCS (Ed.)).

<https://www.human-kinetics.co.uk/9781492571490/strength-training-for-basketball/>

- Gonell, A. C., Romero, J. A. P., & Soler, L. M. (2015). Relationship Between the Y Balance Test Scores and Soft Tissue Injury Incidence in a Soccer Team. *International Journal of Sports Physical Therapy*, 10(7), 955–966. <http://www.ncbi.nlm.nih.gov/pubmed/26673848><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4675196>
- Gribble, P. A., Kelly, S. E., Refshauge, K. M., & Hiller, C. E. (2013). Interrater reliability of the Star Excursion Balance Test. *Journal of Athletic Training*, 48(5), 621–626. <https://doi.org/10.4085/1062-6050-48.3.03>
- Gusvina, S. (2021). *Hubungan faktor resiko cedera terhadap kejadian chronic ankle instability pada kelas khusus olahraga (kko) di sman 1 seyegan.*
- Imran, H. A. (2017). *Peran Sampling dan Distribusi Data Dalam Penelitian Komunikasi Pendekatan Kuantitatif*. 21, 16.
- Kang, M. H., Lee, D. K., Park, K. H., & Oh, J. S. (2015). Association of ankle kinematics and performance on the Y-Balance test with inclinometer measurements on the weight-bearing-lunge test. *Journal of Sport Rehabilitation*, 24(1), 62–67. <https://doi.org/10.1123/jsr.2013-0117>
- Kawano, M. M., Ambar, G., Oliveira, B. I. R., Boer, M. C., Cardoso, A. P. R. G., & Cardoso, J. R. (2010). Influence of the gastrocnemius muscle on the sit-and-reach test assessed by angular kinematic analysis. *Revista Brasileira de Fisioterapia*, 14(1), 10–15. <https://doi.org/10.1590/s1413-35552010000100003>
- Khalil, A. A., Mohamed, G. A., Abd El Rahman, S. M., Elhafez, S. M., & Nassif, N. S. (2016). Effect of wiihabilitation on strength ratio of ankle muscles in adults. *Journal of Physical Therapy Science*, 28(10), 2862–2866. <https://doi.org/10.1589/jpts.28.2862>
- Kisner, C. (2017). *Therapeutic Exercise : Foundations and Techniques* (6 vol. 1).
- Lesmana, S. I. (2020). *Fisioterapi dan cedera olahraga ( dan syahrizal budi widodo eko (Ed.); 1st ed.)*.
- Miyakoshi, N. (2008). Therapeutic exercise. In *Clinical calcium* (Vol. 18, Issue 11). <https://doi.org/10.1123/att.7.2.40>
- Murti, O. S. (2016). Perbedaan Pengaruh Peningkatan Fleksibilitas Back Muscle Dengan Latihan PNF Stretching dan Pilates Exercise Pada Wanita. *Perbedaan Pengaruh Peningkatan Fleksibilitas Back Muscle Dengan Latihan PNF Stretching dan Pilates Exercise Pada Wanita*, 80.
- Nugroho, B. S., Laksmi, R., Jurusan, A., Keshatan, P., Fik, R., Abstrak, U. N. Y., Sepakbola, P., Utama, T., Utama, P. S. T., Utama, P. S. T., Utama, P. S. T., Graha, A. S., & Priyonoadi, B. (2016). *Tingkat Pengetahuan Atlet Tentang*

*Cedera Ankle Dan.* 23–38.

Nurwanto. (2017). *Perbedaan Pengaruh Myofacial Release Technique.*

Ozunlu, N., Basari, G. O., & Baltaci, G. (2010). The effects of carrying extra weight on ankle stability in adolescent basketball players. *Foot*, 20(2–3), 55–60. <https://doi.org/10.1016/j.foot.2010.03.006>

Padua, E., D'Amico, A. G., Alashram, A., Campoli, F., Romagnoli, C., Lombardo, M., Quarantelli, M., Di Pinti, E., Tonanzi, C., & Annino, G. (2019). Effectiveness of warm-up routine on the ankle injuries prevention in young female basketball players: A randomized controlled trial. *Medicina (Lithuania)*, 55(10). <https://doi.org/10.3390/medicina55100690>

Perez-Cruzado, D., González-Sánchez, M., & Cuesta-Vargas, A. I. (2014). Parameterization and reliability of single-leg balance test assessed with inertial sensors in stroke survivors: A cross-sectional study. *BioMedical Engineering Online*, 13(1), 1–12. <https://doi.org/10.1186/1475-925X-13-127>

Plisky, P. J., Rauh, M. J., Kaminski, T. W., & Underwood, F. B. (2006). Star excursion balance test as a predictor of lower extremity injury in high school basketball players. *Journal of Orthopaedic and Sports Physical Therapy*, 36(12), 911–919. <https://doi.org/10.2519/jospt.2006.2244>

Putra, S. S. (2016). *Calf raises exercise.*

Saichudin, M. (Ed.). (2019). *Penulis: Dr. Saichudin, M.Kes Sayyid Agil Rifqi Munawar, S.Or* (2019th ed.).

Swandari, N. M. L. (2006). Pelatihan Proprioseptif Efektif Dalam Meningkatkan Keseimbangan Dinamis Pada Pemain Sepak Bola Dengan Functional Ankle Instability di SSB Pegok. *Kesehatan, December*, 1–6.

Trojian, T. H., & McKeag, D. B. (2006). Single leg balance test to identify risk of ankle sprains. *British Journal of Sports Medicine*, 40(7), 610–613. <https://doi.org/10.1136/bjism.2005.024356>

Valentin, L., Adiputra, N., Putu, I., Griadhi, A., Made, I., & Winaya, N. (2016). Pemberian Latihan Jalan Tandem Lebih Baik Daripada Latihan One Legged Stance Untukmeningkatkan Keseimbangan Dinamis Pada Lansia Di Banjar Muncan Desa Kapal Kecamatan Mengwi Kabupaten Badung 1. *Majalah Ilmiah Fisioterapi Indonesia*, 4(3), 36.

Widayanto, B., Pangkahila, A., Irfan, M., Ngurah, I. B., Griadhi, I. P. A., & Munawarah, M. (2017). Active One Leg Standing Exercise Lebih Efektif Daripada Contactual Hand Orientating Response ( Chor ) Exercise Untuk Meningkatkan Kemampuan Active One Leg Standing Exercise Was More Efective Than Contactual Hand Orientating Response ( Chor ) Exercise To I. *Sport and Fitness Journal*, 5(3), 110–117. [//ojs.unud.ac.id/index.php/sport/article/view/34192/20587](https://ojs.unud.ac.id/index.php/sport/article/view/34192/20587)

Wismanto. (2011). Pelatihan Metode Active Isolated Stetching lebih Efektif Daripada Contract Relax Stretching Dalam Meningkatkan Fleksibilitas Otot Hamstring. *Jurnal Ilmiah Fisioterapi*, 11(1), 77–95.