## DAFTAR GAMBAR

Gambar 2.1. contoh cracker menyerang server
Gambar 4.0. Contoh partisi hardisk pada server
Gambar 4.1. Proses mengaktifkan "Local Securiti Policy" 26
Gambar 4.2. Minimum Password Length Properties 27
Gambar 4.3. Proses memasukan minimum panjang password 27
Gambar 4.4. Maximu Password Age Properties
Gambar 4.5 Proses memasukan umur password selama 90 hari 28
Gambar 4.6. Password must meet complexity requirement
Properties 29
Gambar 4.7. Proses Enabled pada "password must meet
Complexity requirements" properties 29
Gambar 4.8. Proses "default domain securiti settings" pada
Jendela C:\WINDOWS\system32\cmd.exe
Gambar 4.9. Console1 – [console –root] 31
Gambar 4.10. Add standalone snap-in
Gambar 4.11. Pemilihan Sekuriti configuration and analisis 32
Gambar 4.12. Account loackout duration properties
Gambar 4.13. Account loackout threshold properties
Gambar 4.14. Reset account lockout counter after properties 34
Gambar 4.15. Add/Remove Windows Components
Gambar 4.16. Windows components 38
Gambar 4.17. Prosesing configuring components
Gambar 4.18. Securiti configuration wizard 40
Gambar 4.19. Configuration Action (create a new securiti) 40

Gambar 4.20. Select server (pilih/ketik nama server)	41
Gambar 4.21. Processing securiti configuration database	. 41

## xii

Gambar 4.22. Role-based service configuration
Gambar 4.23. Select server roles
Gambar 4.24. Select client features
Gambar 4.25. Select administration and other options 43
Gambar 4.26. Select additional services
Gambar 4.27. Handling unspecified services
Gambar 4.28. Confirm service changes 45
Gambar 4.29. Configurasi network securiti
Gambar 4.30. Open ports and approve applications 46
Gambar 4.31. Confirm port configuration 46
Gambar 4.32. Registry settings 47
Gambar 4.33. Require SMB Securiti signatures
Gambar 4.34. Outbound authentication 48
Gambar 4.35. Inbound authentication methods 49
Gambar 4.36. registry settings summary
Gambar 4.37. Audit policy 50
Gambar 4.38. System audit policy 50
Gambar 4.39. Save securiti policy
Gambar 4.40. Completing the Securiti policy 51
Gambar 4.41. Securiti configuration database (SCW) 52
Gambar 4.42. Disabled alerter pada services70
Gambar 4.43. Disabled pada application experience lookup
Service
Gambar 4.44. Disabled pada application management 71
Gambar 4.45. Console1 –[console root]71
Gambar 4.46. Add standalone sap-in72
Gambar 4.47. Pemilihan sekuriti configuration/template
Gambar 4.48. Open database
Gambar 4.49. Analyze configuration

## xiii

Gambar 4.50. Contoh belum di sabled dan configure...... 74

Gambar 4.51. contoh setelah di disabled dan sudan configure... 74

xiv