

A. Univariate

Statistics

kelengkapan

N	Valid	66
	Missing	0

kelengkapan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid lengkap	7	10.6	10.6	10.6
tidak lengkap	59	89.4	89.4	100.0
Total	66	100.0	100.0	

Statistics

komunikasi

N	Valid	66
	Missing	0

komunikasi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid komunikasi efektif	32	48.5	48.5	48.5
komunikasi tidak efektif	34	51.5	51.5	100.0
Total	66	100.0	100.0	

B. Bivariate

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
komunikasi * kelengkapan	66	100.0%	0	.0%	66	100.0%

komunikasi * kelengkapan Crosstabulation

			kelengkapan		Total
			lengkap	tidak lengkap	
komunikasi	komunikasi efektif	Count	6	26	32
		% within komunikasi	18.8%	81.3%	100.0%
	komunikasi tidak efektif	Count	1	33	34
		% within komunikasi	2.9%	97.1%	100.0%
Total		Count	7	59	66
		% within komunikasi	10.6%	89.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.345 ^a	1	.037		
Continuity Correction ^b	2.838	1	.092		
Likelihood Ratio	4.734	1	.030		
Fisher's Exact Test				.051	.044
Linear-by-Linear Association	4.279	1	.039		
N of Valid Cases	66				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.39.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for komunikasi (komunikasi efektif / komunikasi tidak efektif)	7.615	.862	67.267
For cohort kelengkapan = lengkap	6.375	.812	50.080
For cohort kelengkapan = tidak lengkap	.837	.702	.999
N of Valid Cases	66		