

# LAMPIRAN KODING

## 1. **index.php**

```
<?php include ('include/open_conn.php');?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  <meta charset="utf-8">
  <title>Website Taman Harapan Indah</title>
  <link rel="stylesheet" type="text/css" href="css/main-css.css" />
  <link rel="stylesheet" href="css/css.css" type="text/css">
  <link rel="stylesheet" href="css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>
<body>
<div id="wrapper">
  <div id="header-wrap">
    <?php include('template/main-header.php'); ?>
    <div id="menu">
      <?php include('template/main-menu.php'); ?>
    </div>
  </div>
  <div id="content">
    <?php
      $query    = "SELECT * FROM page_home";
      $result   = mysql_query($query);
```

```

        while ($row = mysql_fetch_array($result)) {
            $home_content = $row['home_content'];
            echo $home_content;
        }
    ?>
</div>
<div id="sidebar">
    <marquee width="100%" height="92%" hspace="0" vspace="0" direction="up"
loop="loop" scrolldelay="50" scrollamount="2" onmouseout="this.start()"
onmouseover="this.stop()">
        <?php include('page_side_gallery.php'); ?>
    </marquee>
</div>
<div id="footer">
    <?php include('template/main-footer.php'); ?>
</div>
</div>
</body>
</html>

```

## 2. login.php

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
    <meta http-equiv="content-type" content="text/html; charset=windows-1250">
    <meta name="generator" content="PSPad editor, www.pspad.com">
    <title>Login Administrator</title>
    <link rel="stylesheet" href="css/login_style.css" type="text/css" />
</head>

```

```

<body>
  <div id="container-login">
    <div id="header">
      <div id="header-logo"></div>
      <!-- <div id="header-banner"></div> -->
    </div>
    <div id="content-login">
      <form method="post" action="lib/login.auth.php">
        <table cellspacing="0" cellpadding="3" border="0" class="form-login">
          <tr>
            <td class="label" width="40%"><b>Username :</b></td>
            <td><input type="text" name="usr" value="" /></td>
          </tr>
          <tr>
            <td class="label"><b>Password :</b></td>
            <td><input type="password" name="pwd" value="" /></td>
          </tr>
          <tr>
            <td>&nbsp;</td>
            <td>
              <input type="reset" name="reset" value="Reset" class="button" />
              <input type="submit" name="submit" value="Login" class="button" />
            </td>
          </tr>
          <tr>
            <td colspan="2" align="center">
              <?php
                if (isset($_GET['msg'])) {

```

```

        if ($_GET['msg'] == '1') {
            echo "<span style='color:red; font-size:11px;'>Maaf, ID yang anda
masukkan salah!!</span>";
        } else if ($_GET['msg'] == '2') {
            echo "<span style='color:red; font-size:11px;'>Maaf, ID yang anda
masukkan salah!!</span>";
        } else if ($_GET['msg'] == '3') {
            echo "<span style='color:red; font-size:11px;'>Anda harus
registrasi untuk membuka halaman ini!!</span>";
        }
    }
    ?>
</td>
</tr>
</table>
</form>
</div>
<div id="footer-login">
    Copyright &copy 2015. All Rights Reserved.<br />
    Created by <b>Raka Januarsa</b>.
</div>
</div>
</body>
</html>

```

### 3. page\_contact.php

```

<?php include ('include/open_conn.php');?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

```

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  <meta charset="utf-8">
  <title>Website Taman Harapan Indah</title>
  <link rel="stylesheet" type="text/css" href="css/main-css.css" />
  <link rel="stylesheet" href="css/css.css" type="text/css">
  <link rel="stylesheet" href="css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>
<body>
<div id="wrapper">
  <div id="header-wrap">
    <?php include('template/main-header.php'); ?>
    <div id="menu">
      <?php include('template/main-menu.php'); ?>
    </div>
  </div>
  <div id="content">
    <?php
      $query    = "SELECT * FROM page_contact";
      $result   = mysql_query($query);
      while ($row = mysql_fetch_array($result)) {
        $contact_content = $row['contact_content'];

        echo $contact_content;
      }
    ?>
  </div>

```

```

<div id="sidebar">
  <marquee width="100%" height="92%" hspace="0" vspace="0" direction="up"
loop="loop" scrolldelay="50" scrollamount="2" onmouseout="this.start()"
onmouseover="this.stop()">
  <?php include('page_side_gallery.php'); ?>
  </marquee>
</div>
<div id="footer">
  <?php include('template/main-footer.php'); ?>
</div>
</div>
</body>
</html>

```

#### 4. page\_info.php

```

<?php include ('include/open_conn.php');?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  <meta charset="utf-8">
  <title>Website Taman Harapan Indah</title>
  <link rel="stylesheet" type="text/css" href="css/main-css.css" />
  <link rel="stylesheet" href="css/css.css" type="text/css">
  <link rel="stylesheet" href="css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>
<body>

```

```

<div id="wrapper">
  <div id="header-wrap">
    <?php include('template/main-header.php'); ?>
    <div id="menu">
      <?php include('template/main-menu.php'); ?>
    </div>
  </div>
  <div id="content">
    <?php
      $query    = "SELECT * FROM page_info";
      $result   = mysql_query($query);
      while ($row = mysql_fetch_array($result)) {
        $info_content = $row['info_content'];

        echo $info_content;
      }
    ?>
  </div>
  <div id="sidebar">
    <marquee width="100%" height="92%" hspace="0" vspace="0" direction="up"
loop="loop" scrolldelay="50" scrollamount="2" onmouseout="this.start()"
onmouseover="this.stop()">
      <?php include('page_side_gallery.php'); ?>
    </marquee>
  </div>
  <div id="footer">
    <?php include('template/main-footer.php'); ?>
  </div>
</div>

```

```
</body>
</html>
```

## 5. page\_pemesanan.php

```
<?php
    include ('include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <meta charset="utf-8">
    <title>Website Taman Harapan Indah</title>
    <link rel="stylesheet" type="text/css" href="css/main-css.css" />
    <link rel="stylesheet" href="css/css.css" type="text/css">
    <link rel="stylesheet" href="css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
    <script type="text/javascript" src="include/jquery.js"></script>
    <script type="text/javascript">
        var htmlobjek;
        $(document).ready(function(){
            $("#tipe_rmh").change(function(){
                var tipe_rmh = $("#tipe_rmh").val();
                $.ajax({
                    url: "include/get_luas_tnh.php",
                    data: "tipe_rmh="+tipe_rmh,
                    cache: false,
                    success: function(msg){
```

```

        $("#luas_tnh").html(msg);
    }
});
});
$("#tipe_rmh").change(function(){
    var tipe_rmh = $("#tipe_rmh").val();
    $.ajax({
        url: "include/get_blok_rmh.php",
        data: "tipe_rmh="+tipe_rmh,
        cache: false,
        success: function(data){
            $("#blok_rmh").val(data);
        }
    });
});
$("#luas_tnh").change(function(){
    var luas_tnh = $("#luas_tnh").val();
    $.ajax({
        url: "include/get_luas_bgn.php",
        data: "luas_tnh="+luas_tnh,
        cache: false,
        success: function(data){
            $("#luas_bgn").val(data);
        }
    });
});
$("#luas_tnh").change(function(){
    var luas_tnh = $("#luas_tnh").val();
    $.ajax({

```

```

url: "include/get_ket_rmh.php",
data: "luas_tnh="+luas_tnh,
cache: false,
success: function(data){
    $("#ket").val(data);
}
});
});
$("#luas_tnh").change(function(){
var luas_tnh = $("#luas_tnh").val();
$.ajax({
    url: "include/get_kav_rmh.php",
    data: "luas_tnh="+luas_tnh,
    cache: false,
    success: function(msg){
        $("#kav").html(msg);
    }
});
});
$("#kav").change(function(){
var kav = $("#kav").val();
var tipe_rmh = $("#tipe_rmh").val();
$.ajax({
    url: "include/get_det_rmh.php",
    data: {kav:kav, tipe_rmh:tipe_rmh},
    cache: false,
    success: function(data){
        $("#id_detail_rmh").val(data);
    }
}

```

```

    });
  });
});
</script>
<script type="text/javascript">
function cekData() {
  // Cek isi
      if (formInput.tipe_rmh.value == ""){
        alert("Pilih Tipe Rumah Anda!!");
        formInput.tipe_rmh.focus();
          return false;
        }
  if (formInput.luas_tnh.value == ""){
        alert("Pilih Luas Tanah Anda!!");
        formInput.luas_tnh.focus();
          return false;
        }
  if (formInput.kav.value == ""){
        alert("Pilih Kavling Rumah Anda!!");
        formInput.kav.focus();
          return false;
        }
  if (formInput.nama_lengkap.value == ""){
        alert("Isi Nama Anda!!");
        formInput.nama_lengkap.focus();
          return false;
        }
  if (formInput.ktp.value == ""){
        alert("Isi Nomor KTP Anda!!");

```

```

        formInput.ktp.focus();
            return false;
        }
    if (formInput.status_warga.value == ""){
        alert("Pilih Warga negara Anda!!");
        formInput.status_warga.focus();
            return false;
        }
    if (formInput.alamat.value == ""){
        alert("Isi alamat Anda!!");
        formInput.alamat.focus();
            return false;
        }
    if (formInput.status_nikah.value == ""){
        alert("Pilih Status Perkawinan Anda!!");
        formInput.status_nikah.focus();
            return false;
        }
    if (formInput.no_tlp.value == ""){
        alert("Isi Nomor Telepon Anda!!");
        formInput.no_tlp.focus();
            return false;
        }
    if (formInput.no_hp.value == ""){
        alert("Isi Nomor HP Anda!!");
        formInput.no_hp.focus();
            return false;
        }
    pola_email= /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;

```

```

if (formInput.email.value == "" || formInput.email.value) {
    if (formInput.email.value == ""){
        alert("Isi Email Anda!!");
        formInput.email.focus();
        return false;
    } else if (!pola_email.test(formInput.email.value)){
        alert ('Penulisan Email Tidak Benar!!');
        formInput.email.focus();
        return false;
    }
}
}
if (!formInput.agreement.checked) {
    alert("Anda belum menyetujui bahwa data anda benar!");
    formInput.agreement.focus();
    return false;
}
else
    return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>
</head>
<body>
<div id="wrapper">

```

```

<div id="header-wrap">
  <?php include('template/main-header.php'); ?>
  <div id="menu">
    <?php include('template/main-menu.php'); ?>
  </div>
</div>
<div id="content">
  <h1>Form Pemesanan Rumah</h1>
  <form enctype="multipart/form-data" action="page/do_pemesanan.php"
id="formInput" method="post" onsubmit="return cekData();">
    <?php
      $sqlQueryCode = "SELECT id_pembeli FROM tbl_pembeli ORDER BY
id_pembeli DESC LIMIT 0,1";
      $resQueryCode = mysql_query($sqlQueryCode);
      $numQuery    = mysql_num_rows($resQueryCode);
      if (empty($numQuery)) {
        $id_pembeli = 0000;
      }
      else {
        while($rowCode = mysql_fetch_array($resQueryCode)){
          $id_pembeli = $rowCode['id_pembeli'];
          $id_pembeli = substr($id_pembeli, 3, 4);
          //echo $number;
        }
      }
      $number      = $id_pembeli+1;
      $data_pembeli = "DP".sprintf('%04s',$number);
    ?>
    <table class="tbl" border="0" cellspacing="0" cellpadding="1">

```

```

<input type="text" name="id_pembeli" size="40" value="<?php echo
$data_pembeli?>" hidden="hidden">
<input type="text" name="id_detail_rmh" id="id_detail_rmh" size="40" value=""
hidden="hidden">
<tr>
<td colspan="3" style="background-color: #E8BD16;
color:#FFFFFF;"><b>Informasi Pemesanan Rumah</b></td>
</tr>
<tr>
<td>Tipe Rumah</td>
<td width="1%" align="center">:</td>
<td>
<select name="tipe_rmh" id="tipe_rmh">
<option value="">Pilih Tipe Rumah</option>
<?php
$sqlQuery = "SELECT * FROM tbl_tipe_rumah WHERE jml_stok > '0' ";
$resQuery = mysql_query($sqlQuery);
while($row = mysql_fetch_array($resQuery)){
    $id_tipe_rmh = $row['id_tipe_rmh'];
    $tipe_rmh = $row['tipe_rmh'];
?>
<option value="<?php echo $id_tipe_rmh?>"><?php echo
$data_tipe_rmh?></option>
<?php
}
?>
</select>
</td>
</tr>

```

```

<tr>
  <td width="20%">Blok Rumah</td>
  <td width="1%" align="center">:</td>
  <td width="30%"><input type="text" name="blok_rmh" id="blok_rmh" size="40"
value="" readonly="readonly"></td>
</tr>
<tr>
  <td>Luas Tanah</td>
  <td width="1%" align="center">:</td>
  <td>
    <select name="luas_tnh" id="luas_tnh">
      <option value="">Pilih Luas Tanah</option>
    </select>
  </td>
</tr>
<tr>
  <td>Luas Bangunan</td>
  <td width="1%" align="center">:</td>
  <td><input type="text" name="luas_bgn" id="luas_bgn" size="40" value=""
readonly="readonly"></td>
</tr>
<tr>
  <td>Kavling Rumah</td>
  <td width="1%" align="center">:</td>
  <td>
    <select name="kav" id="kav">
      <option value="">Pilih Kavling</option>
    </select>
  </td>

```

```

</tr>
<tr>
  <td>Keterangan Rumah</td>
  <td width="1%" align="center">:</td>
  <td>
    <textarea name="ket" id="ket" rows="3" cols="30"></textarea>
  </td>
</tr>
<tr>
  <td colspan="3" style="background-color: #E8BD16;
color:#FFFFFF;"><b>Informasi Data Pembeli</b></td>
</tr>
<tr>
  <td>Nama Pembeli</td>
  <td width="1%" align="center">:</td>
  <td><input type="text" maxlength="75" name="nama_lengkap"
id="nama_lengkap" size="40"></td>
</tr>
<tr>
  <td>No. KTP</td>
  <td width="1%" align="center">:</td>
  <td><input type="text" maxlength="16" name="ktp" id="ktp" size="40"
onkeypress="return isNumberKey(event);"></td>
</tr>
<tr>
  <td>Warga Negara</td>
  <td width="1%" align="center">:</td>
  <td>
    <select name="status_warga" id="status_warga">

```

```

        <option value="">Pilih</option>
        <option value="WNI">WNI</option>
        <option value="WNA">WNA</option>
    </select>
</td>
</tr>
<tr>
    <td>Alamat Sesuai KTP</td>
    <td width="1%" align="center">:</td>
    <td>
        <textarea name="alamat" id="alamat" rows="5" cols="30"></textarea>
    </td>
</tr>
<tr>
    <td>Status Perkawinan</td>
    <td width="1%" align="center">:</td>
    <td>
        <select name="status_nikah" id="status_nikah">
            <option value="">Pilih</option>
            <option value="Belum Menikah">Belum Kawin</option>
            <option value="Kawin">Kawin</option>
            <option value="Duda">Duda</option>
            <option value="Janda">Janda</option>
        </select>
    </td>
</tr>
<tr>
    <td>Telp. Rumah</td>
    <td width="1%" align="center">:</td>

```

```

        <td><input type="text" maxlength="12" name="no_tlp" id="no_tlp" size="40"
onkeypress="return isNumberKey(event);"></td>
    </tr>
    <tr>
        <td>HP</td>
        <td width="1%" align="center">:</td>
        <td><input type="text" maxlength="13" name="no_hp" id="no_hp" size="40"
onkeypress="return isNumberKey(event);"></td>
    </tr>
    <tr>
        <td>Email</td>
        <td width="1%" align="center">:</td>
        <td><input type="text" maxlength="75" name="email" id="email"
size="40"></td>
    </tr>
    <tr>
        <td colspan="2">&nbsp;</td>
        <td style="font-size:10px;">
            <input type="checkbox" name="agreement" id="agreement" value="Y">
            Dengan mengklik Pesan, Anda menyetujui Ketentuan kami dan <br>
            bahwa Anda telah membaca Kebijakan Penggunaan Data kami
        </td>
    </tr>
    <tr>
        <td colspan="2">&nbsp;</td>
        <td>
            <input type="submit" name="submit" value="Pesan" onclick="return
confirm('Anda yakin akan melakukan pemesanan?');">
            <input type="reset" value="Reset">

```

```

        </td>
    </tr>
</table>
</form>
</div>
<div id="sidebar">
    <marquee width="100%" height="92%" hspace="0" vspace="0" direction="up"
loop="loop" scrolldelay="50" scrollamount="2" onmouseout="this.start()"
onmouseover="this.stop()">
        <?php include('page_side_gallery.php');?>
    </marquee>
</div>
<div id="footer">
    <?php include('template/main-footer.php'); ?>
</div>
</div>
</body>
</html>

```

## 6. page\_profile.php

```

<?php include ('include/open_conn.php');?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <meta charset="utf-8">
    <title>Website Taman Harapan Indah</title>
    <link rel="stylesheet" type="text/css" href="css/main-css.css" />

```

```

<link rel="stylesheet" href="css/css.css" type="text/css">
<link rel="stylesheet" href="css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>
<body>
<div id="wrapper">
<div id="header-wrap">
<?php include('template/main-header.php'); ?>
<div id="menu">
<?php include('template/main-menu.php'); ?>
</div>
</div>
<div id="content">
<?php
$query = "SELECT * FROM page_profile";
$result = mysql_query($query);
while ($row = mysql_fetch_array($result)) {
    $profile_content = $row['profile_content'];
    echo $profile_content;
}
?>
</div>
<div id="sidebar">
<marquee width="100%" height="92%" hspace="0" vspace="0" direction="up"
loop="loop" scrolldelay="50" scrollamount="2" onmouseout="this.start()"
onmouseover="this.stop()">
<?php include('page_side_gallery.php'); ?>
</marquee>
</div>

```

```

<div id="footer">
  <?php include('template/main-footer.php'); ?>
</div>
</div>
</body>
</html>

```

## 7. **page\_slide\_gallery.php**

```

<?php
include ('include/open_conn.php');

$query    = "SELECT * FROM page_gallery";
$result   = mysql_query($query);
while ($row = mysql_fetch_array($result)) {
    $gallery_content = $row['gallery_content'];

    echo $gallery_content;
}

?>

```

## **Folder Page**

### 1. **acc\_angsuran.php**

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:../login.php?msg=2');
}
//cek level user

```

```
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {  
    header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!  
}
```

```
include ('../include/open_conn.php');
```

```
$id_pembeli = $_POST['id_pembeli'];
```

```
$id_booking = $_POST['id_booking'];
```

```
$id_angsuran = $_POST['id_angsuran'];
```

```
?>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
```

```
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
```

```
<title>Aplikasi Angsuran Cash Bertahap</title>
```

```
<link rel="stylesheet" href="../css/css.css" type="text/css">
```

```
<link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
```

```
type="text/css" />
```

```
<script type="text/javascript" src="../include/jquery.js"></script>
```

```
<script type="text/javascript">
```

```
function cekData() {
```

```
    // Cek isi
```

```
        if (formInput.bank_id.value == ""){
```

```
            alert("Pilih Bank Anda!!");
```

```
            formInput.bank_id.focus();
```

```
                return false;
```

```
        }
```

```

if (formInput.no_rek.value == ""){
    alert("Isikan Nomor Rekening Anda!!");
    formInput.no_rek.focus();
    return false;
}

if (formInput.id_rek.value == ""){
    alert("Pilih Nomor Rekening Transfer!!");
    formInput.id_rek.focus();
    return false;
}

else

    return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>
</head>

<body>
<div class="container">
<div class="header">
    <?php include('../template/header.php'); ?>
</div>

```

```

<!-- end .header -->
<div class="menu">
  <?php include('../template/menu.php'); ?>
</div>
<!-- end .menu -->
<div class="content">
  <h1>Approval Angsuran Pembelian Rumah</h1>
  <form enctype="multipart/form-data" action="do_acc_angsuran.php" id="formInput"
method="post" onsubmit="return cekData();">
  <?php
    $sqlQueryCode = "SELECT * FROM tbl_angsuran WHERE id_angsuran =
''.$id_angsuran.'''";
    $resQueryCode = mysql_query($sqlQueryCode);
    $numQuery = mysql_num_rows($resQueryCode);
    while($rowCode = mysql_fetch_array($resQueryCode)){
      $id_angsuran = $rowCode['id_angsuran'];
      $rek_bayar = $rowCode['rek_bayar'];
      $id_rek = $rowCode['id_rek'];
      $ags_ke = $rowCode['ags_ke'];
      $telat = $rowCode['telat'];
      $denda = $rowCode['denda'];
      $total_bayar = $rowCode['total_bayar'];
      $period = $rowCode['period'];
      $bank_id = $rowCode['bank_id'];
      $tgl_booking = $rowCode['tgl_booking'];
      $tgl_bayar = $rowCode['tgl_bayar'];
      $tgl_tempo = $rowCode['tgl_tempo'];
      $status = $rowCode['status'];
      //echo $number;

```

```

}

$sqlQuery = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
'".$id_pembeli."' ";
$resQuery = mysql_query($sqlQuery);
while($rows = mysql_fetch_array($resQuery)){
    $id_tipe_rmh = $rows['id_tipe_rmh'];
    $id_detail_rmh = $rows['id_detail_rmh'];
}

$sqlQuery2 = "SELECT * FROM tbl_booking WHERE id_pembeli =
'".$id_pembeli."' ";
$resQuery2 = mysql_query($sqlQuery2);
while($rowBooking = mysql_fetch_array($resQuery2)){
    $id_pembeliBook = $rowBooking['id_pembeli'];
    $id_booking = $rowBooking['id_booking'];
    $id_period = $rowBooking['id_period'];
    $bank_id = $rowBooking['bank_id'];
    $no_rek = $rowBooking['no_rek'];
    $harga_booking = $rowBooking['harga_booking'];
    $harga_ang = $rowBooking['harga_ang'];
    $tgl_booking = $rowBooking['tgl_booking'];
}

$sqlDetail = "SELECT b.*,a.tipe_rmh FROM tbl_tipe_rumah a JOIN
tbl_detail_rumah b ON a.id_tipe_rmh = b.id_tipe_rmh
WHERE a.id_tipe_rmh = '".$id_tipe_rmh."' AND b.id_detail_rmh =
'".$id_detail_rmh."' ";
$resDetail = mysql_query($sqlDetail);

```

```

while($rowDetail = mysql_fetch_array($resDetail)){
    $luas_tnh      = $rowDetail['luas_tnh'];
    $luas_bgn      = $rowDetail['luas_bgn'];
    $blok_rmh      = $rowDetail['blok_rmh'];
    $kav           = $rowDetail['kav'];
    $ket           = $rowDetail['ket'];
    $tipe_rmh      = $rowDetail['tipe_rmh'];
    $sharga        = $rowDetail['harga'];
    $shargaRumahDis = number_format($sharga-20000000);
    $shargaRumah   = $sharga-20000000;
    $shargaRumah18 = ceil($shargaRumah/18);
    $shargaRumah20 = ceil($shargaRumah/20);
    $shargaRumah24 = ceil($shargaRumah/24);
}
?>
<table class="tbl" border="0" cellspacing="0" cellpadding="1">
    <input type="text" name="id_angsuran" id="id_angsuran" size="40"
value="<?php echo $id_angsuran?>" hidden="hidden">
    <input type="text" name="id_pembeli" id="id_pembeli" size="40" value="<?php
echo $id_pembeli?>" hidden="hidden">
    <input type="text" name="id_booking" id="id_booking" size="40" value="<?php
echo $id_booking?>" hidden="hidden">
    <tr>
        <td colspan="3" style="background-color: #E8BD16;
color:#FFFFFF;"><b>Informasi Harga Rumah</b></td>
    </tr>
    <tr>
        <td width="20%">Id Booking</td>
        <td width="1%" align="center">:</td>

```





```

</tr>
<tr>
    <td>Harga angsuran rumah di bulan berikut</td>
    <td width="1%" align="center">:</td>
    <td>Rp.&nbsp;&nbsp;&nbsp;<input type="text" maxlength="75"
name="hargaAngsuran" id="hargaAngsuran" size="36" value="<?php echo
$harga_ang?>" disabled="disabled"></td>
</tr>
<tr>
    <td>Harga Booking</td>
    <td width="1%" align="center">:</td>
    <td>Rp.&nbsp;&nbsp;&nbsp;<input type="text" maxlength="75" name="harga"
size="36" value="20.000.000,-" disabled="disabled"></td>
</tr>
<tr>
    <td colspan="3" style="background-color: #E8BD16;
color:#FFFFFF;"><b>Pembayaran Angsuran Rumah</b></td>
</tr>
<tr>
    <td>Nama Bank Pembeli</td>
    <td width="1%" align="center">:</td>
    <td>
<?php
    $sqlQuery = "SELECT * FROM tbl_bank WHERE bank_id = ''.$bank_id.''' ";
    $resQuery = mysql_query($sqlQuery);
    while($row = mysql_fetch_array($resQuery)){
        $bankid   = $row['bank_id'];
        $bankname  = $row['bank_name'];
        $bankdigit = $row['bank_digit'];

```

```

?>
    <input type="text" maxlength="18" name="no_rek" id="no_rek" size="40"
value="<?php echo $bankname?>" disabled="disabled"/>
    <?php
    }
    ?>
</td>
</tr>
<tr>
    <td width="20%">Nomor Akun Bank</td>
    <td width="1%" align="center">:</td>
    <td width="30%">
        <input type="text" maxlength="18" name="no_rek" id="no_rek" size="40"
value="<?php echo $rek_bayar ?>" disabled="disabled">
    </td>
</tr>
<tr>
    <td>Transfer melalui rekening</td>
    <td width="1%" align="center">:</td>
    <td>
        <?php
            $sqlQueryRek = "SELECT * FROM tbl_rek_admin WHERE id_rek =
            '". $id_rek. "' ";
            $resQueryRek = mysql_query($sqlQueryRek);
            while($rowRek = mysql_fetch_array($resQueryRek)){
                $id_rek    = $rowRek['id_rek'];
                $no_rek    = $rowRek['no_rek'];
                $nama_bank = $rowRek['nama_bank'];
                $nama_akun = $rowRek['nama_akun'];

```

```

?>
    <input type="text" maxlength="18" name="no_rek" id="no_rek" size="40"
value="<?php echo $no_rek." - ".$nama_bank?>" disabled="disabled"/>
    <?php
    }
    ?>
</td>
</tr>
<tr>
    <td width="20%">Pembayaran Angsuran Ke-</td>
    <td width="1%" align="center">:</td>
    <td width="30">
        <input type="text" maxlength="18" name="angsuranKe" id="angsuranKe"
size="40" value="<?php echo $ags_ke?>" disabled="disabled">
        </td>
    </tr>
<tr>
    <td width="20%">Tanggal jatuh tempo</td>
    <td width="1%" align="center">:</td>
    <td width="30">
        <input type="text" maxlength="18" name="tgl_tempo" id="tgl_tempo"
size="40" value="<?php echo $tgl_tempo;?>" disabled="disabled">
        </td>
    </tr>
<tr>
    <td width="20%">Denda (hari)</td>
    <td width="1%" align="center">:</td>
    <td width="30">

```



```

    </form>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 2. **acc\_booking.php**

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $id_pembeli = $_POST['id_pembeli'];
    $id_booking = $_POST['id_booking'];
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Approval Booking Pemesanan Rumah</h1>
    <form enctype="multipart/form-data" action="do_acc_booking.php" id="formInput"
method="post" onsubmit="return cekData();">
      <?php
        $sqlQueryCode = "SELECT a.*, b.id_tipe_rmh, b.id_detail_rmh FROM
tbl_booking a JOIN tbl_pembeli b
          ON a.id_pembeli = b.id_pembeli

```

```

WHERE a.id_booking = ".$Sid_booking." AND b.id_pembeli =
".$Sid_pembeli." ";
$resQueryCode = mysql_query($sqlQueryCode);
$numQuery = mysql_num_rows($resQueryCode);
while($rowBooking = mysql_fetch_array($resQueryCode)){
    $id_pembeliBook = $rowBooking['id_pembeli'];
    $id_booking = $rowBooking['id_booking'];
    $id_period = $rowBooking['id_period'];
    $id_rek = $rowBooking['id_rek'];
    $bank_id = $rowBooking['bank_id'];
    $no_rek = $rowBooking['no_rek'];
    $harga_booking = $rowBooking['harga_booking'];
    $tgl_booking = $rowBooking['tgl_booking'];
    $id_tipe_rmh = $rowBooking['id_tipe_rmh'];
    $id_detail_rmh = $rowBooking['id_detail_rmh'];
}
?>
<table class="tbl" border="0" cellspacing="0" cellpadding="1">
    <input type="text" name="id_booking" size="40" value="<?php echo
$Sid_booking?>" hidden="hidden">
    <input type="text" name="id_pembeli" size="40" value="<?php echo
$Sid_pembeliBook?>" hidden="hidden">
    <input type="text" name="id_tipe_rmh" size="40" value="<?php echo
$Sid_tipe_rmh?>" hidden="hidden">
    <input type="text" name="id_detail_rmh" size="40" value="<?php echo
$Sid_detail_rmh?>" hidden="hidden">
<tr>
    <td width="20%">Id Booking</td>
    <td width="1%" align="center">:</td>

```



```

<td width="20%">Nomor Akun Bank</td>
<td width="1%" align="center">:</td>
<td width="30">
    <input type="text" maxlength="18" name="no_rek" size="40" value="<?php
echo $no_rek?>" disabled="disabled">
    </td>
</tr>
<tr>
<td>Lama Pembelian Rumah</td>
<td width="1%" align="center">:</td>
<td>
    <input type="text" maxlength="18" name="id_period" size="40" value="<?php
echo $id_period?>" disabled="disabled">
    </td>
</tr>
<tr>
<td>Pengiriman Transfer</td>
<td width="1%" align="center">:</td>
<td>
    <?php
        $sqlQueryRek = "SELECT * FROM tbl_rek_admin WHERE id_rek =
        ''.$id_rek.''' ";
        $resQueryRek = mysql_query($sqlQueryRek);
        while($rowRek = mysql_fetch_array($resQueryRek)){
            $no_rek    = $rowRek['no_rek'];
            $nama_bank = $rowRek['nama_bank'];
            $nama_akun = $rowRek['nama_akun'];
        }
    ?>

```

```

        <input type="text" maxlength="75" name="bank_id" size="40" value="<?php
echo $no_rek." - ".$nama_bank?>" disabled="disabled">
    </td>
</tr>
<tr>
    <td colspan="2">&nbsp;</td>
    <td>
        <input type="submit" name="submit" value="Accept" onclick="return
confirm('Anda yakin akan melakukan proses?');">
        <a href="do_acc_booking.php?submit=Delete&id_pembeli=<?php echo
$id_pembeliBook?>&id_booking=<?php echo $id_booking?>"
        onclick="return confirm('Anda yakin akan menghapus data?');"
        style="background-color:#D6D6D6; border:1px solid #707070;
padding:3px;">
            Delete
        </a>
    </td>
</tr>
</table>
</form>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>

```

```
</html>
```

### 3. acc\_pemesanan.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $id_pembeli = $_POST['id_pembeli'];
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
    <script src="../include/jquery.min.js"></script>
    <script>
```

```

$(document).ready(function(){
    $('#username').change(function(){
        $('#mySpan').html(' Cek username...');
        var username = $("#username").val();

        $.ajax({
            type : "POST",
            url : "../include/get_username.php",
            data : "username=" + username,
            success : function(data){
                if (data > 0){
                    $('#mySpan').html('Username telah
digunakan');
                    $("#username").css('border','3px #C33 solid');
                    $("#btn").css('visibility', 'hidden');
                } else {
                    $('#mySpan').html('Username boleh digunakan');
                    $("#username").css('border', '3px #090 solid');
                    $("#btn").css('visibility', 'visible');
                }
            }
        });
    });
});
</script>
<script type="text/javascript">
function cekData() {
    // Cek isi

        if (formInput.username.value == ""){

```

```

        alert("Isikan username!!");
        formInput.username.focus();
            return false;
    }

    if (formInput.password.value == ""){
        alert("Isikan password!!");
        formInput.password.focus();
        return false;
    }

    else

        return true;

    }
</script>
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->
    <div class="menu">
        <?php include('../template/menu.php'); ?>
    </div>
<!-- end .menu -->
    <div class="content">
        <h1>Approval Data Pembeli</h1>

```

```

<?php
    $sqlQueryCode = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
    '". $id_pembeli. "'";
    $resQueryCode = mysql_query($sqlQueryCode);
    $numQuery    = mysql_num_rows($resQueryCode);
    while($rowCode = mysql_fetch_array($resQueryCode)){
        $id_pembeli    = $rowCode['id_pembeli'];
        $nama_lengkap  = $rowCode['nama_lengkap'];
        $ktp           = $rowCode['ktp'];
        $status_warga   = $rowCode['status_warga'];
        $alamat        = $rowCode['alamat'];
        $status_nikah   = $rowCode['status_nikah'];
        $no_hp         = $rowCode['no_hp'];
        $no_tlp        = $rowCode['no_tlp'];
        $email         = $rowCode['email'];
        $id_detail_rmh = $rowCode['id_detail_rmh'];
        $id_tipe_rmh   = $rowCode['id_tipe_rmh'];
    }

    $sqlQuery1 = "SELECT * FROM tbl_detail_rumah WHERE id_detail_rmh =
    '". $id_detail_rmh. "' AND id_tipe_rmh = '". $id_tipe_rmh. "' ";
    $resQuery1 = mysql_query($sqlQuery1);
    while($rows = mysql_fetch_array($resQuery1)){
        $luas_tnh      = $rows['luas_tnh'];
        $luas_bgn      = $rows['luas_bgn'];
        $blok_rmh      = $rows['blok_rmh'];

        $query2 = "SELECT * FROM tbl_tipe_rumah WHERE id_tipe_rmh =
    '". $id_tipe_rmh. "' ";

```

```

$result2 = mysql_query($query2);
while ($rowTipe = mysql_fetch_array($result2)){

    $tipe_rmh    = $rowTipe['tipe_rmh'];
    $jml_stok    = $rowTipe['jml_stok'];
}
}
?>

```

```

<table class="tbl" border="0" cellspacing="0" cellpadding="1">
<tr>
<td width="20%">id Pembeli</td>
<td width="1%" align="center">:</td>
<td width="30">
<input type="text" maxlength="75" name="id_pembeli" size="40"
value="<?php echo $id_pembeli?>" disabled="disabled" />
</td>
</tr>
<tr>
<td width="20%">Blok Rumah</td>
<td width="1%" align="center">:</td>
<td width="30">
<input type="text" maxlength="75" name="blok_rmh" size="40" value="<?php
echo $blok_rmh?>" disabled="disabled" />
</td>
</tr>
<tr>
<td>Tipe Rumah</td>
<td width="1%" align="center">:</td>

```

```

        <td>
            <input type="text" maxlength="75" name="tipe_rmh" size="40" value="<?php
echo $tipe_rmh?>" disabled="disabled" />
        </td>
    </tr>
    <tr>
        <td>Luas Tanah</td>
        <td width="1%" align="center">:</td>
        <td>
            <input type="text" maxlength="75" name="luas_tnh" size="40" value="<?php
echo $luas_tnh?>" disabled="disabled" />
        </td>
    </tr>
    <tr>
        <td>Luas Bangunan</td>
        <td width="1%" align="center">:</td>
        <td>
            <input type="text" maxlength="75" name="luas_bgn" size="40" value="<?php
echo $luas_bgn?>" disabled="disabled" />
        </td>
    </tr>
    <tr>
        <td>Nama Pembeli</td>
        <td width="1%" align="center">:</td>
        <td>
            <input type="text" maxlength="75" name="nama_lengkap" size="40"
value="<?php echo $nama_lengkap?>" disabled="disabled" />
        </td>
    </tr>

```

```

<tr>
  <td>No. KTP</td>
  <td width="1%" align="center">:</td>
  <td>
    <input type="text" maxlength="75" name="ktp" size="40" value="<?php echo
$sktp?>" disabled="disabled" />
  </td>
</tr>
<tr>
  <td>Warga Negara</td>
  <td width="1%" align="center">:</td>
  <td>
    <input type="text" maxlength="75" name="status_warga" size="40"
value="<?php echo $status_warga?>" disabled="disabled" />
  </td>
</tr>
<tr>
  <td>Alamat Sesuai KTP</td>
  <td width="1%" align="center">:</td>
  <td>
    <textarea name="alamat" id="alamat" rows="5" cols="30"
disabled="disabled"><?php echo $alamat?></textarea>
  </td>
</tr>
<tr>
  <td>Status Perkawinan</td>
  <td width="1%" align="center">:</td>
  <td>

```

```

        <input type="text" maxlength="75" name="status_nikah" size="40"
value="<?php echo $status_nikah?>" disabled="disabled" />
    </td>
</tr>
<tr>
    <td>Telp. Rumah</td>
    <td width="1%" align="center">:</td>
    <td>
        <input type="text" maxlength="75" name="no_tlp" size="40" value="<?php
echo $no_tlp?>" disabled="disabled" />
    </td>
</tr>
<tr>
    <td>HP</td>
    <td width="1%" align="center">:</td>
    <td>
        <input type="text" maxlength="75" name="no_hp" size="40" value="<?php
echo $no_hp?>" disabled="disabled" />
    </td>
</tr>
<tr>
    <td>Email</td>
    <td width="1%" align="center">:</td>
    <td>
        <input type="text" maxlength="75" name="email" size="40" value="<?php
echo $email?>" disabled="disabled" />
    </td>
</tr>
<tr><td colspan="3">&nbsp;&nbsp;&nbsp;</td></tr>

```

```

        <tr><td colspan="3">&nbsp;</td></tr>
        <form enctype="multipart/form-data" action="do_acc_pemesanan.php"
id="formInput" method="post" onsubmit="return cekData();">
        <tr>
            <td>Username</td>
            <td width="1%" align="center">:</td>
            <td>
                <input type="text" maxlength="75" name="username" id="username" size="40"
value="" />
                <span id="mySpan"></span>
            </td>
        </tr>
        <tr>
            <td>Password</td>
            <td width="1%" align="center">:</td>
            <td>
                <input type="text" maxlength="75" name="password" id="password" size="40"
value="" />
            </td>
        </tr>
        <input type="text" name="id_pembeli" size="75" value="<?php echo
Sid_pembeli?>" hidden="hidden" />
        <input type="text" name="nama_lengkap" size="75" value="<?php echo
$nama_lengkap?>" hidden="hidden" />
        <input type="text" name="id_tipe_rmh" size="75" value="<?php echo
Sid_tipe_rmh?>" hidden="hidden" />
        <input type="text" name="id_detail_rmh" size="75" value="<?php echo
Sid_detail_rmh?>" hidden="hidden" />
    </tr>

```

```

        <td colspan="2">&nbsp;</td>
        <td style="visibility:hidden; width:60px; height:50px;" id="btn">
            <input type="submit" name="submit" value="Accept" onclick="return
confirm('Anda yakin akan melakukan proses berikutnya?');"/>
            <a href="do_acc_pemesanan.php?submit=Delete&id_pembeli=<?php echo
$Id_pembeli?>"
                onclick="return confirm('Anda yakin akan menghapus data?');"
                style="background-color:#D6D6D6; border:1px solid #707070;
padding:3px;">
                Delete
            </a>
            <!-- <input type="button" onclick="history.back()" value="Back"> -->
        </td>
    </tr>
</table>
</form>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 4. data\_pembeli.php

```
<?php
```

```

session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:../login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->

```

```

<div class="menu">
  <?php include('../template/menu.php'); ?>
</div>
<!-- end .menu -->
<div class="content">
  <h1>Data Pembeli</h1>
  <table class="tbl" border="0px" cellspacing="0" cellpadding="1">
    <tr>
      <td class="head">No</td>
      <td class="head">ID Pembeli</td>
      <td class="head">Nama Pembeli</td>
      <td class="head">No. KTP</td>
      <td class="head">HP</td>
      <td class="head">Status Booking</td>
      <td class="head">Action</td>
    </tr>
    <?php
      $query = "SELECT * FROM tbl_pembeli WHERE status_pembelian = 'Y'
ORDER BY id_pembeli desc";
      $result = mysql_query($query);
      $total = mysql_num_rows($result);
      $i = 1;
      if ($total > 0) {
        while ($row = mysql_fetch_array($result)){

          $id_pembeli = $row['id_pembeli'];
          $nama_lengkap = $row['nama_lengkap'];
          $ktp = $row['ktp'];
          $status_warga = $row['status_warga'];

```

```

$alamat      = $row['alamat'];
$status_nikah = $row['status_nikah'];
$no_hp       = $row['no_hp'];
$no_tlp      = $row['no_tlp'];
$email       = $row['email'];
$usr_login   = $row['username'];
$id_tipe_rmh = $row['id_tipe_rmh'];
$id_detail_rmh = $row['id_detail_rmh'];
$flag_datetime = $row['created_date'];
$flag_datetime = substr($flag_datetime, 0, 10);

$j = $i + 1;
if ($j % 2 == 0) {
    $class_name = 'odd';
} else {
    $class_name = 'even';
}
?>
<tr class="<?php echo $class_name; ?>">
    <td class="grid-data"><?php echo $i;?></td>
    <td align="center"><?php echo $id_pembeli;?></td>
    <td align="center"><?php echo $nama_lengkap;?></td>
    <td align="center"><?php echo $ktip;?></td>
    <td align="center"><?php echo $no_hp;?></td>
    <td align="center">
        <?php
            $queryBook = "SELECT * FROM tbl_booking WHERE id_pembeli =
            '$id_pembeli.'";
            //echo $queryBook;

```

```

                $resultBook = mysql_query($queryBook);
$totalBook = mysql_num_rows($resultBook);
if (empty($totalBook)) {
    $status_book = "Belum booking";
} else {
    while ($rowBooking = mysql_fetch_array($resultBook)){
        $status_booking = $rowBooking['status_booking'];
        $id_booking = $rowBooking['id_booking'];

        if ($status_booking == "Y") {
            $status_book = "Booking";
        } else if ($status_booking == "N") {
            $status_book = "Belum booking";
        } else if ($status_booking == "R") {
            $status_book = "Booking Reject";
        } else if ($status_booking == "P") {
            $status_book = "Pending";
        }
    }
}
echo $status_book;
?>
</td>
<td class="grid-data">
<?php
    $queryAgs2 = "SELECT * FROM tbl_angsuran WHERE id_pembeli
    =".$id_pembeli."";
    $resultAgs2 = mysql_query($queryAgs2);
    $totalAgs2 = mysql_num_rows($resultAgs2);

```

```

if ($totalAgs2 > 0) {
    $queryAgs = "SELECT * FROM tbl_angsuran WHERE status = 'Y' AND
id_pembeli = ".$id_pembeli."
        AND id_booking = ".$id_booking." AND
        ags_ke = (SELECT MAX(ags_ke) FROM tbl_angsuran WHERE
id_pembeli = ".$id_pembeli."
        AND id_booking = ".$id_booking.") AND ags_ke >= '1' ";
    //echo $queryAgs;
    $resultAgs = mysql_query($queryAgs);
    $totalAgs = mysql_num_rows($resultAgs);
    if ($totalAgs > 0) {
        while ($rowAgs = mysql_fetch_array($resultAgs)){
            $ags_ke = $rowAgs['ags_ke'];
            $period = $rowAgs['period'];
            $jml_ags = $period-$ags_ke;

        }
        if ($jml_ags == 0) {
            $status_ags = "Pembeli sudah melunasi angsuran!";
            $totalAgs = 2;
        } else if ($jml_ags <> 0) {
            $totalAgs = 0;
            $status_ags = "Anda ingin melakukan angsuran pembeli?";
        }
        } else if ($totalAgs == "NULL") {
            $status_ags = "Angsuran terakhir pembeli belum di proses!";
            $totalAgs = 1;
        }
    } else {

```

```

$totalAgs = 0;
$status_ags = "Anda ingin melakukan angsuran pembeli?";
}

//echo $status_ags;

if ($status_book == "Belum booking") {
    $link = "form_booking.php?id_pembeli=$id_pembeli";
    $link2 = "#";
    $link3 = "#";
    $title = "Booking Sekarang";
    $title2 = "Lihat";
    $title3 = "Pembeli belum booking";
    $alert_booking = "Booking Pembelian?";
} else if ($status_book == "Booking") {
    $link = "#";
    $link2 =
"report.php?id_pembeli=$id_pembeli&id_booking=$id_booking&id_detail_rmh=$id_d
etail_rmh&id_tipe_rmh=$id_tipe_rmh";
    if ($totalAgs == 1) {
        $link3 = "#";
    } else if ($totalAgs == 2) {
        $link3 = "#";
    } else if ($totalAgs == 0) {
        $link3 = "form_angsuran.php?id_pembeli=$id_pembeli";
    }
    $title = "Disabled";
    $title2 = "Lihat";

```

```

$title3 = "Bayar Angsuran Pembeli";
$alert_booking = "Sudah Booking!!";
} else if ($status_book == "Booking Reject") {
$link = "#";
$link2 = "#";
$link3 = "#";
$title = "Disabled";
$title2 = "Disabled";
$title3 = "Disabled";
$alert_booking = "Booking sudah di batalkan! Harap hapus data pembeli";
} else if ($status_book == "Pending") {
$link = "#";
$link2 = "#";
$link3 = "#";
$title = "Disabled";
$title2 = "Disabled";
$title3 = "Disabled";
$alert_booking = "Booking Pembelian?";
}
?>

```

```

<a href="<?php echo $link?>" onclick="return confirm('<?php echo
$alert_booking?>');">
" />
</a>
<a href="<?php echo $link2?>">
" />

```

```

        </a>
        <a href="<?php echo $link3?>"
onclick="return confirm('<?php echo $status_ags?>');">
            " />
        </a>
        <a
href="do_data_pembeli.php?act=Delete&id_pembeli=<?php echo
$id_pembeli?>&id_booking=<?php echo $id_booking?>&id_detail_rmh=<?php echo
$id_detail_rmh?>&id_tipe_rmh=<?php echo $id_tipe_rmh?>&usr_login=<?php echo
$usr_login?>">
            
        </a>
    </td>
</tr>
<?php
    $i++;
}
} else {
?>
    <tr><td colspan="10" align="center" style="color:red;"><b><i>Data
empty</i></b></td></tr>
    <?php } ?>
</table>
</div>
<!-- end .content -->
<div class="footer">

```

```

    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 5. data\_pembeli\_usr.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">

```

```
<link rel="stylesheet" href="../../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<div class="header">
```

```
<?php include('../../template/header.php'); ?>
```

```
</div>
```

```
<!-- end .header -->
```

```
<div class="menu">
```

```
<?php include('../../template/menu.php'); ?>
```

```
</div>
```

```
<!-- end .menu -->
```

```
<div class="content">
```

```
<h1>Data Pembeli</h1>
```

```
<table class="tbl" border="0px" cellspacing="0" cellpadding="1">
```

```
<tr>
```

```
<td class="head">No</td>
```

```
<td class="head">ID Pembeli</td>
```

```
<td class="head">Nama Pembeli</td>
```

```
<td class="head">No. KTP</td>
```

```
<td class="head">HP</td>
```

```
<td class="head">Status Booking</td>
```

```
<td class="head">Action</td>
```

```
</tr>
```

```
<?php
```

```
$query = "SELECT * FROM tbl_pembeli WHERE status_pembelian = 'Y' AND
username = '".$_SESSION['USR']."' ";
```

```

$result = mysql_query($query);
$total = mysql_num_rows($result);
$i = 1;
if ($total > 0) {
    while ($row = mysql_fetch_array($result)){

        $id_pembeli = $row['id_pembeli'];
        $nama_lengkap = $row['nama_lengkap'];
        $ktp = $row['ktp'];
        $status_warga = $row['status_warga'];
        $alamat = $row['alamat'];
        $status_nikah = $row['status_nikah'];
        $no_hp = $row['no_hp'];
        $no_tlp = $row['no_tlp'];
        $email = $row['email'];
        $id_tipe_rmh = $row['id_tipe_rmh'];
        $id_detail_rmh = $row['id_detail_rmh'];
        $flag_datetime = $row['created_date'];
        $flag_datetime = substr($flag_datetime, 0, 10);

        $j = $i + 1;
        if ($j % 2 == 0) {
            $class_name = 'odd';
        } else {
            $class_name = 'even';
        }
    }
}
?>
<tr class="<?php echo $class_name; ?>">
    <td class="grid-data"><?php echo $i; ?></td>

```

```

<td align="center"><?php echo $id_pembeli;?></td>
<td align="center"><?php echo $nama_lengkap;?></td>
<td align="center"><?php echo $ktip;?></td>
<td align="center"><?php echo $no_hp;?></td>
<td align="center">
<?php
    $queryBook = "SELECT * FROM tbl_booking WHERE id_pembeli =
    ".$id_pembeli." ";
    $resultBook = mysql_query($queryBook);
    $totalBook = mysql_num_rows($resultBook);
    if (empty($totalBook)) {
        $status_book = "Belum booking";
        $id_booking = "";
    } else {
        while ($rowBooking = mysql_fetch_array($resultBook)){
            $status_booking = $rowBooking['status_booking'];
            $id_booking = $rowBooking['id_booking'];

            if ($status_booking == "Y") {
                $status_book = "Booking";
            } else if ($status_booking == "N") {
                $status_book = "Belum booking";
            } else if ($status_booking == "R") {
                $status_book = "Booking Reject";
            } else if ($status_booking == "P") {
                $status_book = "Pending";
            }
        }
    }
}

```

```

        echo $status_book;
    ?>
</td>
<td class="grid-data">
    <?php
        $queryAgs2 = "SELECT * FROM tbl_angsuran WHERE id_pembeli
= ".$sid_pembeli." AND id_booking = ".$sid_booking."";
        $resultAgs2 = mysql_query($queryAgs2);
        $totalAgs2 = mysql_num_rows($resultAgs2);
        if ($totalAgs2 > 0) {
            $queryAgs = "SELECT * FROM tbl_angsuran WHERE status = 'Y' AND
id_pembeli = ".$sid_pembeli."
                AND id_booking = ".$sid_booking." AND
                ags_ke = (SELECT MAX(ags_ke) FROM tbl_angsuran WHERE
id_pembeli = ".$sid_pembeli."
                AND id_booking = ".$sid_booking.") AND ags_ke >= '1' ";
            //echo $queryAgs;
            $resultAgs = mysql_query($queryAgs);
            $totalAgs = mysql_num_rows($resultAgs);
            if ($totalAgs > 0) {
                while ($rowAgs = mysql_fetch_array($resultAgs)){
                    $ags_ke = $rowAgs['ags_ke'];
                    $period = $rowAgs['period'];
                    $jml_ags = $period-$ags_ke;

                }
                if ($jml_ags == 0) {
                    $status_ags = "Pembeli sudah melunasi angsuran!";
                    $totalAgs = 2;

```

```

} else if ($jml_ags <> 0) {
    $totalAgs = 0;
    $status_ags = "Anda ingin melakukan angsuran pembeli?";
}
} else if ($totalAgs == "NULL") {
    $status_ags = "Angsuran terakhir pembeli belum di proses!";
    $totalAgs = 1;
}
} else {
    $totalAgs = 0;
    $status_ags = "Anda ingin melakukan angsuran pembeli?";
}

```

```
//echo $status_ags;
```

```
if ($status_book == "Belum booking") {
```

```
    $link = "form_booking.php?id_pembeli=$id_pembeli";
```

```
    $link2 = "#";
```

```
    $link3 = "#";
```

```
    $title = "Booking Sekarang";
```

```
    $title2 = "Lihat";
```

```
    $title3 = "Pembeli belum booking";
```

```
    $alert_booking = "Booking Pembelian?";
```

```
} else if ($status_book == "Booking") {
```

```
    $link = "#";
```

```
    $link2 =
```

```
"report.php?id_pembeli=$id_pembeli&id_booking=$id_booking&id_detail_rmh=$id_d
etail_rmh";
```

```

if ($totalAgs == 1) {
    $link3 = "#";
} else if ($totalAgs == 2) {
    $link3 = "#";
} else if ($totalAgs == 0) {
    $link3 = "form_angsuran.php?id_pembeli=$id_pembeli";
}
$title = "Disabled";
$title2 = "Lihat";
$title3 = "Bayar Angsuran Pembeli";
$alert_booking = "Sudah Booking!";
} else if ($status_book == "Booking Reject") {
    $link = "#";
    $link2 = "#";
    $link3 = "#";
    $title = "Disabled";
    $title2 = "Disabled";
    $title3 = "Disabled";
    $alert_booking = "Booking sudah di batalkan! Harap hapus data pembeli";
} else if ($status_book == "Pending") {
    $link = "#";
    $link2 = "#";
    $link3 = "#";
    $title = "Disabled";
    $title2 = "Disabled";
    $title3 = "Disabled";
    $alert_booking = "Booking Pembelian?";
}
?>

```

```

<a href="<?php echo $link2?>">
                                " />
                                </a>
                                <a href="<?php echo $link3?>"
onclick="return confirm('<?php echo $status_ags?>');">
                                " />
                                </a>
</td>
</tr>
<?php
    $i++;
}
} else {
?>
    <tr><td colspan="10" align="center" style="color:red;"><b><i>Data
empty</i></b></td></tr>
    <?php } ?>
</table><br>
<?php
if ($totalAgs == 2) {
?>
<div style="margin:0px auto; width:70%;">
    <fieldset>
        <legend><strong>Terima kasih!!</strong></legend>
        <p align="center" style="color:green;">
            Selamat Anda telah melunasi pembelian rumah.<br>

```

```
        
```

```
        
```

```
        
```

```
    </p>
```

```
  </fieldset>
```

```
</div>
```

```
<?php
```

```
  } else {
```

```
    echo "&nbsp;";
```

```
  }
```

```
?>
```

```
</div>
```

```
<!-- end .content -->
```

```
<div class="footer">
```

```
<?php include('../template/footer.php'); ?>
```

```
</div>
```

```
<!-- end .footer -->
```

```
</div>
```

```
<!-- end .container -->
```

```
</body>
```

```
</html>
```

## 6. do\_acc\_angsuran.php

```
<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');

$id_pembeli = $_REQUEST['id_pembeli'];
$id_booking = $_REQUEST['id_booking'];
$id_angsuran = $_REQUEST['id_angsuran'];
$submit = $_REQUEST['submit'];
//echo $submit;
if ($submit == "Accept") {
    $sqlQuery = "UPDATE tbl_angsuran SET status = 'Y' WHERE
id_angsuran = '".$_id_angsuran.'" AND
    id_pembeli = '".$_id_pembeli.'" AND id_booking = '".$_id_booking.'" ";
    $resQuery = mysql_query($sqlQuery);

    if ($resQuery) {
        header('Location: data_pembeli.php');
    } else {
        echo "Error query ". mysql_error($resQuery);
    }
}
```

```

    }

} else if ($submit == "Delete") {
    $sqlQuery = "DELETE FROM tbl_angsuran WHERE id_angsuran =
"."$id_angsuran." AND
        id_pembeli = "."$id_pembeli." AND id_booking = "."$id_booking." ";
    $resQuery = mysql_query($sqlQuery);

    if ($resQuery) {
        header('Location: data_pembeli.php');
    } else {
        echo "Error query ". mysql_error($resQuery);
    }
}

?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href=" ../css/css.css" type="text/css">
    <link rel="stylesheet" href=" ../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">

```

```

<div class="header">
  <?php include('../template/header.php'); ?>
</div>
<!-- end .header -->
<div class="menu">
  <?php include('../template/menu.php'); ?>
</div>
<!-- end .menu -->
<div class="content">
  <h1>Invalid Data</h1>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 7. do\_acc\_booking.php

```

<?php
  session_start();
  //cek apakah user sudah login
  if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
  }
  //cek level user

```

```

if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header("location:login.php?msg=3"); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');

$Sid_pembeli    = $_REQUEST['id_pembeli'];
$Sid_booking    = $_REQUEST['id_booking'];
$Sid_tipe_rmh   = $_POST['id_tipe_rmh'];
$Sid_detail_rmh = $_POST['id_detail_rmh'];
$submit        = $_REQUEST['submit'];

//echo $Sid_pembeli." -- ".$nama_lengkap." -- ".$username." -- ".$password; exit();

if (isset($Sid_pembeli) && isset($Sid_booking)) {

    if ($submit == "Accept") {
        $sqlQuery    = "UPDATE tbl_booking SET status_booking= 'Y' WHERE
id_pembeli = '". $Sid_pembeli.'" AND id_booking = '". $Sid_booking.'" ";
        $resQuery    = mysql_query($sqlQuery);

        if ($resQuery) {
            header('Location: index.php');
        } else {
            echo "Error query ". mysql_error($resQuery);
        }
    }

    } else if ($submit == "Delete") {

```

```

    $sqlQuery    = "UPDATE tbl_booking SET status_booking= 'R' WHERE
id_pembeli = ".$id_pembeli." AND id_booking = ".$id_booking." ";
    $resQuery    = mysql_query($sqlQuery);

    $sqlQuery3   = "SELECT jml_stok FROM tbl_tipe_rumah WHERE id_tipe_rmh =
"."$id_tipe_rmh." ";
    $resQuery3   = mysql_query($sqlQuery3);
    while ($rows = mysql_fetch_array($resQuery3)) {
        $stok = $rows['jml_stok'];
        $stok = $stok+1;
    }
    $sqlQuery4   = "UPDATE tbl_tipe_rumah a JOIN tbl_detail_rumah b ON
a.id_tipe_rmh = b.id_tipe_rmh
        SET a.jml_stok = ".$stok.", b.status = 'ready' WHERE a.id_tipe_rmh =
"."$id_tipe_rmh."
        AND b.id_detail_rmh = ".$id_detail_rmh." ";
    $resQuery4   = mysql_query($sqlQuery4);

    if ($resQuery) {
        header('Location: index.php');
    } else {
        echo "Error query ". mysql_error($resQuery);
    }
}
} else {
    $confirm_err = "Kembali ke halaman sebelumnya";
}
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Invalid Data</h1>
    <p>
      <?php echo $confirm_err;?> <a href="index.php">back</a><br>
    </p>
  </div>
<!-- end .content -->
  <div class="footer">

```

```

    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 8. do\_acc\_pemesanan.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $id_pembeli    = $_REQUEST['id_pembeli'];
    $id_tipe_rmh   = $_POST['id_tipe_rmh'];
    $id_detail_rmh = $_POST['id_detail_rmh'];
    $nama_lengkap = $_POST['nama_lengkap'];
    $username      = $_POST['username'];
    $password      = $_POST['password'];
    $submit        = $_REQUEST['submit'];

```

```

//echo $submit;
if ($submit == "Accept") {
    if (isset($username) && isset($password)) {

        $sqlQuery    = "UPDATE tbl_pembeli SET username = ".$username.", password
= ".$password.",
            status_pembelian = 'Y' WHERE id_pembeli = ".$id_pembeli." ";
        $resQuery    = mysql_query($sqlQuery);

        $sqlQuery2   = "INSERT INTO tbl_login (username, password, fullname, level,
created_date)
            VALUES ( ".$username.", ".$password.", ".$nama_lengkap.", 'user',
NOW() ) ";
        $resQuery2   = mysql_query($sqlQuery2);

        /*
        $sqlQuery3    = "SELECT jml_stok FROM tbl_tipe_rumah WHERE id_tipe_rmh =
".$id_tipe_rmh." ";
        $resQuery3    = mysql_query($sqlQuery3);
        while ($rows = mysql_fetch_array($resQuery3)) {
            $stok = $rows['jml_stok'];
            $stok = $stok-1;
        }
        $sqlQuery4    = "UPDATE tbl_tipe_rumah a JOIN tbl_detail_rumah b ON
a.id_tipe_rmh = b.id_tipe_rmh
            SET a.jml_stok = ".$stok.", b.status = 'jual' WHERE a.id_tipe_rmh =
".$id_tipe_rmh."
            AND b.id_detail_rmh = ".$id_detail_rmh." ";
        $resQuery4    = mysql_query($sqlQuery4);

```

```

*/
if ($resQuery) {
    header('Location: data_pembeli.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}

} else {
    $confirm_err = "Kembali ke halaman sebelumnya <a
href='index.php'>back</a><br>";
}
} else if ($submit == "Delete") {
    $sqlQuery = "UPDATE tbl_pembeli SET status_pembelian = 'R' WHERE
id_pembeli = ".$id_pembeli." ";
    $resQuery = mysql_query($sqlQuery);

if ($resQuery) {
    header('Location: data_pembeli.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}
}

//echo $id_pembeli." -- ".$nama_lengkap." -- ".$username." -- ".$password; exit();

?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

```

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Invalid Data</h1>
    <p>
      <?php echo $confirm_err;?><br>
    </p>
  </div>
<!-- end .content -->
  <div class="footer">
    <?php include('../template/footer.php'); ?>
  </div>

```

```
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>
```

## 9. do\_angsuran.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:index.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    //echo $_SESSION['USR']; exit();

    $id_angsuran = $_POST['id_angsuran'];
    $id_pembeli = $_POST['id_pembeli'];
    $id_booking = $_POST['id_booking'];
    $ags_ke = $_POST['angsuranKe'];
    $telat = $_POST['telat'];
    $denda = $_POST['total_denda'];
```

```

$total_bayar = $_POST['total_bayar'];
$period      = $_POST['period'];
$bank_id     = $_POST['bank_id'];
$tgl_booking = $_POST['tgl_booking'];
$tgl_bayar   = date('Y-m-d');
$tgl_tempo   = $_POST['tgl_tempo'];
$rek_bayar   = $_POST['no_rek'];
$sid_rek     = $_POST['id_rek'];

if (isset($sid_pembeli) && isset($sid_booking)) {

    $sqlQuery = "INSERT INTO tbl_angsuran (id_angsuran, id_pembeli, id_booking,
id_rek, rek_bayar, ags_ke,
                relat, denda, total_bayar, period, bank_id, tgl_booking, tgl_bayar,
tgl_tempo, status, created_date)
                VALUES ('".$sid_angsuran."', '".$sid_pembeli."', '".$sid_booking."',
                '".$sid_rek."', '".$rek_bayar."', '".$ags_ke."',
                '".$telat."', '".$denda."', '".$total_bayar."', '".$period."', '".$bank_id."',
                '".$tgl_booking."', '".$tgl_bayar."',
                '".$tgl_tempo."', 'N', NOW())";

    //echo $sqlQuery;
    $resQuery = mysql_query($sqlQuery);

    if ($resQuery) {
        if ($_SESSION['USR_CODE'] == "admin") {
            header('Location: index.php');
        } else if ($_SESSION['USR_CODE'] == "user") {
            header('Location: data_pembeli_usr.php');
        }
    }
}

```

```

    } else {
        echo "Error query ". mysql_error($resQuery);
    }

} else {
    $confirm_err = "Klik tombol untuk kembali";
}
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->
    <div class="menu">
        <?php include('../template/menu.php'); ?>
    </div>
<!-- end .menu -->

```

```

<div class="content">
  <h1>Invalid Data</h1>
  <p>
    <?php echo $confirm_err;?> <br>
    <input style="width:60px; height:50px;" type="button" onclick="history.back()"
value="Back">
  </p>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 10. do\_booking.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
  header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
  header('location:index.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

```

```

include ('../include/open_conn.php');

$id_pembeli = $_POST['id_pembeli'];
$id_booking = $_POST['id_booking'];
$id_period = $_POST['id_period'];
$bank_id = $_POST['bank_id'];
$harga_booking = $_POST['harga_booking'];
$no_rek = $_POST['no_rek'];
$id_rek = $_POST['id_rek'];
$hargaAngsuran = $_POST['hargaAngsuran'];
$id_tipe_rmh = $_POST['id_tipe_rmh'];
$id_detail_rmh = $_POST['id_detail_rmh'];

//echo $id_pembeli." -- ".$id_booking." -- ".$id_period." -- ".$bank_id." --
".$harga_booking." -- ".$no_rek; exit();

if (isset($id_pembeli) && isset($id_booking)) {

    $sqlQuery = "INSERT INTO tbl_booking (id_booking, id_pembeli, id_period,
id_rek, harga_booking, bank_id, no_rek,
            harga_ang, tgl_booking, created_date, status_booking)
            VALUES ('".$id_booking."', '".$id_pembeli."', '".$id_period."',
            '".$id_rek."', '".$harga_booking."', '".$bank_id."',
            '".$no_rek."', '".$hargaAngsuran."', NOW(), NOW(), 'P')";
    $resQuery = mysql_query($sqlQuery);

    $sqlQuery3 = "SELECT jml_stok FROM tbl_tipe_rumah WHERE id_tipe_rmh =
            '".$id_tipe_rmh."' ";

```

```

$resQuery3 = mysql_query($sqlQuery3);
while ($rows = mysql_fetch_array($resQuery3)) {
    $stok = $rows['jml_stok'];
    $stok = $stok-1;
}
$sqlQuery4 = "UPDATE tbl_tipe_rumah a JOIN tbl_detail_rumah b ON
a.id_tipe_rmh = b.id_tipe_rmh
    SET a.jml_stok = ".$stok.", b.status = 'jual' WHERE a.id_tipe_rmh =
"."$id_tipe_rmh."
    AND b.id_detail_rmh = ".$id_detail_rmh." ";
$resQuery4 = mysql_query($sqlQuery4);

if ($resQuery) {
    if ($_SESSION['USR_CODE'] == "admin") {
        header('Location: index.php');
    } else if ($_SESSION['USR_CODE'] == "user") {
        header('Location: data_pembeli_usr.php');
    }
    } else {
        echo "Error query ". mysql_error($resQuery);
    }

} else {
    $confirm_err = "Klik tombol untuk kembali";
}
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">

```

```

<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Invalid Data</h1>
    <p>
      <?php echo $confirm_err;?> <br>
      <input style="width:60px; height:50px;" type="button" onclick="history.back()"
value="Back">
    </p>
  </div>
<!-- end .content -->
  <div class="footer">
    <?php include('../template/footer.php'); ?>

```

```

</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 11. do\_data\_pembeli.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $act      = $_REQUEST['act'];
    $usr_login = $_REQUEST['usr_login'];
    $id_pembeli = $_REQUEST['id_pembeli'];
    $id_booking = $_REQUEST['id_booking'];
    $id_tipe_rmh = $_REQUEST['id_tipe_rmh'];
    $id_detail_rmh = $_REQUEST['id_detail_rmh'];

    if ($act == 'Delete') {

```

```

    $sqlSelect = "SELECT * FROM tbl_booking WHERE id_pembeli
="."$id_pembeli." AND id_booking = "."$id_booking." AND
        status_booking = 'Y';
    $resSelect = mysql_query($sqlSelect);
    $totalSelect = mysql_num_rows($resSelect);
    if ($totalSelect > 0) {
        $sqlQuery3 = "SELECT jml_stok FROM tbl_tipe_rumah WHERE
id_tipe_rmh = "."$id_tipe_rmh." ";
        $resQuery3 = mysql_query($sqlQuery3);
        while ($rows = mysql_fetch_array($resQuery3)) {
            $stok = $rows['jml_stok'];
            $stok = $stok+1;
        }
        $sqlQuery4 = "UPDATE tbl_tipe_rumah a JOIN tbl_detail_rumah b ON
a.id_tipe_rmh = b.id_tipe_rmh
            SET a.jml_stok = ".$stok.", b.status = 'ready' WHERE a.id_tipe_rmh =
"."$id_tipe_rmh."
            AND b.id_detail_rmh = "."$id_detail_rmh." ";
        $resQuery4 = mysql_query($sqlQuery4);
    }

    $sqlQuery = "DELETE FROM tbl_angsuran WHERE id_pembeli
="."$id_pembeli."
        AND id_booking = "."$id_booking." ";
    $resQuery = mysql_query($sqlQuery);

    $sqlQuery2 = "DELETE FROM tbl_booking WHERE id_pembeli
="."$id_pembeli."

```

```

        AND id_booking = ".$id_booking." ";
$resQuery2 = mysql_query($sqlQuery2);

$sqlQuery5 = "DELETE FROM tbl_pembeli WHERE id_pembeli
=".$id_pembeli."";
$resQuery5 = mysql_query($sqlQuery5);

$sqlQuery6 = "DELETE FROM tbl_login WHERE username = ".$usr_login."";
$resQuery6 = mysql_query($sqlQuery6);

if ($resQuery6) {
    header('Location: data_pembeli.php');
} else {
    echo "Error query ". mysql_error($resQuery4);
}
}
?>

```

## 12. do\_page\_contact.php

```

<?php
include ('../include/open_conn.php');

session_start();

if ($_SESSION['SUDAH_LOGIN'] != 'OK') {
    header('Location: login.php');
}

```

```

$id_contact    = $_POST['id_contact'];
$contact_content = $_POST['contactContent'];
$date         = date('Y-m-d H:i:s');

$query = "UPDATE page_contact SET contact_content = ".$contact_content.",
        created_date = ".$date." WHERE id_contact = $id_contact ";
$result = mysql_query($query);

//echo $query; //exit();

if ($result) {
    //echo "yessss";
    header('Location: page_contact.php');
} else {
    echo "gagal";
    /* Redirect browser: secara otomatis */
    header('Location: page_contact.php');
}

?>

```

### 13. do\_page\_gallery.php

```

<?php
include ('../include/open_conn.php');

session_start();

```

```

if ($_SESSION['SUDAH_LOGIN'] != 'OK') {
    header('Location: login.php');
}

$id_gallery = $_POST['id_gallery'];
$galleryContent = $_POST['galleryContent'];
$date = date('Y-m-d H:i:s');

$query = "UPDATE page_gallery SET gallery_content = ".$galleryContent.",
        created_date = ".$date." WHERE id_gallery = $id_gallery ";
$result = mysql_query($query);

//echo $query; //exit();

if ($result) {
    //echo "yessss";
    header('Location: page_gallery.php');
} else {
    echo "gagal";
    /* Redirect browser: secara otomatis */
    header('Location: page_gallery.php');
}

?>

```

#### 14. do\_page\_home.php

```

<?php
include ('../include/open_conn.php');

```

```

session_start();

if ($_SESSION['SUDAH_LOGIN'] != 'OK') {
    header('Location: login.php');
}

$id_home    = $_POST['id_home'];
$homeContent = $_POST['homeContent'];
$date      = date('Y-m-d H:i:s');

$query = "UPDATE page_home SET home_content = ".$homeContent.",
        created_date = ".$date." WHERE id_home = $id_home ";
$result = mysql_query($query);

//echo $query; //exit();

if ($result) {
    //echo "yessss";
    header('Location: page_home.php');
} else {
    echo "gagal";
    /* Redirect browser: secara otomatis */
    header('Location: page_home.php');
}

?>

```

## 15. do\_page\_info.php

```
<?php
include ('../include/open_conn.php');

session_start();

if ($_SESSION['SUDAH_LOGIN'] != 'OK') {
    header('Location: login.php');
}

$id_info    = $_POST['id_info'];
$info_content = $_POST['infoContent'];

$query = "UPDATE page_info SET info_content = ".$info_content.",
        created_date = NOW() WHERE id_info = $id_info ";
$result = mysql_query($query);

//echo $query; //exit();

if ($result) {
    //echo "yessss";
    header('Location: page_info.php');
} else {
    echo "gagal";
    /* Redirect browser: secara otomatis */
    header('Location: page_info.php');
}
```

?>

## 16. do\_page\_profile.php

```
<?php
include ('../include/open_conn.php');

session_start();

if ($_SESSION['SUDAH_LOGIN'] != 'OK') {
    header('Location: login.php');
}

$Sid_profile    = $_POST['id_profile'];
$profileContent = $_POST['profileContent'];
$date          = date('Y-m-d H:i:s');

$query = "UPDATE page_profile SET profile_content = ".$profileContent.",
        created_date = ".$date." WHERE id_profile = $Sid_profile ";
$result = mysql_query($query);

//echo $query; //exit();

if ($result) {
    //echo "yesssss";
    header('Location: page_profile.php');
} else {
    echo "gagal";
    /* Redirect browser: secara otomatis */
    header('Location: page_profile.php');
```

```
}
```

```
?>
```

## 17. do\_parameter\_bank.php

```
<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');

$sact    = $_REQUEST['act'];
$sid     = $_REQUEST['bank_id'];

if ($sact == 'add') {

    $bank_name    = $_POST['bank_name'];
    $bank_digit   = $_POST['bank_digit'];

    $sqlQuery     = "INSERT INTO tbl_bank (bank_name,bank_digit,created_date)
                    VALUES ('".$bank_name."','".$bank_digit."',NOW())";
```

```

$resQuery = mysql_query($sqlQuery);

} elseif ($act == 'edit') {

    $bank_id = $_POST['bank_id'];

    $bank_name = $_POST['bank_name'];
    $bank_digit = $_POST['bank_digit'];

    $sqlQuery = "UPDATE tbl_bank SET bank_name = ".$bank_name.", bank_digit
= ".$bank_digit.",
                created_date = NOW() WHERE bank_id = ".$bank_id." ";
    $resQuery = mysql_query($sqlQuery);

} elseif ($act == 'delete') {

    $sqlQuery = "DELETE FROM tbl_bank WHERE bank_id = ".$id." ";
    $resQuery = mysql_query($sqlQuery);

}

//echo $sqlQuery;

if ($resQuery) {
    header('Location: parameter_bank.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}

```

?>

## 18. do\_parameter\_bank\_admin.php

```
<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');

$sact    = $_REQUEST['act'];
$sid     = $_REQUEST['bank_id'];

if ($sact == 'add') {

    $no_rek    = $_POST['no_rek'];
    $nama_bank = $_POST['nama_bank'];
    $nama_akun = $_POST['nama_akun'];
    $tmpt_bank = $_POST['tmpt_bank'];

    $sqlQuery = "INSERT INTO tbl_rek_admin (no_rek, nama_bank, nama_akun,
tmpt_bank)
```

```

VALUES (".$no_rek.", ".$nama_bank.", ".$nama_akun.",
".$tmpt_bank."");
$resQuery = mysql_query($sqlQuery);

} elseif ($sact == 'edit') {

$bank_id = $_POST['bank_id'];

$no_rek = $_POST['no_rek'];
$nama_bank = $_POST['nama_bank'];
$nama_akun = $_POST['nama_akun'];
$tmpt_bank = $_POST['tmpt_bank'];

$sqlQuery = "UPDATE tbl_rek_admin SET no_rek = ".$no_rek.", nama_bank =
".$nama_bank.",
nama_akun = ".$nama_akun.", tmpt_bank = ".$tmpt_bank." WHERE
id_rek = ".$bank_id." ";
$resQuery = mysql_query($sqlQuery);

} elseif ($sact == 'delete') {

$sqlQuery = "DELETE FROM tbl_rek_admin WHERE id_rek = ".$id." ";
$resQuery = mysql_query($sqlQuery);

}

//echo $sqlQuery;

if ($resQuery) {

```

```

        header('Location: parameter_bank_admin.php');
    } else {
        echo "Error query ". mysql_error($resQuery);
    }

?>

```

### 19. do\_parameter\_data\_rumah.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $act      = $_REQUEST['act'];
    $id_detail_rmh = $_REQUEST['id_detail_rmh'];
    $id_tipe_rmh  = $_REQUEST['id_tipe_rmh'];
    $jml_stok    = $_REQUEST['stock'];

    if ($act == 'add') {

        $tipe_rmh    = $_POST['tipe_rmh'];

```

```

$luas_tnh    = $_POST['luas_tnh'];
$luas_bgn    = $_POST['luas_bgn'];
$blok_rmh    = $_POST['blok_rmh'];
$kav         = $_POST['kav'];
$ket         = $_POST['ket'];
$harga       = $_POST['harga'];
$status      = $_POST['status'];

$sqlQuery    = "INSERT INTO tbl_detail_rumah
(id_tipe_rmh,luas_tnh,luas_bgn,blok_rmh,kav,ket,harga,status,created_date)
VALUES ('".$tipe_rmh."', '".$luas_tnh."', '".$luas_bgn."', '".$blok_rmh."',
'".$kav."',
'".$ket."', '".$harga."', 'ready',NOW())";
$resQuery    = mysql_query($sqlQuery);

$sqlQuery2   = "SELECT jml_stok FROM tbl_tipe_rumah WHERE id_tipe_rmh =
'".$tipe_rmh."' ";
$resQuery2   = mysql_query($sqlQuery2);
while ($rows = mysql_fetch_array($resQuery2)) {
    $stok = $rows['jml_stok'];
    $stok = $stok+1;
}
$sqlQuery3   = "UPDATE tbl_tipe_rumah SET jml_stok = '".$stok.'" WHERE
id_tipe_rmh = '".$tipe_rmh."' ";
$resQuery3   = mysql_query($sqlQuery3);

} elseif ($sact == 'edit') {

$id_detail_rmh = $_POST['id_detail_rmh'];

```

```

$id_tipe_rmh = $_POST['id_tipe_rmh'];
$tipe_rmh = $_POST['tipe_rmh'];
$luas_tnh = $_POST['luas_tnh'];
$luas_bgn = $_POST['luas_bgn'];
$blok_rmh = $_POST['blok_rmh'];
$kav = $_POST['kav'];
$ket = $_POST['ket'];
$harga = $_POST['harga'];
$status = $_POST['status'];

$sqlQuery = "UPDATE tbl_detail_rumah SET id_tipe_rmh = ".$tipe_rmh.",
luas_tnh = ".$luas_tnh.",
luas_bgn = ".$luas_bgn.", blok_rmh = ".$blok_rmh.", kav = ".$kav.",
ket = ".$ket.",
harga = ".$harga.", status = ".$status.", created_date = NOW()
WHERE id_detail_rmh = ".$id_detail_rmh." AND id_tipe_rmh =
".$id_tipe_rmh." ";
//echo $sqlQuery;
$resQuery = mysql_query($sqlQuery);

} elseif ($sact == 'delete') {

$jml_stok = $jml_stok-1;

$sqlQueryTipe = "UPDATE tbl_tipe_rumah SET jml_stok = ".$jml_stok." WHERE
id_tipe_rmh = ".$id_tipe_rmh." ";
$resQueryTipe = mysql_query($sqlQueryTipe);

```

```

    $sqlQuery    = "DELETE FROM tbl_detail_rumah WHERE id_detail_rmh =
"."$id_detail_rmh." AND id_tipe_rmh = "."$id_tipe_rmh." ";
    $resQuery    = mysql_query($sqlQuery);

}

//echo $sqlQuery;

if ($resQuery) {
    header('Location: parameter_data_rumah.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}

?>

```

## 20. do\_parameter\_login\_admin.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

```

```

$sact    = $_REQUEST['act'];
$id      = $_REQUEST['id'];

if ($sact == 'add') {

    $level    = $_POST['level'];
    $username = $_POST['username'];
    $password = $_POST['password'];
    $fullname = $_POST['fullname'];

    $sqlQuery = "INSERT INTO tbl_login
(fullname,username,password,level,created_date)
                VALUES
('".$fullname."','".$username."','".$password.','admin',NOW())";
    $resQuery = mysql_query($sqlQuery);

    if ($resQuery) {
        header('Location: parameter_login_admin.php');
    } else {
        echo "Error query ". mysql_error($resQuery);
    }

} elseif ($sact == 'edit') {

    $id_usr   = $_POST['id_usr'];
    $level    = $_POST['level'];
    $username = $_POST['username'];
    $password = $_POST['password'];

```

```

$fullname    = $_POST['fullname'];

$sqlQuery    = "UPDATE tbl_login SET fullname = ".$fullname.", username =
".".$username.",
                password = ".$password.", level = 'admin',
                created_date = NOW() WHERE id_usr = ".$id_usr." ";
$resQuery    = mysql_query($sqlQuery);

if ($resQuery) {
    header('Location: logout.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}

} elseif ($act == 'delete') {

    $sqlQuery    = "DELETE FROM tbl_login WHERE id_usr = ".$id." ";
    $resQuery    = mysql_query($sqlQuery);

    if ($resQuery) {
        header('Location: logout.php');
    } else {
        echo "Error query ". mysql_error($resQuery);
    }
}

//echo $sqlQuery;

```

?>

## 21. do\_parameter\_login\_pembeli.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $act    = $_REQUEST['act'];
    $id     = $_REQUEST['bank_id'];

    if ($act == 'edit') {

        $id_usr    = $_POST['id_usr'];
        $level     = $_POST['level'];
        $username  = $_POST['username'];
        $password  = $_POST['password'];
        $fullname  = $_POST['fullname'];

        $userLama  = $_POST['userLama'];
```

```

$passLama = $_POST['passLama'];

$sqlQuery = "UPDATE tbl_login SET fullname = ".$fullname.", username =
".$username.",
password = ".$password.", level = 'user',
created_date = NOW() WHERE id_usr = ".$id_usr." ";
$resQuery = mysql_query($sqlQuery);

$sqlQuery2 = "UPDATE tbl_pembeli SET username = ".$username.", password
=".$password."
WHERE username = ".$userLama." AND password = ".$passLama." ";
$resQuery2 = mysql_query($sqlQuery2);
}

//echo $sqlQuery;

if ($resQuery) {
    header('Location: parameter_login_pembeli.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}

?>

```

## 22. do\_parameter\_periode.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {

```

```

    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');

$act      = $_REQUEST['act'];

if ($act == 'add') {

    $period      = $_POST['period'];

    $sqlQuery    = "INSERT INTO tbl_period (period) VALUES ('".$period."")";
    $resQuery    = mysql_query($sqlQuery);

        //echo $sqlQuery; exit();
} elseif ($act == 'edit') {

    $period      = $_POST['period'];
    $id_period   = $_POST['id'];

    $sqlQuery    = "UPDATE tbl_period SET period = '".$period.'" WHERE id_period
= '".$id_period.'" ";
    $resQuery    = mysql_query($sqlQuery);

        //echo $sqlQuery; exit();
}

```

```

} elseif ($act == 'delete') {

    $sid    = $_GET['id'];

    $sqlQuery    = "DELETE FROM tbl_period WHERE id_period = '". $sid. "' ";
    $resQuery    = mysql_query($sqlQuery);

}

//echo $sqlQuery;

if ($resQuery) {
    header('Location: parameter_periode.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}

?>

```

### 23. do\_parameter\_tipe\_rumah.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

```

```

}

include ('../include/open_conn.php');

$act    = $_REQUEST['act'];
$id     = $_REQUEST['id'];

if ($act == 'add') {

    $tipe_rmh    = $_POST['tipe_rmh'];

    $sqlQuery    = "INSERT INTO tbl_tipe_rumah (tipe_rmh,jml_stok,created_date)
                    VALUES ('".$tipe_rmh."',0,NOW())";
    $resQuery    = mysql_query($sqlQuery);

} elseif ($act == 'edit') {

    $id_tipe_rmh = $_POST['id'];
    $tipe_rmh    = $_POST['tipe_rmh'];

    $sqlQuery    = "UPDATE tbl_tipe_rumah SET tipe_rmh = '".$tipe_rmh."',
created_date = NOW()
                    WHERE id_tipe_rmh = '".$id_tipe_rmh."' ";
    $resQuery    = mysql_query($sqlQuery);

} elseif ($act == 'delete') {

    $sqlQuery    = "DELETE FROM tbl_tipe_rumah WHERE id_tipe_rmh = '".$id."' ";
    $resQuery    = mysql_query($sqlQuery);

```

```

}

//echo $sqlQuery;

if ($resQuery) {
    header('Location: parameter_tipe_rumah.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}

?>

```

#### 24. do\_pemesanan.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');

$id_pembeli = $_POST['id_pembeli'];
$nama_lengkap = $_POST['nama_lengkap'];

```

```

$ktp      = $_POST['ktp'];
$status_warga = $_POST['status_warga'];
$alamat   = $_POST['alamat'];
$status_nikah = $_POST['status_nikah'];
$no_tlp   = $_POST['no_tlp'];
$no_hp    = $_POST['no_hp'];
$email    = $_POST['email'];
$id_detail_rmh = $_POST['id_detail_rmh'];
$id_tipe_rmh  = $_POST['tipe_rmh'];
$agreement = $_POST['agreement'];

if ($agreement == 'Y') {

    $sqlQuery = "INSERT INTO tbl_pembeli (id_pembeli, nama_lengkap, ktp,
status_warga, alamat,
                status_nikah, no_tlp, no_hp, email, id_detail_rmh, id_tipe_rmh,
status_pembelian, created_date)
                VALUES ('".$id_pembeli."', '".$nama_lengkap."', '".$ktp."',
                '".$status_warga."', '".$alamat."',
                '".$status_nikah."', '".$no_tlp."', '".$no_hp."', '".$email."',
                '".$id_detail_rmh."', '".$id_tipe_rmh."',
                'N',NOW())";

    $resQuery = mysql_query($sqlQuery);

    if ($resQuery) {
        header('Location: index.php');
    } else {
        echo "Error query ". mysql_error($resQuery);
    }
}

```

```

    } else {
        $confirm_err = "Klik tombol untuk kembali";
    }
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->
    <div class="menu">
        <?php include('../template/menu.php'); ?>
    </div>
<!-- end .menu -->
    <div class="content">
        <h1>Invalid Data</h1>
        <p>

```

```

        <?php echo $confirm_err;?> <br>
        <input style="width:60px; height:50px;" type="button" onclick="history.back()"
value="Back">
    </p>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('./template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 25. do\_setting.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include('./include/open_conn.php');

```

```

$id_usr = $_POST['id_usr'];
$password = $_POST['password'];

$sqlQuery = "UPDATE tbl_login SET password = ".$password.",
            created_date = NOW() WHERE id_usr = ".$id_usr." ";
$resQuery = mysql_query($sqlQuery);

if ($resQuery) {
    header('Location: page_setting.php');
} else {
    echo "Error query ". mysql_error($resQuery);
}
?>

```

## 26. exportExcel.php

```

<?php
include ('../include/open_conn.php');
$id_pembeli = $_GET['id_pembeli'];
$id_booking = $_GET['id_booking'];
//$id_angsuran = $_GET['id_angsuran'];

error_reporting(0);
$namaFile = "Report.xls";
//header("Pragma: public");no-cache
header("Pragma: no-cache");
header("Expires: 0");
header("Cache-Control: must-revalidate, post-check=0, pre-check=0");
header("Content-Type: application/force-download");
header("Content-Type: application/octet-stream");

```

```

header("Content-Type: application/download");
header("Content-Disposition: attachment; filename=$namaFile");
header("Content-Transfer-Encoding: binary ");
//header("Content-Transfer-Encoding: us-ascii ");
?>
<div style="margin:0px auto;">
<?php
    $sqlPembeli = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
    ".$id_pembeli." ";
    $resPembeli = mysql_query($sqlPembeli);
    while ($rowPembeli = mysql_fetch_array($resPembeli)) {
        $id_pembeli    = $rowPembeli['id_pembeli'];
        $nama_lengkap  = $rowPembeli['nama_lengkap'];
        $ktp            = $rowPembeli['ktp'];
        $status_warga   = $rowPembeli['status_warga'];
        $alamat         = $rowPembeli['alamat'];
        $status_nikah   = $rowPembeli['status_nikah'];
        $no_hp          = $rowPembeli['no_hp'];
        $no_tlp         = $rowPembeli['no_tlp'];
        $email          = $rowPembeli['email'];
    }

    $sqlBooking = "SELECT * FROM tbl_booking WHERE id_pembeli =
    ".$id_pembeli." AND id_booking = ".$id_booking." ";
    $resBooking = mysql_query($sqlBooking);
    while ($rowBooking = mysql_fetch_array($resBooking)) {
        $id_period      = $rowBooking['id_period'];
        $bank_id        = $rowBooking['bank_id'];

```

```

$sqlBank = "SELECT * FROM tbl_bank WHERE bank_id = ".$bank_id."";
$resBank = mysql_query($sqlBank);
while($rowBank = mysql_fetch_array($resBank)){
    $bankname = $rowBank['bank_name'];
    $bankdigit = $rowBank['bank_digit'];
}

$harga_ang = number_format($rowBooking['harga_ang']);
$no_rek = $rowBooking['no_rek'];
$id_period = $rowBooking['id_period'];
$harga_booking = number_format($rowBooking['harga_booking']);
$ttl_booking = $rowBooking['ttl_booking'];
}
?>
<table class="tbl" style="border:1px solid black;" cellspacing="0" cellpadding="1"
border="1px">
    <tr><td colspan="9" align="left" style="border-bottom:1px solid
black;"><strong>Laporan Data Pembayaran Pembeli</strong></td></tr>
    <tr>
        <td class="headDetail" align="left" width="16%">Kode Pemesanan</td>
        <td class="point" width="1%" align="center"></td>
        <td class="headDetail" align="left" width="16%"><?php echo $id_pembeli?></td>
        <td class="headDetail" width="16%">Nama Pembeli</td>
        <td class="point" width="1%" align="center"></td>
        <td class="headDetail" align="left" width="16%"><?php echo
$nama_lengkap?></td>
        <td class="headDetail" width="16%">Nomor HP</td>
        <td class="point" width="1%" align="center"></td>

```

```

        <td class="headDetail" align="left" width="16%" style='mso-number-
format:\@;'><?php echo $no_hp?></td>
    </tr>
    <tr>
        <td class="headDetail" align="left" width="16%">Kode Booking</td>
        <td class="point" width="1%" align="center">:</td>
        <td class="headDetail" align="left" width="16%"><?php echo $id_booking?></td>
        <td class="headDetail" width="16%">Nomor KTP</td>
        <td class="point" width="1%" align="center">:</td>
        <td class="headDetail" align="left" width="16%" style='mso-number-
format:\@;'><?php echo $ktp?></td>
        <td class="headDetail" width="16%">Nomor Telepon</td>
        <td class="point" width="1%" align="center">:</td>
        <td class="headDetail" align="left" width="16%" style='mso-number-
format:\@;'><?php echo $no_tlp?></td>
    </tr>
    <tr><td colspan="9">&nbsp;</td></tr>
<!-- </table><br>
<table class="tbl" style="border:1px solid black;" cellspacing="0" cellpadding="1"> --
>
    <tr><td class="headDetail" colspan="9">Transaksi Booking</td></tr>
    <tr>
        <td class="head" colspan="2">Harga Booking</td>
        <td class="head">Nama Bank</td>
        <td class="head" colspan="2">Nomor Rekening</td>
        <td class="head">Angsuran (Ags)/bln</td>
        <td class="head" colspan="2">Lama Angsuran</td>
        <td class="head">Tgl Booking</td>
    </tr>

```

```

<tr>
  <td align="center" colspan="2"><?php echo "Rp. ".$harga_booking;?></td>
  <td align="center"><?php echo $bankname;?></td>
  <td align="center" colspan="2" style='mso-number-format:@;'><?php echo
$no_rek;?></td>
  <td align="center"><?php echo "Rp. ".$harga_ang;?></td>
  <td align="center" colspan="2"><?php echo $id_period." kali/bulan";?></td>
  <td align="center"><?php echo $tgl_booking ;?></td>
</tr>
<tr><td colspan="9">&nbsp;</td></tr>
<!-- </table><br>
<table class="tbl" style="border:1px solid black;" cellspacing="0" cellpadding="1"> --
>
<tr><td class="headDetail" colspan="9">Transaksi Angsuran</td></tr>
<tr>
  <td class="head" colspan="2">Angsuran (Ags)</td>
  <td class="head">Sisa Ags</td>
  <td class="head" colspan="2">Tgl Bayar Ags</td>
  <td class="head">Tgl Tempo Ags</td>
  <td class="head" colspan="2">(Telat/Hari) - Denda</td>
  <td class="head">Total</td>
</tr>
<?php
  $sqlAgs = "SELECT * FROM tbl_angsuran WHERE id_pembeli =
'".$id_pembeli."' AND id_booking = '".$id_booking.'" ORDER BY id_angsuran ASC";
  $resAgs = mysql_query($sqlAgs);
  while ($rowAgs = mysql_fetch_array($resAgs)){
    $rek_bayar = $rowAgs['rek_bayar'];
    $id_rek = $rowAgs['id_rek'];

```

```

    $ags_ke    = $rowAgs['ags_ke'];
    $telat    = $rowAgs['telat'];
    $denda    = number_format($rowAgs['denda']);
    $total_bayar = number_format($rowAgs['total_bayar']);
    $period    = $rowAgs['period'];
    $bank_Ags = $rowAgs['bank_id'];
    $tgl_booking = $rowAgs['tgl_booking'];
    $tgl_bayar = $rowAgs['tgl_bayar'];
    $tgl_tempo = $rowAgs['tgl_tempo'];
    $status    = $rowAgs['status'];

    $sisAgs    = $period-$ags_ke;
?>
        <tr>
            <td align="center" colspan="2"><?php echo "ke-".$ags_ke?></td>
            <td align="center"><?php echo $sisAgs." kali/bln"?></td>
            <td align="center" colspan="2"><?php echo $tgl_bayar?></td>
            <td align="center"><?php echo $tgl_tempo?></td>
            <td align="center" colspan="2"><?php echo $telat." hari - "?><?php echo "Rp.
".$denda?></td>
            <td align="center"><?php echo "Rp. ".$total_bayar?></td>
        </tr>
    <?php
    }
?>
</table>
</div>

```

## 27. form\_angsuran.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:../login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
/*
$ttl_tempo  = date('Y-m-d');
$ttl_d     = substr($ttl_tempo, 8, 10);
$ttl_m     = substr($ttl_tempo, 5, 2);
$ttl_y     = substr($ttl_tempo, 0, 4);

$ttl_d     = $ttl_d+1;

if ($ttl_d > "30") {
    $ttl_d = "01";
    $ttl_m = $ttl_m+1;
}
if ($ttl_m > 12) {
    $ttl_m = "01";
    $ttl_y = $ttl_y+1;
}

```

```

$ttl_tempo = $ttl_y."-".$ttl_m."-".$ttl_d;
echo $ttl_tempo;
*/
$id_pembeli = $_GET['id_pembeli'];
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
  <script type="text/javascript" src="../include/jquery.js"></script>
  <script type="text/javascript">
var htmlobjek;
$(document).ready(function(){
  $("#id_period").change(function(){
    var id_detail_rmh = $("#id_detail_rmh").val();
    var id_period = $("#id_period").val();
    $.ajax({
      url: "../include/get_harga_rmh.php",
      //data: "id_detail_rmh="+id_detail_rmh,
      data: {id_detail_rmh:id_detail_rmh, id_period:id_period},
      cache: false,
      success: function(data){
        $("#hargaAngsuran").val(data);
      }
    }
  )
}

```

```

    });
});
$("#bank_id").change(function(){
    var id_pembeli = $("#id_pembeli").val();
    var id_booking = $("#id_booking").val();
    $.ajax({
        url: "../include/get_angsuranke.php",
        //data: "id_detail_rmh="+id_detail_rmh,
        data: {id_pembeli:id_pembeli, id_booking:id_booking},
        cache: false,
        success: function(data){
            $("#angsuranKe").val(data);
        }
    });
});
$("#bank_id").change(function(){
    var id_pembeli = $("#id_pembeli").val();
    var id_booking = $("#id_booking").val();
    var period = $("#period").val();
    var angsuranKe = $("#angsuranKe").val();
    $.ajax({
        url: "../include/get_sisaangsuran.php",
        //data: "id_detail_rmh="+id_detail_rmh,
        data: {id_pembeli:id_pembeli, id_booking:id_booking, period:period,
angsuranKe:angsuranKe},
        cache: false,
        success: function(data){
            $("#sisaAngsuran").val(data);
        }
    });
});

```

```

    });
});
$("#bank_id").change(function(){
    var id_pembeli = $("#id_pembeli").val();
    var id_booking = $("#id_booking").val();
    $.ajax({
        url: "../include/get_jml_telat.php",
        //data: "id_detail_rmh="+id_detail_rmh,
        data: {id_pembeli:id_pembeli, id_booking:id_booking},
        cache: false,
        success: function(data){
            $("##telat").val(data);
        }
    });
});
$("#bank_id").change(function(){
    var id_pembeli = $("#id_pembeli").val();
    var id_booking = $("#id_booking").val();
    $.ajax({
        url: "../include/get_jml_denda.php",
        //data: "id_detail_rmh="+id_detail_rmh,
        data: {id_pembeli:id_pembeli, id_booking:id_booking},
        cache: false,
        success: function(data){
            $("##total_denda").val(data);
        }
    });
});
$("#bank_id").change(function(){

```

```

var id_pembeli = $("#id_pembeli").val();
var id_booking = $("#id_booking").val();
var hargaAngsuran = $("#hargaAngsuran").val();
$.ajax({
    url: "../include/get_jml_bayar.php",
    //data: "id_detail_rmh="+id_detail_rmh,
    data: {id_pembeli:id_pembeli, id_booking:id_booking,
hargaAngsuran:hargaAngsuran},
    cache: false,
    success: function(data){
        $("#total_bayar").val(data);
    }
});
});
$("#bank_id").change(function(){
var id_pembeli = $("#id_pembeli").val();
var id_booking = $("#id_booking").val();
$.ajax({
    url: "../include/get_tgl_tempo.php",
    //data: "id_detail_rmh="+id_detail_rmh,
    data: {id_pembeli:id_pembeli, id_booking:id_booking},
    cache: false,
    success: function(data){
        $("#tgl_tempo").val(data);
    }
});
});
});
</script>

```

```

<script type="text/javascript">
function cekData() {
    // Cek isi

        if (formInput.bank_id.value == ""){
            alert("Pilih Bank Anda!!");
            formInput.bank_id.focus();
            return false;
        }

    if (formInput.no_rek.value == ""){
        alert("Isikan Nomor Rekening Anda!!");
        formInput.no_rek.focus();
        return false;
    }

    if (formInput.id_rek.value == ""){
        alert("Pilih Nomor Rekening Transfer!!");
        formInput.id_rek.focus();
        return false;
    }

    else

        return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}

```

```

    }
</script>
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Form Angsuran Pembelian Rumah</h1>
    <form enctype="multipart/form-data" action="do_angsuran.php" id="formInput"
method="post" onsubmit="return cekData();">
      <?php
        $sqlQueryCode = "SELECT * FROM tbl_angsuran ORDER BY id_angsuran
DESC LIMIT 0,1";
        $resQueryCode = mysql_query($sqlQueryCode);
        $numQuery = mysql_num_rows($resQueryCode);
        if (empty($numQuery)) {
          $id_angsuran = 0000;
        } else {
          while($rowCode = mysql_fetch_array($resQueryCode)){
            $id_angsuran = $rowCode['id_angsuran'];
            $id_angsuran = substr($id_angsuran, 3, 4);

```

```

    //echo $number;
}
}
$number      = $id_angsuran+1;
$data_angsuran = "DA".sprintf("%04s",$number);

$sqlQuery = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
"."$id_pembeli." ";
$resQuery = mysql_query($sqlQuery);
while($rows = mysql_fetch_array($resQuery)){
    $id_tipe_rmh = $rows['id_tipe_rmh'];
    $id_detail_rmh = $rows['id_detail_rmh'];
}

$sqlQuery2 = "SELECT * FROM tbl_booking WHERE id_pembeli =
"."$id_pembeli." ";
$resQuery2 = mysql_query($sqlQuery2);
while($rowBooking = mysql_fetch_array($resQuery2)){
    $id_pembeliBook = $rowBooking['id_pembeli'];
    $id_booking = $rowBooking['id_booking'];
    $id_period = $rowBooking['id_period'];
    $bank_id = $rowBooking['bank_id'];
    $no_rek = $rowBooking['no_rek'];
    $harga_booking = $rowBooking['harga_booking'];
    $harga_ang = $rowBooking['harga_ang'];
    $tgl_booking = $rowBooking['tgl_booking'];
}

```

```

    $sqlDetail = "SELECT b.*,a.tipe_rmh FROM tbl_tipe_rumah a JOIN
tbl_detail_rumah b ON a.id_tipe_rmh = b.id_tipe_rmh
    WHERE a.id_tipe_rmh = ".$id_tipe_rmh." AND b.id_detail_rmh =
    ".$id_detail_rmh." ";

```

```

    $resDetail = mysql_query($sqlDetail);
    while($rowDetail = mysql_fetch_array($resDetail)){
        $luas_tnh      = $rowDetail['luas_tnh'];
        $luas_bgn      = $rowDetail['luas_bgn'];
        $blok_rmh      = $rowDetail['blok_rmh'];
        $kav           = $rowDetail['kav'];
        $ket           = $rowDetail['ket'];
        $tipe_rmh      = $rowDetail['tipe_rmh'];
        $harga         = $rowDetail['harga'];
        $hargaRumahDis = number_format($harga-20000000);
        $hargaRumah    = $harga-20000000;
        $hargaRumah18  = ceil($hargaRumah/18);
        $hargaRumah20  = ceil($hargaRumah/20);
        $hargaRumah24  = ceil($hargaRumah/24);
    }

```

?>

```

<table class="tbl" border="0" cellspacing="0" cellpadding="1">
    <input type="text" name="id_angsuran" id="id_angsuran" size="40"
value="<?php echo $data_angsuran?>" hidden="hidden">
    <input type="text" name="id_pembeli" id="id_pembeli" size="40" value="<?php
echo $id_pembeli?>" hidden="hidden">
    <input type="text" name="id_booking" id="id_booking" size="40" value="<?php
echo $id_booking?>" hidden="hidden">
    <input type="text" name="id_detail_rmh" id="id_detail_rmh" size="40"
value="<?php echo $id_detail_rmh?>" hidden="hidden">

```





```
 <b>Informasi Booking Rumah</b></td> </tr> <tr> :</td> <td> :</td> :</td> <b>Pembayaran Angsuran Rumah</b></td> </tr> <tr> | | |
```

```

<td>Nama Bank Pembeli</td>
<td width="1%" align="center">:</td>
<td>
<select name="bank_id" id="bank_id">
  <option value="">Pilih Bank Anda</option>
  <?php
    $sqlQuery = "SELECT * FROM tbl_bank";
    $resQuery = mysql_query($sqlQuery);
    while($row = mysql_fetch_array($resQuery)){
      $bankid   = $row['bank_id'];
      $bankname  = $row['bank_name'];
      $bankdigit = $row['bank_digit'];
    }
    <option value="<?php echo $bankid?>"><?php echo
$bankname?></option>
  <?php
  }
  ?>
</select>
</td>
</tr>
<tr>
  <td width="20%">Nomor Akun Bank</td>
  <td width="1%" align="center">:</td>
  <td width="30">
    <input type="text" maxlength="18" name="no_rek" id="no_rek" size="40"
value="" onkeypress="return isNumberKey(event);">
  </td>
</tr>

```

```

<tr>
  <td>Transfer melalui rekening</td>
  <td width="1%" align="center"></td>
  <td>
    <select name="id_rek" id="id_rek">
      <option value="">Pilih Rekening Admin</option>
      <?php
        $sqlQueryRek = "SELECT * FROM tbl_rek_admin";
        $resQueryRek = mysql_query($sqlQueryRek);
        while($rowRek = mysql_fetch_array($resQueryRek)){
          $id_rek   = $rowRek['id_rek'];
          $no_rek   = $rowRek['no_rek'];
          $nama_bank = $rowRek['nama_bank'];
          $nama_akun = $rowRek['nama_akun'];
          ?>
          <option value="<?php echo $id_rek?>"><?php echo $no_rek." -
$.nama_bank?></option>
        <?php
          }
        ?>
      </select>
    </td>
</tr>
<tr>
  <td width="20%">Pembayaran Angsuran Ke-</td>
  <td width="1%" align="center"></td>
  <td width="30%">
    <input type="text" maxlength="18" name="angsuranKe" id="angsuranKe"
size="40" value="" readonly="readonly">

```

```

</td>
</tr>
<tr>
<td width="20%">Sisa Angsuran</td>
<td width="1%" align="center">:</td>
<td width="30">
<input type="text" maxlength="18" name="sisaAngsuran" id="sisaAngsuran"
size="40" value="" readonly="readonly">
</td>
</tr>
<tr>
<td width="20%">Tanggal jatuh tempo</td>
<td width="1%" align="center">:</td>
<td width="30">
<input type="text" maxlength="18" name="tgl_tempo" id="tgl_tempo"
size="40" value="" readonly="readonly">
</td>
</tr>
<tr>
<td width="20%">Denda (hari)</td>
<td width="1%" align="center">:</td>
<td width="30">
<input type="text" maxlength="18" name="telat" id="telat" size="40" value=""
readonly="readonly">
</td>
</tr>
<tr>
<td width="20%">Jumlah Denda</td>
<td width="1%" align="center">:</td>

```

```

        <td width="30">
            Rp.&nbsp;&nbsp;&nbsp;<input type="text" maxlength="18" name="total_denda"
id="total_denda" size="36" value="" readonly="readonly">
        </td>
    </tr>
    <tr>
        <td width="20%"><strong>Total Angsuran yang harus di bayar</strong></td>
        <td width="1%" align="center"></td>
        <td width="30">
            Rp.&nbsp;&nbsp;&nbsp;<input type="text" maxlength="18" name="total_bayar"
id="total_bayar" size="36" value="" readonly="readonly">
        </td>
    </tr>
    <tr>
        <td colspan="2">&nbsp;&nbsp;&nbsp;</td>
        <td>
            <input type="submit" name="submit" value="Simpan" onclick="return
confirm('Anda yakin akan melakukan proses angsuran?');">
            <input type="reset" value="Reset">
        </td>
    </tr>
</table>
</form>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->

```

```
</div>
<!-- end .container -->
</body>
</html>
```

## 28. form\_booking.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $id_pembeli = $_GET['id_pembeli'];
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
```

```

<link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
<script type="text/javascript" src="../include/jquery.js"></script>
<script type="text/javascript">
var htmlobjek;
$(document).ready(function(){
    $("#id_period").change(function(){
        var id_detail_rmh = $("#id_detail_rmh").val();
        var id_period = $("#id_period").val();
        $.ajax({
            url: "../include/get_harga_rmh.php",
            //data: "id_detail_rmh="+id_detail_rmh,
            data: {id_detail_rmh:id_detail_rmh, id_period:id_period},
            cache: false,
            success: function(data){
                $("#hargaAngsuran").val(data);
            }
        });
    });
});
</script>
<script type="text/javascript">
function cekData() {
    // Cek isi
        if (formInput.bank_id.value == ""){
            alert("Pilih Bank Anda!!");
            formInput.bank_id.focus();
            return false;
        }
}

```

```

if (formInput.no_rek.value == ""){
    alert("Isikan Nomor Rekening Anda!!");
    formInput.no_rek.focus();
    return false;
}

if (formInput.id_period.value == ""){
    alert("Pilih Lama Pembelian!!");
    formInput.id_period.focus();
    return false;
}

if (formInput.id_rek.value == ""){
    alert("Pilih Nomor Rekening Transfer!!");
    formInput.id_rek.focus();
    return false;
}

else
    return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>

```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<div class="header">
```

```
<?php include('../template/header.php'); ?>
```

```
</div>
```

```
<!-- end .header -->
```

```
<div class="menu">
```

```
<?php include('../template/menu.php'); ?>
```

```
</div>
```

```
<!-- end .menu -->
```

```
<div class="content">
```

```
<h1><a href="data_pembeli.php">Data Pembeli</a> <?php echo $id_pembeli?> -
```

```
Form Booking Pemesanan Rumah</h1>
```

```
<form enctype="multipart/form-data" action="do_booking.php" id="formInput"
method="post" onsubmit="return cekData();">
```

```
<?php
```

```
    $sqlQueryCode = "SELECT id_booking FROM tbl_booking ORDER BY
id_booking DESC LIMIT 0,1";
```

```
    $resQueryCode = mysql_query($sqlQueryCode);
```

```
    $numQuery = mysql_num_rows($resQueryCode);
```

```
    if (empty($numQuery)) {
```

```
        $id_booking = 0000;
```

```
    }
```

```
    else {
```

```
        while($rowCode = mysql_fetch_array($resQueryCode)){
```

```
            $id_booking = $rowCode['id_booking'];
```

```
            $id_booking = substr($id_booking, 3, 4);
```

```

    //echo $number;
}
}
$number      = $id_booking+1;
$data_booking = "DB".sprintf("%04s",$number);

$sqlQuery = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
"."$id_pembeli." ";
$resQuery = mysql_query($sqlQuery);
while($rows = mysql_fetch_array($resQuery)){
    $id_tipe_rmh = $rows['id_tipe_rmh'];
    $id_detail_rmh = $rows['id_detail_rmh'];
}

$sqlDetail = "SELECT b.*,a.tipe_rmh FROM tbl_tipe_rumah a JOIN
tbl_detail_rumah b ON a.id_tipe_rmh = b.id_tipe_rmh
WHERE a.id_tipe_rmh = ".$id_tipe_rmh." AND b.id_detail_rmh =
"."$id_detail_rmh." ";
$resDetail = mysql_query($sqlDetail);
while($rowDetail = mysql_fetch_array($resDetail)){
    $luas_tnh = $rowDetail['luas_tnh'];
    $luas_bgn = $rowDetail['luas_bgn'];
    $blok_rmh = $rowDetail['blok_rmh'];
    $kav = $rowDetail['kav'];
    $ket = $rowDetail['ket'];
    $tipe_rmh = $rowDetail['tipe_rmh'];
    $harga = $rowDetail['harga'];
    $hargaRumahDis = number_format($harga-20000000);
    $hargaRumah = $harga-20000000;
}

```

```

    $hargaRumah18 = number_format(ceil($hargaRumah/18));
    $hargaRumah20 = number_format(ceil($hargaRumah/20));
    $hargaRumah24 = number_format(ceil($hargaRumah/24));
}
?>
<table class="tbl" border="0" cellspacing="0" cellpadding="1">
    <input type="text" name="id_booking" size="40" value="<?php echo
$data_booking?>" hidden="hidden">
    <input type="text" name="id_pembeli" size="40" value="<?php echo
$id_pembeli?>" hidden="hidden">
    <input type="text" name="id_detail_rmh" id="id_detail_rmh" size="40"
value="<?php echo $id_detail_rmh?>" hidden="hidden">
    <input type="text" name="id_tipe_rmh" size="40" value="<?php echo
$id_tipe_rmh?>" hidden="hidden">
    <input type="text" name="harga_booking" size="40" value="20000000"
hidden="hidden">
    <tr>
        <td colspan="3" style="background-color: #E8BD16;
color:#FFFFFF;"><b>Informasi Harga Rumah</b></td>
    </tr>
    <tr>
        <td width="20%">Id Booking</td>
        <td width="1%" align="center">:</td>
        <td width="30">
            <input type="text" maxlength="75" name="id_booking" size="40"
value="<?php echo $data_booking?>" disabled="disabled">
        </td>
    </tr>
    <tr>

```





```

        <option value="<?php echo $bankid?>"><?php echo
$bankname?></option>
    <?php
    }
    ?>
</select>
</td>
</tr>
<tr>
    <td width="20%">Nomor Akun Bank</td>
    <td width="1%" align="center">:</td>
    <td width="30">
        <input type="text" maxlength="18" name="no_rek" id="no_rek" size="40"
value="" onkeypress="return isNumberKey(event);">
    </td>
</tr>
<tr>
    <td>Lama Pembelian Rumah</td>
    <td width="1%" align="center">:</td>
    <td>
        <select name="id_period" id="id_period">
            <option value="0">Pilih Lama Pembelian</option>
        <?php
            $sqlQueryPeriod = "SELECT * FROM tbl_period";
            $resQueryPeriod = mysql_query($sqlQueryPeriod);
            while($rowPeriod = mysql_fetch_array($resQueryPeriod)){
                $id_period = $rowPeriod['id_period'];
                $period    = $rowPeriod['period'];
            }
        ?>
    </td>
</tr>

```

```

        <option value="<?php echo $period?>"><?php echo $period?></option>
    <?php
    }
    ?>
</select>
</td>
</tr>
<tr>
<td>Transfer melalui rekening</td>
<td width="1%" align="center"></td>
<td>
<select name="id_rek" id="id_rek">
    <option value="">Pilih Rekening Admin</option>
    <?php
    $sqlQueryRek = "SELECT * FROM tbl_rek_admin";
    $resQueryRek = mysql_query($sqlQueryRek);
    while($rowRek = mysql_fetch_array($resQueryRek)){
        $id_rek    = $rowRek['id_rek'];
        $no_rek    = $rowRek['no_rek'];
        $nama_bank = $rowRek['nama_bank'];
        $nama_akun = $rowRek['nama_akun'];
    }
    ?>
    <option value="<?php echo $id_rek?>"><?php echo $no_rek." -
". $nama_bank?></option>
    <?php
    }
    ?>
</select>
</td>

```

```

</tr>
<tr>
  <td>Harga angsuran rumah di bulan berikut</td>
  <td width="1%" align="center">:</td>
  <td>Rp.&nbsp;&nbsp;&nbsp;<input type="text" maxlength="75"
name="hargaAngsuran" id="hargaAngsuran" size="36" value=""
readonly="readonly"></td>
</tr>
<tr>
  <td><strong>Harga Booking yang harus dibayar</strong></td>
  <td width="1%" align="center">:</td>
  <td>Rp.&nbsp;&nbsp;&nbsp;<input type="text" maxlength="75" name="harga"
size="36" value="20.000.000,-" disabled="disabled"></td>
</tr>
<tr>
  <td colspan="2">&nbsp;&nbsp;&nbsp;</td>
  <td>
    <input type="submit" name="submit" value="Simpan" onclick="return
confirm('Anda yakin akan melakukan proses booking?');">
    <input type="reset" value="Reset">
  </td>
</tr>
</table>
</form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>

```

```

<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 29. form\_booking\_pembeli.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    //$id_pembeli = $_GET['id_pembeli'];
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">

```

```

<link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
<script type="text/javascript" src="../include/jquery.js"></script>
<script type="text/javascript">
var htmlobjek;
$(document).ready(function(){
    $("#id_period").change(function(){
        var id_detail_rmh = $("#id_detail_rmh").val();
        var id_period = $("#id_period").val();
        $.ajax({
            url: "../include/get_harga_rmh.php",
            //data: "id_detail_rmh="+id_detail_rmh,
            data: {id_detail_rmh:id_detail_rmh, id_period:id_period},
            cache: false,
            success: function(data){
                $("#hargaAngsuran").val(data);
            }
        });
    });
});
</script>
<script type="text/javascript">
function cekData() {
    // Cek isi
        if (formInput.bank_id.value == ""){
            alert("Pilih Bank Anda!!");
            formInput.bank_id.focus();
            return false;
        }
}

```

```

if (formInput.no_rek.value == ""){
    alert("Isikan Nomor Rekening Anda!!");
    formInput.no_rek.focus();
    return false;
}

if (formInput.id_period.value == ""){
    alert("Pilih Lama Pembelian!!");
    formInput.id_period.focus();
    return false;
}

if (formInput.id_rek.value == ""){
    alert("Pilih Nomor Rekening Transfer!!");
    formInput.id_rek.focus();
    return false;
}

else
    return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>

```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<div class="header">
```

```
<?php include('../template/header.php'); ?>
```

```
</div>
```

```
<!-- end .header -->
```

```
<div class="menu">
```

```
<?php include('../template/menu.php'); ?>
```

```
</div>
```

```
<!-- end .menu -->
```

```
<div class="content">
```

```
<h1>Form Booking Pemesanan Rumah</h1>
```

```
<?php
```

```
    $query = "SELECT * FROM tbl_pembeli WHERE status_pembelian = 'Y' AND  
username = '".$_SESSION['USR']."' ";
```

```
    $result = mysql_query($query);
```

```
    $total = mysql_num_rows($result);
```

```
    while ($row = mysql_fetch_array($result)){
```

```
        $id_pembeli = $row['id_pembeli'];
```

```
    }
```

```
    $queryBook = "SELECT * FROM tbl_booking WHERE id_pembeli =  
".$_SESSION['id_pembeli']. "";
```

```
    $resultBook = mysql_query($queryBook);
```

```
    $totalBook = mysql_num_rows($resultBook);
```

```
    if ($totalBook == 0) {
```

```
        include('inc_form_booking.php');
```

```

} else if ($totalBook > 0) {
    while ($rowBooking = mysql_fetch_array($resultBook)){
        $status_booking = $rowBooking['status_booking'];
        $id_booking = $rowBooking['id_booking'];

        if ($status_booking == "P" || $status_booking == "Y") {
            $status_book = "Booking";
        }
    }
}

<div style="margin:0px auto; width:70%;">
    <fieldset>
        <legend><strong>Konfirmasi</strong></legend>
        <p style="">
            Anda telah melakukan booking pembelian rumah.
        </p>
    </fieldset>
</div>
<?php
    }
}
?>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->

```

```
</body>
</html>
```

### 30. form\_pemesanan.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
    <script type="text/javascript" src="../include/jquery.js"></script>
    <script type="text/javascript">
var htmlobjek;
```

```

$(document).ready(function(){
    $("#tipe_rmh").change(function(){
        var tipe_rmh = $("#tipe_rmh").val();
        $.ajax({
            url: "../include/get_luas_tnh.php",
            data: "tipe_rmh="+tipe_rmh,
            cache: false,
            success: function(msg){
                $("#luas_tnh").html(msg);
            }
        });
    });
    $("#luas_tnh").change(function(){
        var luas_tnh = $("#luas_tnh").val();
        $.ajax({
            url: "../include/get_blok_rmh.php",
            data: "luas_tnh="+luas_tnh,
            cache: false,
            success: function(data){
                $("#blok_rmh").val(data);
            }
        });
    });
    $("#luas_rmh").change(function(){
        var luas_rmh = $("#luas_rmh").val();
        $.ajax({
            url: "../include/get_luas_bgn.php",
            data: "luas_rmh="+luas_rmh,
            cache: false,

```

```

        success: function(data){
            $("#luas_bgn").val(data);
        }
    });
});
$("#luas_tnh").change(function(){
    var luas_tnh = $("#luas_tnh").val();
    $.ajax({
        url: "../include/get_ket_rmh.php",
        data: "luas_tnh="+luas_tnh,
        cache: false,
        success: function(data){
            $("#ket").val(data);
        }
    });
});
$("#luas_tnh").change(function(){
    var luas_tnh = $("#luas_tnh").val();
    $.ajax({
        url: "../include/get_kav_rmh.php",
        data: "luas_tnh="+luas_tnh,
        cache: false,
        success: function(msg){
            $("#kav").html(msg);
        }
    });
});
$("#kav").change(function(){
    var kav = $("#kav").val();

```

```

var tipe_rmh = $("#tipe_rmh").val();
$.ajax({
    url: "../include/get_det_rmh.php",
    data: {kav:kav, tipe_rmh:tipe_rmh},
    cache: false,
    success: function(data){
        $("#id_detail_rmh").val(data);
    }
});
});
});
</script>
<script type="text/javascript">
function cekData() {
    // Cek isi
        if (formInput.tipe_rmh.value == ""){
            alert("Pilih Tipe Rumah Anda!!");
            formInput.tipe_rmh.focus();
            return false;
        }

        if (formInput.luas_tnh.value == ""){
            alert("Pilih Luas Tanah Anda!!");
            formInput.luas_tnh.focus();
            return false;
        }

        if (formInput.kav.value == ""){
            alert("Pilih Kavling Rumah Anda!!");

```

```

        formInput.kav.focus();
            return false;
        }

if (formInput.nama_lengkap.value == ""){
    alert("Isi Nama Anda!!");
    formInput.nama_lengkap.focus();
        return false;
    }

if (formInput.ktp.value == ""){
    alert("Isi Nomor KTP Anda!!");
    formInput.ktp.focus();
        return false;
    }

if (formInput.status_warga.value == ""){
    alert("Pilih Warga negara Anda!!");
    formInput.status_warga.focus();
        return false;
    }

if (formInput.alamat.value == ""){
    alert("Isi alamat Anda!!");
    formInput.alamat.focus();
        return false;
    }

if (formInput.status_nikah.value == ""){

```

```

        alert("Pilih Status Perkawinan Anda!!");
        formInput.status_nikah.focus();
            return false;
        }

if (formInput.no_tlp.value == ""){
    alert("Isi Nomor Telepon Anda!!");
    formInput.no_tlp.focus();
        return false;
    }

if (formInput.no_hp.value == ""){
    alert("Isi Nomor HP Anda!!");
    formInput.no_hp.focus();
        return false;
    }

pola_email= /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;
if (formInput.email.value == "" || formInput.email.value) {
    if (formInput.email.value == ""){
        alert("Isi Email Anda!!");
        formInput.email.focus();
            return false;
    } else if (!pola_email.test(formInput.email.value)){
        alert('Penulisan Email Tidak Benar!!');
        formInput.email.focus();
            return false;
    }
}
}

```

```

    if (!formInput.agreement.checked) {
        alert("Anda belum menyetujui bahwa data anda benar!");
        formInput.agreement.focus();
        return false;
    }

    else
        return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>
</head>

<body>
<div class="container">
<div class="header">
    <?php include('../template/header.php'); ?>
</div>
<!-- end .header -->
<div class="menu">
    <?php include('../template/menu.php'); ?>
</div>

```

```

<!-- end .menu -->
<div class="content">
  <h1>Form Pemesanan Rumah</h1>
  <form enctype="multipart/form-data" action="do_pemesanan.php" id="formInput"
method="post" onsubmit="return cekData();">
  <?php
    $sqlQueryCode = "SELECT id_pembeli FROM tbl_pembeli ORDER BY
id_pembeli DESC LIMIT 0,1";
    $resQueryCode = mysql_query($sqlQueryCode);
    $numQuery = mysql_num_rows($resQueryCode);
    if (empty($numQuery)) {
      $id_pembeli = 0000;
    }
    else {
      while($rowCode = mysql_fetch_array($resQueryCode)){
        $id_pembeli = $rowCode['id_pembeli'];
        $id_pembeli = substr($id_pembeli, 3, 4);
        //echo $number;
      }
    }
    $number = $id_pembeli+1;
    $data_pembeli = "DP".sprintf('%04s',$number);

?>
  <table class="tbl" border="0" cellspacing="0" cellpadding="1">
    <input type="text" name="id_pembeli" size="40" value="<?php echo
$data_pembeli?>" hidden="hidden">
    <input type="text" name="id_detail_rmh" id="id_detail_rmh" size="40" value=""
hidden="hidden">

```

```

<tr>
  <td colspan="3" style="background-color: #E8BD16;
color:#FFFFFF;"><b>Informasi Pemesanan Rumah</b></td>
</tr>
<tr>
  <td>Tipe Rumah</td>
  <td width="1%" align="center">:</td>
  <td>
    <select name="tipe_rmh" id="tipe_rmh">
      <option value="">Pilih Tipe Rumah</option>
      <?php
        $sqlQuery = "SELECT * FROM tbl_tipe_rumah WHERE jml_stok > '0' ";
        $resQuery = mysql_query($sqlQuery);
        while($row = mysql_fetch_array($resQuery)){
          $id_tipe_rmh   = $row['id_tipe_rmh'];
          $tipe_rmh     = $row['tipe_rmh'];
          ?>
          <option value="<?php echo $id_tipe_rmh?>"><?php echo
$stipe_rmh?></option>
        <?php
          }
        ?>
      </select>
    </td>
</tr>
<tr>
  <td width="20%">Blok Rumah</td>
  <td width="1%" align="center">:</td>

```

```

        <td width="30"><input type="text" name="blok_rmh" id="blok_rmh" size="40"
value=""></td>
    </tr>
    <tr>
        <td>Luas Tanah</td>
        <td width="1%" align="center">:</td>
        <td>
            <select name="luas_tnh" id="luas_tnh">
                <option value="">Pilih Luas Tanah</option>
            </select>
        </td>
    </tr>
    <tr>
        <td>Luas Bangunan</td>
        <td width="1%" align="center">:</td>
        <td><input type="text" name="luas_bgn" id="luas_bgn" size="40"
value=""></td>
    </tr>
    <tr>
        <td>Kavling Rumah</td>
        <td width="1%" align="center">:</td>
        <td>
            <select name="kav" id="kav">
                <option value="">Pilih Kavling</option>
            </select>
        </td>
    </tr>
    <tr>
        <td>Keterangan Rumah</td>

```

```

<td width="1%" align="center">:</td>
<td>
  <textarea name="ket" id="ket" rows="3" cols="30"></textarea>
</td>
</tr>
<tr>
  <td colspan="3" style="background-color: #E8BD16;
color:#FFFFFF;"><b>Informasi Data Pembeli</b></td>
</tr>
<tr>
  <td>Nama Pembeli</td>
  <td width="1%" align="center">:</td>
  <td><input type="text" maxlength="75" name="nama_lengkap"
id="nama_lengkap" size="40"></td>
</tr>
<tr>
  <td>No. KTP</td>
  <td width="1%" align="center">:</td>
  <td><input type="text" maxlength="16" name="ktp" id="ktp" size="40"
onkeypress="return isNumberKey(event);"></td>
</tr>
<tr>
  <td>Warga Negara</td>
  <td width="1%" align="center">:</td>
  <td>
    <select name="status_warga" id="status_warga">
      <option value="">Pilih</option>
      <option value="WNI">WNI</option>
      <option value="WNA">WNA</option>
    </select>
  </td>
</tr>

```

```

        </select>
    </td>
</tr>
<tr>
    <td>Alamat Sesuai KTP</td>
    <td width="1%" align="center">:</td>
    <td>
        <textarea name="alamat" id="alamat" rows="5" cols="30"></textarea>
    </td>
</tr>
<tr>
    <td>Status Perkawinan</td>
    <td width="1%" align="center">:</td>
    <td>
        <select name="status_nikah" id="status_nikah">
            <option value="">Pilih</option>
            <option value="Belum Menikah">Belum Kawin</option>
            <option value="Kawin">Kawin</option>
            <option value="Duda">Duda</option>
            <option value="Janda">Janda</option>
        </select>
    </td>
</tr>
<tr>
    <td>Telp. Rumah</td>
    <td width="1%" align="center">:</td>
    <td><input type="text" maxlength="12" name="no_tlp" id="no_tlp" size="40"
onkeypress="return isNumberKey(event);"></td>
</tr>

```

```

<tr>
  <td>HP</td>
  <td width="1%" align="center">:</td>
  <td><input type="text" maxlength="13" name="no_hp" id="no_hp" size="40"
onkeypress="return isNumberKey(event);"></td>
</tr>
<tr>
  <td>Email</td>
  <td width="1%" align="center">:</td>
  <td><input type="text" maxlength="75" name="email" id="email"
size="40"></td>
</tr>
<tr>
  <td colspan="2">&nbsp;&nbsp;&nbsp;</td>
  <td style="font-size:10px;">
    <input type="checkbox" name="agreement" id="agreement" value="Y">
    Dengan mengklik Mendaftar, Anda menyetujui Ketentuan kami dan <br>
    bahwa Anda telah membaca Kebijakan Penggunaan Data kami
  </td>
</tr>
<tr>
  <td colspan="2">&nbsp;&nbsp;&nbsp;</td>
  <td>
    <input type="submit" name="submit" value="Simpan" onclick="return
confirm('Anda yakin akan melakukan pemesanan?');">
    <input type="reset" value="Reset">
  </td>
</tr>
</table>

```

```

    </form>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

### 31. home.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">

```

```

<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Halaman Utama Data Pembeli</h1>
    <?php
      $query    = "SELECT * FROM page_home";
      $result   = mysql_query($query);
      while ($row = mysql_fetch_array($result)) {
        $home_content = $row['home_content'];

        echo $home_content;
      }
    ?>

```

```

</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

### 32. inc\_form\_booking.php

```

<form enctype="multipart/form-data" action="do_booking.php" id="formInput"
method="post" onsubmit="return cekData();">
  <?php
    $sqlQueryCode = "SELECT id_booking FROM tbl_booking ORDER BY
id_booking DESC LIMIT 0,1";
    $resQueryCode = mysql_query($sqlQueryCode);
    $numQuery = mysql_num_rows($resQueryCode);
    if (empty($numQuery)) {
      $sid_booking = 0000;
    }
    else {
      while($rowCode = mysql_fetch_array($resQueryCode)){
        $sid_booking = $rowCode['id_booking'];
        $sid_booking = substr($sid_booking, 3, 4);
        //echo $number;
      }
    }
  }

```

```

$number      = $id_booking+1;
$data_booking = "DB".sprintf('%04s',$number);

$sqlQuery = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
".$id_pembeli." ";
$resQuery = mysql_query($sqlQuery);
while($rows = mysql_fetch_array($resQuery)){
    $id_tipe_rmh = $rows['id_tipe_rmh'];
    $id_detail_rmh = $rows['id_detail_rmh'];
}

$sqlDetail = "SELECT b.*,a.tipe_rmh FROM tbl_tipe_rumah a JOIN
tbl_detail_rumah b ON a.id_tipe_rmh = b.id_tipe_rmh
WHERE a.id_tipe_rmh = ".$id_tipe_rmh." AND b.id_detail_rmh =
".$id_detail_rmh." ";
$resDetail = mysql_query($sqlDetail);
while($rowDetail = mysql_fetch_array($resDetail)){
    $luas_tnh = $rowDetail['luas_tnh'];
    $luas_bgn = $rowDetail['luas_bgn'];
    $blok_rmh = $rowDetail['blok_rmh'];
    $kav = $rowDetail['kav'];
    $ket = $rowDetail['ket'];
    $tipe_rmh = $rowDetail['tipe_rmh'];
    $harga = $rowDetail['harga'];
    $hargaRumahDis = number_format($harga-20000000);
    $hargaRumah = $harga-20000000;
    $hargaRumah18 = number_format(ceil($hargaRumah/18));
    $hargaRumah20 = number_format(ceil($hargaRumah/20));
    $hargaRumah24 = number_format(ceil($hargaRumah/24));
}

```

```

}
?>
<table class="tbl" border="0" cellspacing="0" cellpadding="1">
  <input type="text" name="id_booking" size="40" value="<?php echo
$data_booking?>" hidden="hidden">
  <input type="text" name="id_pembeli" size="40" value="<?php echo
$id_pembeli?>" hidden="hidden">
  <input type="text" name="id_detail_rmh" id="id_detail_rmh" size="40"
value="<?php echo $id_detail_rmh?>" hidden="hidden">
  <input type="text" name="id_tipe_rmh" size="40" value="<?php echo
$id_tipe_rmh?>" hidden="hidden">
  <input type="text" name="harga_booking" size="40" value="20000000"
hidden="hidden">
  <tr>
    <td colspan="3" style="background-color: #E8BD16;
color:#FFFFFF;"><b>Informasi Harga Rumah</b></td>
  </tr>
  <tr>
    <td width="20%">Id Booking</td>
    <td width="1%" align="center">:</td>
    <td width="30">
      <input type="text" maxlength="75" name="id_booking" size="40" value="<?php
echo $data_booking?>" disabled="disabled">
    </td>
  </tr>
  <tr>
    <td width="20%">Tipe Rumah</td>
    <td width="1%" align="center">:</td>
    <td width="30">

```

Tipe Rumah <input type="text" maxlength="75" name="tipe\_rmh" size="20" value="<?php echo \$tipe\_rmh?>" disabled="disabled"> <br>

Luas Tanah&nbsp;&nbsp; <input type="text" maxlength="75" name="luas\_tnh" size="20" value="<?php echo \$luas\_tnh?>" disabled="disabled"> <br>

Kavling <input type="text" maxlength="75" name="kav" size="20" value="<?php echo \$kav?>" disabled="disabled"> <br>

</td>

</tr>

<tr>

<td><strong>Harga Rumah</strong></td>

<td width="1%" align="center">:</td>

<td>Rp.&nbsp;&nbsp; <input type="text" maxlength="75" name="hargaRumahDis" size="36" value="<?php echo \$hargaRumahDis?>" disabled="disabled"></td>

</tr>

<tr>

<td>Cicilan Rumah 18x / bulan</td>

<td width="1%" align="center">:</td>

<td>Rp.&nbsp;&nbsp; <input type="text" maxlength="75" name="hargaRumah18" size="36" value="<?php echo \$hargaRumah18?>" disabled="disabled"></td>

</tr>

<tr>

<td>Cicilan Rumah 20x / bulan</td>

<td width="1%" align="center">:</td>

<td>Rp.&nbsp;&nbsp; <input type="text" maxlength="75" name="hargaRumah20" size="36" value="<?php echo \$hargaRumah20?>" disabled="disabled"></td>

</tr>

<tr>

<td>Cicilan Rumah 24x / bulan</td>

<td width="1%" align="center">:</td>



```

<td width="20%">Nomor Akun Bank</td>
<td width="1%" align="center">:</td>
<td width="30%">
  <input type="text" maxlength="18" name="no_rek" id="no_rek" size="40"
value="" onkeypress="return isNumberKey(event);">
</td>
</tr>
<tr>
<td>Lama Pembelian Rumah</td>
<td width="1%" align="center">:</td>
<td>
  <select name="id_period" id="id_period">
    <option value="">Pilih Lama Pembelian</option>
    <?php
      $sqlQueryPeriod = "SELECT * FROM tbl_period";
      $resQueryPeriod = mysql_query($sqlQueryPeriod);
      while($rowPeriod = mysql_fetch_array($resQueryPeriod)){
        $id_period = $rowPeriod['id_period'];
        $period = $rowPeriod['period'];
      ?>
      <option value="<?php echo $period?>"><?php echo $period?></option>
    <?php
      }
    ?>
  </select>
</td>
</tr>
<tr>
<td>Transfer melalui rekening</td>

```

```

<td width="1%" align="center"></td>
<td>
  <select name="id_rek" id="id_rek">
    <option value="">Pilih Rekening Admin</option>
  <?php
    $sqlQueryRek = "SELECT * FROM tbl_rek_admin";
    $resQueryRek = mysql_query($sqlQueryRek);
    while($rowRek = mysql_fetch_array($resQueryRek)){
      $id_rek   = $rowRek['id_rek'];
      $no_rek   = $rowRek['no_rek'];
      $nama_bank = $rowRek['nama_bank'];
      $nama_akun = $rowRek['nama_akun'];
    }
    <option value="<?php echo $id_rek?>"><?php echo $no_rek." -
    ".$nama_bank?></option>
  <?php
    }
  <?php
  </select>
</td>
</tr>
<tr>
  <td>Harga angsuran rumah di bulan berikut</td>
  <td width="1%" align="center"></td>
  <td>Rp.&nbsp;&nbsp;&nbsp;&nbsp;<input type="text" maxlength="75" name="hargaAngsuran"
  id="hargaAngsuran" size="36" value="" readonly="readonly"></td>
</tr>
<tr>
  <td><strong>Harga Booking yang harus dibayar</strong></td>

```

```

        <td width="1%" align="center"></td>
        <td>Rp.&nbsp;&nbsp;&nbsp;<input type="text" maxlength="75" name="harga" size="36"
value="20.000.000,-" disabled="disabled"></td>
    </tr>
    <tr>
        <td colspan="2">&nbsp;&nbsp;&nbsp;</td>
        <td>
            <input type="submit" name="submit" value="Simpan" onclick="return
confirm('Anda yakin akan melakukan proses booking?');">
            <input type="reset" value="Reset">
        </td>
    </tr>
</table>
</form>

```

### 33. index.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:../login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Registrasi Data Pembeli</h1>
    <table class="tbl" border="0" cellspacing="0" cellpadding="1">
      <tr>
        <td class="head">No</td>
        <td class="head">ID Pembeli</td>
        <td class="head">Nama Lengkap</td>
        <td class="head">No. KTP</td>

```

```

<td class="head">HP</td>
<td class="head">Email</td>
<td class="head">Waktu Daftar</td>
<td class="head">Action</td>
</tr>
<?php
$query = "SELECT * FROM tbl_pembeli WHERE status_pembelian = 'N' ";
$result = mysql_query($query);
$total = mysql_num_rows($result);
$i = 1;
if ($total > 0) {
    while ($row = mysql_fetch_array($result)){

        $id_pembeli = $row['id_pembeli'];
        $nama_lengkap = $row['nama_lengkap'];
        $ktp = $row['ktp'];
        $status_warga = $row['status_warga'];
        $alamat = $row['alamat'];
        $status_nikah = $row['status_nikah'];
        $no_hp = $row['no_hp'];
        $no_tlp = $row['no_tlp'];
        $email = $row['email'];
        $flag_datetime = $row['created_date'];
        $flag_datetime = substr($flag_datetime, 0, 10);

        $j = $i + 1;
        if ($j % 2 == 0) {
            $class_name = 'odd';
        } else {

```

```

        $class_name = 'even';
    }
?>
<tr class="<?php echo $class_name; ?>">
    <td class="grid-data"><?php echo $i;?></td>
    <td align="center"><?php echo $id_pembeli;?></td>
    <td align="center"><?php echo $nama_lengkap;?></td>
    <td align="center"><?php echo $ktip;?></td>
    <td align="center"><?php echo $no_hp;?></td>
    <td align="center"><?php echo $email;?></td>
    <td align="center"><?php echo $flag_datetime;?></td>
    <td class="grid-data">
        <form action="acc_pemesanan.php" method="post">
            <input type="hidden" name="id_pembeli" value="<?php echo
$Sid_pembeli;?>">
            <input type="submit" name="submit" value="App">
            <a href="do_acc_pemesanan.php?submit=Delete&id_pembeli=<?php echo
$Sid_pembeli?>"
                onclick="return confirm('Anda yakin akan menghapus data?');"
                style="background-color:#D6D6D6; border:1px solid #707070;
padding:3px;">
                Delete
            </a>
        </form>
    </td>
</tr>
<?php
    $i++;
}

```

```

    } else {
?>
    <tr><td colspan="10" align="center" style="color:red;"><b><i>Data
empty</i></b></td></tr>
    <?php } ?>
</table>
<h1>Booking Data Pembeli</h1>
<table class="tbl" border="0" cellspacing="0" cellpadding="1">
<tr>
    <td class="head">No</td>
    <td class="head">ID Pembeli</td>
    <td class="head">ID Booking</td>
    <td class="head">Nama Lengkap</td>
    <td class="head">Nama Bank</td>
    <td class="head">Nomor Rek/Kredit</td>
    <td class="head">Waktu Booking</td>
    <td class="head">Action</td>
</tr>
<?php
$queryBooking = "SELECT * FROM tbl_booking WHERE status_booking = 'P'
";
$resultBooking = mysql_query($queryBooking);
$totalBooking = mysql_num_rows($resultBooking);
$i = 1;
if ($totalBooking > 0) {
    while ($rowBooking = mysql_fetch_array($resultBooking)){

        $id_pembeliBook = $rowBooking['id_pembeli'];
        $id_booking = $rowBooking['id_booking'];

```

```

$id_period    = $rowBooking['id_period'];
$bank_id     = $rowBooking['bank_id'];
$no_rek      = $rowBooking['no_rek'];
$harga_booking = $rowBooking['harga_booking'];
$tgl_booking  = $rowBooking['tgl_booking'];
$tbl_booking  = substr($tbl_booking, 0, 10);

$j = $i + 1;
if ($j % 2 == 0) {
    $class_name = 'odd';
} else {
    $class_name = 'even';
}
?>
<tr class="<?php echo $class_name; ?>"
    <td class="grid-data"><?php echo $i;?></td>
    <td align="center"><?php echo $id_pembeliBook;?></td>
    <td align="center"><?php echo $id_booking;?></td>
    <td align="center">
        <?php
            $sqlQueryNama = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
            ".$id_pembeliBook." ";
            $resQueryNama = mysql_query($sqlQueryNama);
            while($rowNama = mysql_fetch_array($resQueryNama)){
                $nama_booking    = $rowNama['nama_lengkap'];
            }
        ?>
        <?php echo $nama_booking?>
    <?php
    }

```

```

?>
</td>
<td align="center">
<?php
    $sqlQuery = "SELECT * FROM tbl_bank WHERE bank_id = ".$bank_id." ";
    $resQuery = mysql_query($sqlQuery);
    while($row = mysql_fetch_array($resQuery)){
        $bankid   = $row['bank_id'];
        $bankname  = $row['bank_name'];
        $bankdigit = $row['bank_digit'];
    }
    <?php echo $bankname?>
<?php
}
?>
</td>
<td align="center"><?php echo $no_rek;?></td>
<td align="center"><?php echo $tgl_booking;?></td>
<td class="grid-data">
<form action="acc_booking.php" method="post">
    <input type="hidden" name="id_pembeli" value="<?php echo
$Sid_pembeliBook;?>">
    <input type="hidden" name="id_booking" value="<?php echo
$Sid_booking;?>">
    <input type="submit" name="submit" value="App">
    <a href="do_acc_booking.php?submit=Delete&id_pembeli=<?php echo
$Sid_pembeliBook?>&id_booking=<?php echo $Sid_booking?>"
onclick="return confirm('Anda yakin akan menghapus data?');">

```

```

        style="background-color:#D6D6D6; border:1px solid #707070;
padding:3px;">
        Delete
    </a>
</form>
</td>
</tr>
<?php
    $i++;
    }
    } else {
?>
    <tr><td colspan="10" align="center" style="color:red;"><b><i>Data
empty</i></b></td></tr>
    <?php } ?>
</table>
<h1>Angsuran Data Pembeli</h1>
<table class="tbl" border="0" cellspacing="0" cellpadding="1">
    <tr>
        <td class="head">ID Pembeli</td>
        <td class="head">ID Angsuran</td>
        <td class="head">Nama Lengkap</td>
        <td class="head">Nama Bank</td>
        <td class="head">Nomor Rek/Kredit</td>
        <td class="head">Waktu Angsuran</td>
        <td class="head">Jatuh Tempo</td>
        <td class="head">Action</td>
    </tr>
<?php

```

```

$queryAgs = "SELECT * FROM tbl_angsuran WHERE status = 'N' ";
$resultAgs = mysql_query($queryAgs);
$totalAgs = mysql_num_rows($resultAgs);
$i = 1;
if ($totalAgs > 0) {
    while ($rowAgs = mysql_fetch_array($resultAgs)){

        $id_angsuran = $rowAgs['id_angsuran'];
        $id_pembeli = $rowAgs['id_pembeli'];
        $id_booking = $rowAgs['id_booking'];
        $rek_bayar = $rowAgs['rek_bayar'];
        $id_rek = $rowAgs['id_rek'];
        $ags_ke = $rowAgs['ags_ke'];
        $telat = $rowAgs['telat'];
        $denda = $rowAgs['denda'];
        $total_bayar = $rowAgs['total_bayar'];
        $period = $rowAgs['period'];
        $bank_Ags = $rowAgs['bank_id'];
        $tgl_booking = $rowAgs['tgl_booking'];
        $tgl_bayar = $rowAgs['tgl_bayar'];
        $tgl_tempo = $rowAgs['tgl_tempo'];
        $status = $rowAgs['status'];

        $tgl_booking = $rowAgs['tgl_booking'];
        $tgl_booking = substr($tgl_booking, 0, 10);

        $j = $i + 1;
        if ($j % 2 == 0) {
            $class_name = 'odd';

```

```

    } else {
        $class_name = 'even';
    }
?>
<tr class="<?php echo $class_name; ?>"
    <!-- <td class="grid-data"><?php //echo $i;?></td> -->
    <td align="center"><?php echo $id_pembeli;?></td>
    <td align="center"><?php echo $id_angsuran;?></td>
    <td align="center">
        <?php
            $sqlQueryNama = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
". $id_pembeli. " " ;
            $resQueryNama = mysql_query($sqlQueryNama);
            while($rowNama = mysql_fetch_array($resQueryNama)){
                $nama_Ags    = $rowNama['nama_lengkap'];
            }
            <?php echo $nama_Ags?>
        <?php
            }
        ?>
    </td>
    <td align="center">
        <?php
            $sqlQuery = "SELECT * FROM tbl_bank WHERE bank_id = ".$bank_Ags. " "
;
            $resQuery = mysql_query($sqlQuery);
            while($row = mysql_fetch_array($resQuery)){
                $bankid    = $row['bank_id'];
                $bankname  = $row['bank_name'];

```

```

        $bankdigit = $row['bank_digit'];
    ?>
        <?php echo $bankname?>
    <?php
    }
    ?>
</td>
<td align="center"><?php echo $rek_bayar;?></td>
<td align="center"><?php echo $tgl_bayar;?></td>
<td align="center"><?php echo $tgl_tempo;?></td>
<td class="grid-data">
    <form action="acc_angsuran.php" method="post">
        <input type="hidden" name="id_pembeli" value="<?php echo
Sid_pembeli;?>">
        <input type="hidden" name="id_booking" value="<?php echo
Sid_booking;?>">
        <input type="hidden" name="id_angsuran" value="<?php echo
Sid_angsuran;?>">
        <input type="submit" name="submit" value="App">
        <a href="do_acc_angsuran.php?submit=Delete&id_pembeli=<?php echo
Sid_pembeli;?>&id_booking=<?php echo $id_booking;?>&id_angsuran=<?php echo
Sid_angsuran;?>"
        onclick="return confirm('Anda yakin akan menghapus data?');"
        style="background-color:#D6D6D6; border:1px solid #707070;
padding:3px;">
            Delete
        </a>
    </form>
</td>

```

```

</tr>
<?php
    $i++;
    }
    } else {
?>
    <tr><td colspan="10" align="center" style="color:red;"><b><i>Data
empty</i></b></td></tr>
    <?php } ?>
</table>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

### 34. invalid\_data.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user

```

```

if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->
    <div class="menu">
        <?php include('../template/menu.php'); ?>
    </div>
<!-- end .menu -->
    <div class="content">
        <h1>Invalid Data</h1>

```

```

<p>
    Klik tombol untuk kembali <br>
    <input style="width:60px; height:50px;" type="button" onclick="history.back()"
value="Back">
</p>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

### 35. **logout.php**

```

<?php
    session_start();
    session_destroy();

    /* Redirect untuk login kembali */
    header('Location: ../index.php');
?>

```

### 36. **page\_contact.php**

```

<?php
    session_start();
    //cek apakah user sudah login

```

```

if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:../login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
    <?php include('../lib/lib_editor.php'); ?>
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->
    <div class="menu">

```

```

<?php include('../template/menu.php'); ?>
</div>
<!-- end .menu -->
<div class="content">
  <h1>Setting Page Contact Us</h1>
  <?php
    $sql = "SELECT * FROM page_contact WHERE id_contact = '1' ";
          $result = mysql_query($sql);
          if (!$result) {
            die( 'Query gagal: ' . mysql_error() );
          }else{
                                $row = mysql_fetch_array($result);
            $contactId   = $row['id_contact'];
            $contactContent = $row['contact_content'];
                                }
  ?>
  <form method="post" enctype="multipart/form-data"
action="do_page_contact.php">
  <input type="hidden" name="id_contact" value="<?php echo $contactId;?>">
  <table class="tbl" border="0" cellspacing="0" cellpadding="1">
    <tr>
      <td class="label" colspan="2" align="left">Page Contact Content:</td>
    </tr>
    <tr>
      <td colspan="2">
        <textarea name="contactContent" class="ckeditor" rows="30"
cols="100%"><?php echo $contactContent;?></textarea>
      </td>
    </tr>
  </table>

```

```

<tr>
  <td>&nbsp;&nbsp;&nbsp;</td>
  <td align="right">
    <input type="submit" name="submit" value="Simpan" class="button" />&nbsp;&nbsp;&nbsp;
  </td>
</tr>
</table>
</form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

### 37. page\_gallery.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
  header('location:../login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
  header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

```

```

}

include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
  <?php include('../lib/lib_editor.php'); ?>
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Setting Page Side Gallery</h1>
    <?php

```

```

$sql = "SELECT * FROM page_gallery WHERE id_gallery = '1' ";
$result = mysql_query($sql);
if (!$result) {
    die( 'Query gagal: ' . mysql_error() );
}else{
    $row = mysql_fetch_array($result);
    $id_gallery = $row['id_gallery'];
    $galleryContent = $row['gallery_content'];
    }
?>
<form method="post" enctype="multipart/form-data"
action="do_page_gallery.php">
<input type="hidden" name="id_gallery" value="<?php echo $id_gallery;?>">
<table class="tbl" border="0" cellspacing="0" cellpadding="1">
<tr>
<td class="label" colspan="2" align="left">Page Side Gallery Content:</td>
</tr>
<tr>
<td colspan="2">
<textarea name="galleryContent" class="ckeditor" rows="30"
cols="100%"><?php echo $galleryContent;?></textarea>
</td>
</tr>
<tr>
<td>&nbsp;</td>
<td align="right">
<input type="submit" name="submit" value="Simpan" class="button" />&nbsp;  
</td>
</tr>
</tr>

```

```

</table>
</form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

### 38. page\_home.php

```

<?php
  session_start();
  //cek apakah user sudah login
  if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:../login.php?msg=2');
  }
  //cek level user
  if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
  }

  include ('../include/open_conn.php');
  ?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

```

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
  <?php include('../lib/lib_editor.php'); ?>
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Setting Page Home</h1>
    <?php
      $sql = "SELECT * FROM page_home WHERE id_home = '1' ";
      $result = mysql_query($sql);
      if (!$result) {
        die( 'Query gagal: ' . mysql_error() );
      }else{
        $row = mysql_fetch_array($result);

```

```

    $homeId    = $row['id_home'];
    $homeContent = $row['home_content'];
                }
?>
<form method="post" enctype="multipart/form-data" action="do_page_home.php">
<input type="hidden" name="id_home" value="<?php echo $homeId;?>">
<table class="tbl" border="0" cellspacing="0" cellpadding="1">
  <tr>
    <td class="label" colspan="2" align="left">Page Home Content:</td>
  </tr>
  <tr>
    <td colspan="2">
      <textarea name="homeContent" class="ckeditor" rows="30"
cols="100%"><?php echo $homeContent;?></textarea>
    </td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td align="right">
      <input type="submit" name="submit" value="Simpan" class="button" />&nbsp;</td>
    </tr>
  </tr>
</table>
</form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('./template/footer.php'); ?>
</div>

```

```

<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

### 39. page\_info.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />

```

```

<?php include('../lib/lib_editor.php'); ?>
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Setting Page Informasi</h1>
    <?php
      $sql = "SELECT * FROM page_info WHERE id_info = '1' ";
          $result = mysql_query($sql);
          if (!$result) {
              die( 'Query gagal: ' . mysql_error() );
          }else{
              $row = mysql_fetch_array($result);

              $infoId = $row['id_info'];
              $infoContent = $row['info_content'];
          }
    ?>
    <form method="post" enctype="multipart/form-data" action="do_page_info.php">
    <input type="hidden" name="id_info" value="<?php echo $infoId;?>">
    <table class="tbl" border="0" cellspacing="0" cellpadding="1">

```

```

<tr>
  <td class="label" colspan="2" align="left">Page Info Content:</td>
</tr>
<tr>
  <td colspan="2">
    <textarea name="infoContent" class="ckeditor" rows="30" cols="100%"><?php
echo $infoContent;?></textarea>
  </td>
</tr>
<tr>
  <td>&nbsp;</td>
  <td align="right">
    <input type="submit" name="submit" value="Simpan" class="button" />&nbsp;  
  </td>
</tr>
</table>
</form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('./template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 40. page\_profile.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:../login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
    <?php include('../lib/lib_editor.php'); ?>
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>

```

```

</div>
<!-- end .header -->
<div class="menu">
  <?php include('../template/menu.php'); ?>
</div>
<!-- end .menu -->
<div class="content">
  <h1>Setting Page Profile</h1>
  <?php
    $sql = "SELECT * FROM page_profile WHERE id_profile = '1' ";
          $result = mysql_query($sql);
          if (!$result) {
            die( 'Query gagal: ' . mysql_error() );
          }else{
                                $row = mysql_fetch_array($result);
    $profileId = $row['id_profile'];
    $profileContent = $row['profile_content'];
          }
  ?>
  <form method="post" enctype="multipart/form-data" action="do_page_profile.php">
  <input type="hidden" name="id_profile" value="<?php echo $profileId;?>">
  <table class="tbl" border="0" cellspacing="0" cellpadding="1">
    <tr>
      <td class="label" colspan="2" align="left">Page Profile Content:</td>
    </tr>
    <tr>
      <td colspan="2">
        <textarea name="profileContent" class="ckeditor" rows="30"
cols="100%"><?php echo $profileContent;?></textarea>

```



```

if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header("location:../login.php?msg=3"); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
    <script type="text/javascript">
        function cekData() {
            // Cek isi

                if (formInput.password.value == ""){
                    alert("Password tidak boleh kosong!!!");
                    formInput.password.focus();
                    return false;
                }

            else

                return true;
        }

        function isNumberKey(evt) {

```

```

        var charCode = (evt.which) ? evt.which : event.keyCode
        if (charCode > 31 && (charCode < 48 || charCode > 57))
            return false;
        return true;
    }
</script>
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->
    <div class="menu">
        <?php include('../template/menu.php'); ?>
    </div>
<!-- end .menu -->
    <div class="content">
        <h1>Halaman Setting</h1>
        <div style="margin:0px auto; width:100%;">
            <fieldset>
                <legend><strong>Setting Password</strong></legend>
                <p style="">
                    Halaman ini digunakan untuk mengubah password anda.
                </p>
                <?php
                    $sqlQuery = "SELECT * FROM tbl_login WHERE username =
                    '$_SESSION['USR']'.";

```

```

$resQuery = mysql_query($sqlQuery);
while ($row = mysql_fetch_array($resQuery)) {
    $id_usr = $row['id_usr'];
    $username = $row['username'];
    $password = $row['password'];
}
?>
<form id="formInput" method="post" onsubmit="return cekData();"
enctype="multipart/form-data" action="do_setting.php">
    <input type="text" name="id_usr" size="40" value="<?php echo $id_usr?>"
hidden="hidden">
    <table class="tbl" border="0" cellspacing="0" cellpadding="1">
        <tr>
            <td width="20%"><strong>Password Lama</strong></td>
            <td width="1%" align="center">:</td>
            <td width="30%"><input type="text" name="passwordLama"
id="passwordLama" size="40" value="<?php echo $password?>"
disabled="disabled"></td>
        </tr>
        <tr>
            <td width="20%"><strong>Password Baru</strong></td>
            <td width="1%" align="center">:</td>
            <td width="30%"><input type="text" name="password" id="password" size="40"
value="<?php echo $password?>" maxlength="20"></td>
        </tr>
        <tr>
            <td colspan="2">&nbsp;</td>
            <td>

```

```

        <input type="submit" name="submit" value="Simpan" onclick="return
confirm('Anda yakin akan mengubah password?');">
        <input type="reset" value="Reset">
    </td>
</tr>
</table>
</form>
</fieldset>
</div>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 42. parameter\_bank.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {

```

```

    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->
    <div class="menu">
        <?php include('../template/menu.php'); ?>
    </div>
<!-- end .sidebar1 -->
    <div class="content">
        <h1>Bank Parameter</h1>
        <table class="tbl" border="0" cellspacing="0" cellpadding="0">

```

```

<tr>
  <td colspan="5" align="right"><a
href="parameter_bank_form.php?act=add">Add New Bank</a></td>
</tr>
<tr>
  <td class="head">Kode Bank</td>
  <td class="head" width="40%">Nama Bank</td>
  <td class="head">Action</td>
</tr>
<?php
$query = "SELECT * FROM tbl_bank";
$result = mysql_query($query);
$total = mysql_num_rows($result);
$i = 1;
if ($total > 0) {
  while ($row = mysql_fetch_array($result)){

    $bank_code = $row['bank_id'];
    $bank_name = $row['bank_name'];
    $bank_digit = $row['bank_digit'];

    $j = $i + 1;
    if ($j % 2 == 0) {
      $class_name = 'odd';
    } else {
      $class_name = 'even';
    }
  }
?>
<tr class="<?php echo $class_name; ?>">

```

```

<td class="grid-data"><?php echo $bank_code;?></td>
<td><?php echo $bank_name;?></td>
<td class="grid-data">
    <a href="parameter_bank_form.php?act=edit&id=<?php echo
$bank_code;?>">Edit</a>&nbsp;
    <a href="do_parameter_bank.php?act=delete&bank_id=<?php echo
$bank_code;?>" onclick="return confirm('Anda yakin akan menghapus
data?');">Delete</a>
</td>
</tr>
<?php
    $i++;
}
}
?>
</table>
<p>&nbsp;</p>
</div>
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 43. parameter\_bank\_admin.php

```

<?php

```

```

session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->

```

```

<div class="menu">
  <?php include('../template/menu.php'); ?>
</div>
<!-- end .sidebar1 -->
<div class="content">
  <h1>Parameter Bank Admin</h1>
  <table class="tbl" border="0" cellspacing="0" cellpadding="0">
    <tr>
      <td colspan="5" align="right"><a
href="parameter_bank_admin_form.php?act=add">Add New Bank</a></td>
    </tr>
    <tr>
      <td class="head">No Rekening</td>
      <td class="head">Nama Bank</td>
      <td class="head">Atas Nama</td>
      <td class="head">Bank Branch</td>
      <td class="head">Action</td>
    </tr>
  <?php
    $query = "SELECT * FROM tbl_rek_admin";
    $result = mysql_query($query);
    $total = mysql_num_rows($result);
    $i = 1;
    if ($total > 0) {
      while ($row = mysql_fetch_array($result)){

        $id_rek = $row['id_rek'];
        $no_rek = $row['no_rek'];
        $nama_bank = $row['nama_bank'];

```

```

$nama_akun = $row['nama_akun'];
$tmpmt_bank = $row['tmpt_bank'];

$j = $i + 1;
if ($j % 2 == 0) {
    $class_name = 'odd';
} else {
    $class_name = 'even';
}
?>
<tr class="<?php echo $class_name; ?>">
    <td class="grid-data"><?php echo $no_rek;?></td>
    <td align="center"><?php echo $nama_bank;?></td>
    <td align="center"><?php echo $nama_akun;?></td>
    <td align="center"><?php echo $tmpt_bank;?></td>
    <td class="grid-data">
        <a href="parameter_bank_admin_form.php?act=edit&id=<?php echo
$Sid_rek;?>">Edit</a>&nbsp;
        <a href="do_parameter_bank_admin.php?act=delete&bank_id=<?php echo
$Sid_rek;?>" onclick="return confirm('Anda yakin akan menghapus
data?');">Delete</a>
    </td>
</tr>
<?php
    $i++;
}
}
?>
</table>

```

```

    <p>&nbsp;</p>
</div>
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 44. parameter\_bank\_admin\_form.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $act = $_REQUEST['act'];

    if ($act == 'add') {
        $id = "";

```

```

        $sact = 'add';
        $formAction = 'Add New Bank Admin';
    } else {
        $id = $_REQUEST['id'];
        $sact = 'edit';
        $formAction = 'Form Edit Bank Admin';
    }

    $id_rek = "";
    $no_rek = "";
    $nama_bank = "";
    $nama_akun = "";
    $tmpt_bank = "";

    $query = "SELECT * FROM tbl_rek_admin WHERE id_rek = ".$id." ";
    $resultQuery = mysql_query($query);
    if(mysql_num_rows($resultQuery))
    {
        if($row = mysql_fetch_array($resultQuery))
        {
            $id_rek = $row['id_rek'];
            $no_rek = $row['no_rek'];
            $nama_bank = $row['nama_bank'];
            $nama_akun = $row['nama_akun'];
            $tmpt_bank = $row['tmpt_bank'];
        }
    }
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../../css/css.css" type="text/css">
  <link rel="stylesheet" href="../../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
  <script type="text/javascript">
    function cekData() {
      // Cek isi
      if (formInput.no_rek.value == ""){
        alert("Nomor rekening tidak boleh kosong!!");
        formInput.no_rek.focus();
        return false;
      }
      if (formInput.nama_bank.value == ""){
        alert("Nama bank tidak boleh kosong!!");
        formInput.nama_bank.focus();
        return false;
      }
      if (formInput.nama_akun.value == ""){
        alert("Nama akun bank tidak boleh kosong!!");
        formInput.nama_akun.focus();
        return false;
      }
      if (formInput.tmpt_bank.value == ""){
        alert("Daerah bank tidak boleh kosong!!");

```

```

        formInput.tmpt_bank.focus();
            return false;
        }

    else

        return true;
    }

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>
</head>

<body>
<div class="container">
<div class="header">
    <?php include('../template/header.php'); ?>
</div>
<div class="menu">
    <?php include('../template/menu.php'); ?>
</div>
<!-- end .sidebar1 -->
<div class="content">

```

```

<form id="formInput" method="post" onsubmit="return cekData();"
enctype="multipart/form-data" action="do_parameter_bank_admin.php?act=<?php
echo $act;?>">
  <input type="hidden" name="bank_id" value="<?php echo $id_rek?>">
  <h1><a href="parameter_bank_admin.php">Parameter Bank Admin</a> - <?php
echo $formAction;?></h1>
  <table border="0" cellspacing="0" cellpadding="2" class="tbl" width="100%">
    <tr>
      <td width="30%" class="label" align="left"><b>Nomor Rekening
Bank</b></td>
      <td width="2%" align="center">:</td>
      <td><input type="text" name="no_rek" id="no_rek" value="<?php echo
$no_rek?>" size="50" maxlength="20" onkeypress="return
isNumberKey(event);"></td>
    </tr>
    <tr>
      <td width="30%" class="label" align="left"><b>Nama Bank</b></td>
      <td width="2%" align="center">:</td>
      <td><input type="text" name="nama_bank" id="nama_bank" value="<?php echo
$nama_bank?>" size="50" maxlength="20"></td>
    </tr>
    <tr>
      <td width="30%" class="label" align="left"><b>Nama Akun Bank</b></td>
      <td width="2%" align="center">:</td>
      <td><input type="text" name="nama_akun" id="nama_akun" value="<?php echo
$nama_akun?>" size="50" maxlength="75"></td>
    </tr>
    <tr>
      <td width="30%" class="label" align="left"><b>Bank Branch</b></td>

```

```

        <td width="2%" align="center">:</td>
        <td><input type="text" name="tmpt_bank" id="tmpt_bank" value="<?php echo
$tmpt_bank?>" size="50" maxlength="50"></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td align="left">
            <input type="submit" name="submit" value="Save" class="button" />&nbsp;  
            <input type="reset" name="reset" value="Reset" class="button" />
        </td>
    </tr>
</table>
</fieldset>
</form>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 45. parameter\_bank\_form.php

```

<?php
    session_start();

```

```

//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');

$sact = $_REQUEST['act'];

if ($sact == 'add') {
    $sid = "";
    $sact = 'add';
    $formAction = 'Add New Bank';
} else {
    $sid = $_REQUEST['id'];
    $sact = 'edit';
    $formAction = 'Form Edit Bank';
}

$bank_code = "";
$bank_name = "";
$bank_digit = "";

$query = "SELECT * FROM tbl_bank WHERE bank_id = ".$sid." ";
$resultQuery = mysql_query($query);

```

```

        if(mysql_num_rows($resultQuery))
        {
            if($row = mysql_fetch_array($resultQuery))
            {
                $bank_code = $row['bank_id'];
                $bank_name = $row['bank_name'];
                $bank_digit = $row['bank_digit'];
            }
        }
    ?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
    <script type="text/javascript">
        function cekData() {
            // Cek isi

            if (formInput.bank_name.value == ""){
                alert("Nama bank tidak boleh kosong!!");
                formInput.bank_name.focus();

                return false;
            }

```

```

        else
            return true;
    }

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>
</head>

<body>
<div class="container">
<div class="header">
    <?php include('../template/header.php'); ?>
</div>
<div class="menu">
    <?php include('../template/menu.php'); ?>
</div>
<!-- end .sidebar1 -->
<div class="content">
    <form id="formInput" method="post" onsubmit="return cekData();"
enctype="multipart/form-data" action="do_parameter_bank.php?act=<?php echo
$act;?>">
        <input type="hidden" name="bank_id" value="<?=$bank_code?>">
        <h1><a href="parameter_bank.php">Bank Parameter</a> - <?php echo
$formAction;?></h1>

```

```

<table border="0" cellspacing="0" cellpadding="2" class="tbl" width="100%">
  <tr>
    <td width="30%" class="label" align="left"><b>Nama Bank</b></td>
    <td width="2%" align="center">:</td>
    <td><input type="text" name="bank_name" id="bank_name" value="<?php echo
$bank_name?>" size="50" maxlength="20"></td>
  </tr>
  <tr>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
    <td align="left">
      <input type="submit" name="submit" value="Save" class="button" />&nbsp;  
      <input type="reset" name="reset" value="Reset" class="button" />
    </td>
  </tr>
</table>
</fieldset>
</form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 46. parameter\_data\_rumah.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
```

```

</div>
<!-- end .header -->
<div class="menu">
  <?php include('../template/menu.php'); ?>
</div>
<!-- end .sidebar1 -->
<div class="content">
  <h1>Data Detail Rumah</h1>
  <table class="tbl" border="0" cellspacing="0" cellpadding="0">
    <tr>
      <td colspan="7" align="right"><a
href="parameter_data_rumah_form.php?act=add">Add New Detail Rumah</a></td>
    </tr>
    <tr>
      <td class="head">Nama Tipe Rumah</td>
      <td class="head">Blok</td>
      <td class="head">Luas Tanah</td>
      <td class="head">Luas Bangunan</td>
      <td class="head">Kavling</td>
      <td class="head">Status</td>
      <td class="head">Action</td>
    </tr>
    <?php
      $query = "SELECT * FROM tbl_detail_rumah";
      $result = mysql_query($query);
      $total = mysql_num_rows($result);
      $i = 1;
      if ($total > 0) {
        while ($row = mysql_fetch_array($result)){

```

```

$Id_detail_rmh = $row['id_detail_rmh'];
$Id_tipe_rmh   = $row['id_tipe_rmh'];
$luas_tnh     = $row['luas_tnh'];
$luas_bgn     = $row['luas_bgn'];
$blok_rmh     = $row['blok_rmh'];
$kav         = $row['kav'];
$ket         = $row['ket'];
$status      = $row['status'];

$j = $i + 1;
if ($j % 2 == 0) {
    $class_name = 'odd';
} else {
    $class_name = 'even';
}

if ($status == "jual") {
    $color = "#FB7922";
    $status = "Reserved";
} else {
    $color = "#99CE54";
    $status = "Ready";
}
?>
<tr class="<?php echo $class_name; ?>">
<td class="grid-data">
<?php

```

```

$query2 = "SELECT * FROM tbl_tipe_rumah WHERE id_tipe_rmh =
".$id_tipe_rmh." ";
$result2 = mysql_query($query2);
while ($rowTipe = mysql_fetch_array($result2)){

    $tipe_rmh    = $rowTipe['tipe_rmh'];
    $jml_stok    = $rowTipe['jml_stok'];

    echo $tipe_rmh;
}
?>
</td>
<td align="center"><?php echo $blok_rmh;?></td>
<td align="center"><?php echo $luas_tnh;?></td>
<td align="center"><?php echo $luas_bgn;?></td>
<td align="center"><?php echo $kav;?></td>
<td align="center" bgcolor=" "><?php echo $color;?><strong><?php echo
$status;?></strong></td>
<td class="grid-data">
<a href="parameter_data_rumah_form.php?act=edit&id_detail_rmh=<?php echo
$id_detail_rmh;?>&id_tipe_rmh=<?php echo $id_tipe_rmh;?>">
    Edit
</a>&nbsp;
<a href="do_parameter_data_rumah.php?act=delete&id_detail_rmh=<?php echo
$id_detail_rmh;?>&id_tipe_rmh=<?php echo $id_tipe_rmh;?>&stock=<?php echo
$jml_stok;?>" onclick="return confirm('Anda yakin akan menghapus data?');">
    Delete
</a>
</td>

```

```

</tr>
<?php
    $i++;
    }
}
?>
</table>
<p>&nbsp;</p>
</div>
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 47. parameter\_data\_rumah\_form.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

```

```

include ('../include/open_conn.php');

$act = $_REQUEST['act'];

if ($act == 'add') {
    $id_tipe_rmh = "";
    $id_detail_rmh = "";
    $act = 'add';
    $formAction = 'Add New Detail Rumah';
} else if ($act == 'edit') {
    $id_tipe_rmh = $_REQUEST['id_tipe_rmh'];
    $id_detail_rmh = $_REQUEST['id_detail_rmh'];
    $act = 'edit';
    $formAction = 'Form Edit Detail Rumah';
}

$luas_tnh = "";
$luas_bgn = "";
$blok_rmh = "";
$kav = "";
$ket = "";
$harga = "";
$selected = "selected=selected";

$query = "SELECT * FROM tbl_detail_rumah WHERE id_detail_rmh =
".$_REQUEST['id_detail_rmh']."' AND id_tipe_rmh = '".$_REQUEST['id_tipe_rmh']."'";
$resultQuery = mysql_query($query);
if(mysql_num_rows($resultQuery))

```

```

    {
        if($row = mysql_fetch_array($resultQuery))
        {
            $id_tipe_rmh = $row['id_tipe_rmh'];
            $id_detail_rmh = $row['id_detail_rmh'];
            $luas_tnh = $row['luas_tnh'];
            $luas_bgn = $row['luas_bgn'];
            $blok_rmh = $row['blok_rmh'];
            $kav = $row['kav'];
            $ket = $row['ket'];
            $harga = $row['harga'];
        }
    }
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Aplikasi Angsuran Cash Bertahap</title>
<link rel="stylesheet" href="../css/css.css" type="text/css">
<link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
<script type="text/javascript">
function cekData() {
    // Cek isi
        if (formInput.tipe_rmh.value == ""){
            alert("Pilih Tipe rumah!!");

```

```

        formInput.tipe_rmh.focus();
            return false;
        }
    if (formInput.blok_rmh.value == ""){
        alert("Blok rumah tidak boleh kosong!!");
        formInput.blok_rmh.focus();
            return false;
        }
    if (formInput.luas_tnh.value == ""){
        alert("Luas tanah tidak boleh kosong!!");
        formInput.luas_tnh.focus();
            return false;
        }
    if (formInput.luas_bgn.value == ""){
        alert("Luas bangunan tidak boleh kosong!!");
        formInput.luas_bgn.focus();
            return false;
        }
    if (formInput.kav.value == ""){
        alert("Kavling rumah tidak boleh kosong!!");
        formInput.kav.focus();
            return false;
        }
    if (formInput.harga.value == ""){
        alert("Harga rumah tidak boleh kosong!!");
        formInput.harga.focus();
            return false;
        }
    if (formInput.ket.value == ""){

```

```

        alert("Keterangan rumah tidak boleh kosong!!");
        formInput.ket.focus();
            return false;
        }
    if (formInput.status.value == ""){
        alert("Pilih status rumah!!");
        formInput.status.focus();
            return false;
        }

    else
        return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>
</head>

<body>
<div class="container">
<div class="header">
    <?php include('../template/header.php'); ?>
</div>
<div class="menu">

```

```

        <?php include('../template/menu.php'); ?>
    </div>
<!-- end .sidebar1 -->
<div class="content">
    <form id="formInput" method="post" onsubmit="return cekData();"
    enctype="multipart/form-data" action="do_parameter_data_rumah.php?act=<?php echo
    $act;?>">
        <input type="hidden" name="id_tipe_rmh" value="<?php echo $id_tipe_rmh?>">
        <input type="hidden" name="id_detail_rmh" value="<?php echo
    $id_detail_rmh?>">
        <h1><a href="parameter_data_rumah.php">Data Detail Rumah</a> - <?php echo
    $formAction;?></h1>
        <table border="0" cellspacing="0" cellpadding="2" class="tbl" width="100%">
            <tr>
                <td width="30%" class="label" align="left"><b>Nama Tipe Rumah</b></td>
                <td width="2%" align="center"></td>
                <td>
                    <select name="tipe_rmh" id="tipe_rmh">
                        <option value="">Pilih Tipe Rumah</option>
                    <?php
                    $sqlQuery = "SELECT * FROM tbl_tipe_rumah";
                    $resQuery = mysql_query($sqlQuery);
                    while($rowQuery = mysql_fetch_array($resQuery)){
                        $tipe_rmh_id = $rowQuery['id_tipe_rmh'];
                        $tipe_rmh_baru = $rowQuery['tipe_rmh'];
                        $jml_stok = $rowQuery['jml_stok'];

                        if($tipe_rmh_id == $id_tipe_rmh){

```

```

        echo "<option value=$tipe_rmh_id
$selected>".$tipe_rmh_baru."</option>";
    } else {
        echo "<option value=$tipe_rmh_id>".$tipe_rmh_baru."</option>";
    }
}
?>
</select>
</td>
</tr>
<tr>
    <td width="30%" class="label" align="left"><b>Blok Rumah</b></td>
    <td width="2%" align="center">:</td>
    <td><input type="text" name="blok_rmh" id="blok_rmh" value="<?php echo
$blok_rmh?>" size="50" maxlength="5"></td>
</tr>
<tr>
    <td width="30%" class="label" align="left"><b>Luas Tanah</b></td>
    <td width="2%" align="center">:</td>
    <td><input type="text" name="luas_tnh" id="luas_tnh" value="<?php echo
$luas_tnh?>" size="50" maxlength="10" onkeypress="return
isNumberKey(event);"></td>
</tr>
<tr>
    <td width="30%" class="label" align="left"><b>Luas Bangunan</b></td>
    <td width="2%" align="center">:</td>
    <td><input type="text" name="luas_bgn" id="luas_bgn" value="<?php echo
$luas_bgn?>" size="50" maxlength="10" onkeypress="return
isNumberKey(event);"></td>

```

```

</tr>
<tr>
  <td width="30%" class="label" align="left"><b>Kavling</b></td>
  <td width="2%" align="center">:</td>
  <td><input type="text" name="kav" id="kav" value="<?php echo $kav?>"
size="50" maxlength="5"></td>
</tr>
<tr>
  <td width="30%" class="label" align="left"><b>Harga</b></td>
  <td width="2%" align="center">:</td>
  <td>Rp. <input type="text" name="harga" value="<?php echo $harga?>"
size="46" maxlength="30" onkeypress="return isNumberKey(event);"></td>
</tr>
<tr>
  <td width="30%" class="label" align="left"><b>Keterangan</b></td>
  <td width="2%" align="center">:</td>
  <td><textarea name="ket" id="ket" rows="5" cols="37"><?php echo
$ket?></textarea></td>
</tr>
<tr>
  <td width="30%" class="label" align="left"><b>Status</b></td>
  <td width="2%" align="center">:</td>
  <td>
    <select name="status" id="status">
      <option value="ready">Ready</option>
      <option value="jual">Telah dipesan</option>
    </select>
  </td>
</tr>

```

```

<tr>
  <td>&nbsp;</td>
  <td>&nbsp;</td>
  <td align="left">
    <input type="submit" name="submit" value="Save" class="button" />&nbsp;  
    <input type="reset" name="reset" value="Reset" class="button" />
  </td>
</tr>
</table>
</fieldset>
</form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 48. parameter\_login\_admin.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
  header('location:login.php?msg=2');
}

```

```

//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
    <div class="header">
        <?php include('../template/header.php'); ?>
    </div>
<!-- end .header -->
    <div class="menu">
        <?php include('../template/menu.php'); ?>
    </div>
<!-- end .sidebar1 -->
    <div class="content">

```

```

<h1>Parameter Login Admin</h1>
<table class="tbl" border="0" cellspacing="0" cellpadding="0">
  <tr>
    <td colspan="5" align="right"><a
href="parameter_login_admin_form.php?act=add">Add New Admin</a></td>
  </tr>
  <tr>
    <td class="head">Username</td>
    <td class="head" width="40%">Fullname</td>
    <td class="head">Action</td>
  </tr>
<?php
  $query = "SELECT * FROM tbl_login WHERE level = 'admin' ";
  $result = mysql_query($query);
  $total = mysql_num_rows($result);
  $i = 1;
  if ($total > 0) {
    while ($row = mysql_fetch_array($result)){

      $id_usr = $row['id_usr'];
      $username = $row['username'];
      $password = $row['password'];
      $fullname = $row['fullname'];

      $j = $i + 1;
      if ($j % 2 == 0) {
        $class_name = 'odd';
      } else {
        $class_name = 'even';
      }
    }
  }

```

```

    }
?>
<tr class="<?php echo $class_name; ?>">
    <td class="grid-data"><?php echo $username;?></td>
    <td align="center"><?php echo $fullname;?></td>
    <td class="grid-data">
        <a href="parameter_login_admin_form.php?act=edit&id=<?php echo
$Sid_usr;?>" onClick="return confirm('Anda akan logout setelah edit
data?');">Edit</a>&nbsp;
        <a href="do_parameter_login_admin.php?act=delete&id=<?php echo
$Sid_usr;?>" onClick="return confirm('Apakah anda yakin menghapus data dan harus
logout?');">Delete</a>
    </td>
</tr>
<?php
    $i++;
}
}
?>
</table>
<p>&nbsp;</p>
</div>
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>

```

```
</html>
```

#### 49. parameter\_login\_admin\_form.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $sact = $_REQUEST['act'];

    if ($sact == 'add') {
        $sid = "";
        $sact = 'add';
        $formAction = 'Add New Admin';
    } else {
        $sid = $_REQUEST['id'];
        $sact = 'edit';
        $formAction = 'Form Edit Admin';
    }
}
```

```

$username = "";
$password = "";
$fullname = "";

$query = "SELECT * FROM tbl_login WHERE id_usr = ".$id." ";
$resultQuery = mysql_query($query);
    if(mysql_num_rows($resultQuery))
    {
        if($row = mysql_fetch_array($resultQuery))
        {
            $id_usr = $row['id_usr'];
            $username = $row['username'];
            $password = $row['password'];
            $fullname = $row['fullname'];
        }
    }
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
    <script type="text/javascript">
        function cekData() {

```

```

// Cek isi
        if (formInput.fullname.value == ""){
            alert("Nama tidak boleh kosong!!");
            formInput.fullname.focus();
                return false;
        }
    if (formInput.username.value == ""){
        alert("Username tidak boleh kosong!!");
        formInput.username.focus();
            return false;
        }
    if (formInput.password.value == ""){
        alert("Password tidak boleh kosong!!");
        formInput.password.focus();
            return false;
        }

    else

        return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>
</head>

```

```

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .sidebar1 -->
  <div class="content">
    <form id="formInput" method="post" onsubmit="return cekData();"
    enctype="multipart/form-data" action="do_parameter_login_admin.php?act=<?php
    echo $act;?>">
      <input type="hidden" name="id_usr" value="<?php echo $id_usr?>">
      <input type="hidden" name="level" value="admin">
      <h1><a href="parameter_login_admin.php">Parameter Login Admin</a> - <?php
      echo $formAction;?></h1>
      <table border="0" cellspacing="0" cellpadding="2" class="tbl" width="100%">
        <tr>
          <td width="30%" class="label" align="left"><b>Fullname</b></td>
          <td width="2%" align="center">:</td>
          <td><input type="text" name="fullname" id="fullname" value="<?php echo
          $fullname?>" size="40" maxlength="20"></td>
        </tr>
        <tr>
          <td width="30%" class="label" align="left"><b>Username</b></td>
          <td width="2%" align="center">:</td>

```

```

        <td><input type="text" name="username" id="username" value="<?php echo
$username?>" size="40" maxlength="20"></td>
    </tr>
    <tr>
        <td width="30%" class="label" align="left"><b>Password</b></td>
        <td width="2%" align="center"></td>
        <td><input type="text" name="password" id="password" value="<?php echo
$password?>" size="40" maxlength="20"></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td align="left">
            <input type="submit" name="submit" value="Save" class="button" />&nbsp;  
            <input type="reset" name="reset" value="Reset" class="button" />
        </td>
    </tr>
</table>
</fieldset>
</form>
</div>
<!-- end .content -->
<div class="footer">
    <?php include('./template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>

```

```
</html>
```

## 50. parameter\_periode.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
```

```

<div class="header">
  <?php include('../template/header.php'); ?>
</div>
<!-- end .header -->
<div class="menu">
  <?php include('../template/menu.php'); ?>
</div>
<!-- end .sidebar1 -->
<div class="content">
  <h1>Parameter Login Pembeli</h1>
  <table class="tbl" border="0" cellspacing="0" cellpadding="0">
    <tr>
      <td class="head">Username</td>
      <td class="head" width="40%">Fullname</td>
      <td class="head">Action</td>
    </tr>
  <?php
    $query = "SELECT * FROM tbl_login WHERE level = 'user' ";
    $result = mysql_query($query);
    $total = mysql_num_rows($result);
    $i = 1;
    if ($total > 0) {
      while ($row = mysql_fetch_array($result)){

        $id_usr = $row['id_usr'];
        $username = $row['username'];
        $password = $row['password'];
        $fullname = $row['fullname'];

```

```

    $j = $i + 1;
    if ($j % 2 == 0) {
        $class_name = 'odd';
    } else {
        $class_name = 'even';
    }
?>
<tr class="<?php echo $class_name; ?>">
    <td class="grid-data"><?php echo $username;?></td>
    <td align="center"><?php echo $fullname;?></td>
    <td class="grid-data">
        <a href="parameter_login_pembeli_form.php?act=edit&id=<?php echo
$Sid_usr;?>" onclick="return confirm('Anda yakin akan edit data?');">Edit</a>&nbsp;
    </td>
</tr>
<?php
    $i++;
}
}
?>
</table>
<p>&nbsp;</p>
</div>
<div class="footer">
    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->

```

```
</body>
</html>
```

## 51. parameter\_periode\_form.php

```
<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');

    $sact = $_REQUEST['act'];

    if ($sact == 'add') {
        $sid = "";
        $sact = 'add';
        $formAction = 'Add Periode Waktu';
    } else {
        $sid = $_REQUEST['id'];
        $sact = 'edit';
        $formAction = 'Form Edit Periode';
    }
}
```

```

$id_period = "";
$period = "";

$query = "SELECT * FROM tbl_period WHERE id_period = ".$id_period." ";
$resultQuery = mysql_query($query);
    if(mysql_num_rows($resultQuery))
    {
        if($row = mysql_fetch_array($resultQuery))
        {
            $id_period = $row['id_period'];
            $period = $row['period'];
        }
    }
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Aplikasi Angsuran Cash Bertahap</title>
<link rel="stylesheet" href="../css/css.css" type="text/css">
<link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
<script type="text/javascript">
function cekData() {
    // Cek isi
        if (formInput.period.value == ""){
            alert("Periode tidak boleh kosong!!");

```

```

        formInput.period.focus();
        return false;
    }

    else
        return true;
}

function isNumberKey(evt) {
    var charCode = (evt.which) ? evt.which : event.keyCode
    if (charCode > 31 && (charCode < 48 || charCode > 57))
        return false;
    return true;
}
</script>
</head>

<body>
<div class="container">
<div class="header">
    <?php include('../template/header.php'); ?>
</div>
<div class="menu">
    <?php include('../template/menu.php'); ?>
</div>
<!-- end .sidebar1 -->
<div class="content">

```

```

<form id="formInput" method="post" onsubmit="return cekData();"
enctype="multipart/form-data" action="do_parameter_periode.php?act=<?php echo
$act;?>">
  <input type="hidden" name="id" value="<?php echo $id_period?>">
  <h1><a href="parameter_periode.php">Periode Waktu Parameter</a> - <?php echo
$formAction;?></h1>
  <table border="0" cellspacing="0" cellpadding="2" class="tbl" width="100%">
    <tr>
      <td width="30%" class="label" align="left"><b>Periode Waktu</b></td>
      <td width="2%" align="center">:</td>
      <td><input type="text" name="period" id="period" value="<?php echo
$period?>" size="50" maxlength="2" onkeypress="return isNumberKey(event);"></td>
    </tr>
    <tr>
      <td>&nbsp;</td>
      <td>&nbsp;</td>
      <td align="left">
        <input type="submit" name="submit" value="Save" class="button" />&nbsp;  
        <input type="reset" name="reset" value="Reset" class="button" />
      </td>
    </tr>
  </table>
</fieldset>
</form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('./template/footer.php'); ?>
</div>

```

```

<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## 52. parameter\_tipe\_rumah.php

```

<?php
    session_start();
    //cek apakah user sudah login
    if(!isset($_SESSION['SUDAH_LOGIN'])) {
        header('location:login.php?msg=2');
    }
    //cek level user
    if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
        header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
    }

    include ('../include/open_conn.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Aplikasi Angsuran Cash Bertahap</title>
    <link rel="stylesheet" href="../css/css.css" type="text/css">
    <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />

```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<div class="header">
```

```
<?php include('../template/header.php'); ?>
```

```
</div>
```

```
<!-- end .header -->
```

```
<div class="menu">
```

```
<?php include('../template/menu.php'); ?>
```

```
</div>
```

```
<!-- end .sidebar1 -->
```

```
<div class="content">
```

```
<h1>Data Tipe Rumah</h1>
```

```
<table class="tbl" border="0" cellspacing="0" cellpadding="0">
```

```
<tr>
```

```
<td colspan="5" align="right"><a
```

```
href="parameter_tipe_rumah_form.php?act=add">Add New Tipe Rumah</a></td>
```

```
</tr>
```

```
<tr>
```

```
<td class="head">ID Rumah</td>
```

```
<td class="head" width="40%">Nama Tipe Rumah</td>
```

```
<td class="head">Action</td>
```

```
</tr>
```

```
<?php
```

```
$query = "SELECT * FROM tbl_tipe_rumah";
```

```
$result = mysql_query($query);
```

```
$total = mysql_num_rows($result);
```

```
$i = 1;
```

```

if ($total > 0) {
    while ($row = mysql_fetch_array($result)){

        $id_tipe_rmh    = $row['id_tipe_rmh'];
        $tipe_rmh      = $row['tipe_rmh'];

        $j = $i + 1;
        if ($j % 2 == 0) {
            $class_name = 'odd';
        } else {
            $class_name = 'even';
        }
    ?>
    <tr class="<?php echo $class_name; ?>"
        <td class="grid-data"><?php echo $i;?></td>
        <td align="center"><?php echo $tipe_rmh;?></td>
        <td class="grid-data">
            <a href="parameter_tipe_rumah_form.php?act=edit&id=<?php echo
$Sid_tipe_rmh;?>">Edit</a>&nbsp;
            <a href="do_parameter_tipe_rumah.php?act=delete&id=<?php echo
$Sid_tipe_rmh;?>" onclick="return confirm('Anda yakin akan menghapus
data?');">Delete</a>
        </td>
    </tr>
    <?php
        $i++;
    }
}
?>

```

```

</table>
<p>&nbsp;</p>
</div>
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

### 53. parameter\_tipe\_rumah\_form.php

```

<?php
session_start();
//cek apakah user sudah login
if(!isset($_SESSION['SUDAH_LOGIN'])) {
  header('location:login.php?msg=2');
}
//cek level user
if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
  header('location:login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
}

include ('../include/open_conn.php');

$act = $_REQUEST['act'];

if ($act == 'add') {

```

```

        $id = "";
        $sact = 'add';
        $formAction = 'Add New Tipe Rumah';
    } else {
        $id = $_REQUEST['id'];
        $sact = 'edit';
        $formAction = 'Form Edit Tipe Rumah';
    }

    $id_tipe_rmh = "";
    $tipe_rmh = "";

    $query = "SELECT * FROM tbl_tipe_rumah WHERE id_tipe_rmh = ".$id." ";
    $resultQuery = mysql_query($query);
    if(mysql_num_rows($resultQuery))
    {
        if($row = mysql_fetch_array($resultQuery))
        {
            $id_tipe_rmh = $row['id_tipe_rmh'];
            $tipe_rmh = $row['tipe_rmh'];
        }
    }
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

```

```

<title>Aplikasi Angsuran Cash Bertahap</title>
<link rel="stylesheet" href="../css/css.css" type="text/css">
<link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
<script type="text/javascript">
    function cekData() {
        // Cek isi

                if (formInput.tipe_rmh.value == ""){
                    alert("Tipe rumah tidak boleh kosong!!");
                    formInput.tipe_rmh.focus();
                        return false;
                    }

        else

                return true;
    }

    function isNumberKey(evt) {
        var charCode = (evt.which) ? evt.which : event.keyCode
        if (charCode > 31 && (charCode < 48 || charCode > 57))
            return false;
        return true;
    }
</script>
</head>

<body>
<div class="container">
    <div class="header">

```

```

    <?php include('../template/header.php'); ?>
</div>
<div class="menu">
    <?php include('../template/menu.php'); ?>
</div>
<!-- end .sidebar1 -->
<div class="content">
    <form id="formInput" method="post" onsubmit="return cekData();"
enctype="multipart/form-data" action="do_parameter_tipe_rumah.php?act=<?php echo
$act;?>">
        <input type="hidden" name="id" value="<?php echo $id_tipe_rmh?>">
        <h1><a href="parameter_tipe_rumah.php">Data Tipe Rumah</a> - <?php echo
$formAction;?></h1>
        <table border="0" cellspacing="0" cellpadding="2" class="tbl" width="100%">
            <tr>
                <td width="30%" class="label" align="left"><b>Nama Tipe Rumah</b></td>
                <td width="2%" align="center">:</td>
                <td><input type="text" name="tipe_rmh" id="tipe_rmh" value="<?php echo
$stipe_rmh?>" size="50" maxlength="30"></td>
            </tr>
            <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td align="left">
                    <input type="submit" name="submit" value="Save" class="button" />&nbsp;  
                    <input type="reset" name="reset" value="Reset" class="button" />
                </td>
            </tr>
        </table>

```

```

    </fieldset>
  </form>
</div>
<!-- end .content -->
<div class="footer">
  <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

#### 54. report.php

```

<?php
  session_start();
  //cek apakah user sudah login
  if(!isset($_SESSION['SUDAH_LOGIN'])) {
    header('location:../login.php?msg=2');
  }
  //cek level user
  if($_SESSION['USR_CODE']!="admin" && $_SESSION['USR_CODE']!="user") {
    header('location:../login.php?msg=3'); // jika bukan admin dan user jangan lanjut !!!
  }

  include ('../include/open_conn.php');

  $id_pembeli = $_GET['id_pembeli'];
  $id_booking = $_GET['id_booking'];

```

```

//$id_angsuran = $_REQUEST['id_angsuran'];
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Aplikasi Angsuran Cash Bertahap</title>
  <link rel="stylesheet" href="../css/css.css" type="text/css">
  <link rel="stylesheet" href="../css/CSS3 Menu_files/css3menu1/style.css"
type="text/css" />
</head>

<body>
<div class="container">
  <div class="header">
    <?php include('../template/header.php'); ?>
  </div>
<!-- end .header -->
  <div class="menu">
    <?php include('../template/menu.php'); ?>
  </div>
<!-- end .menu -->
  <div class="content">
    <h1>Laporan Data Pembayaran Pembeli</h1>
    <div style="margin:0px auto;">
      <?php
        $sqlPembeli = "SELECT * FROM tbl_pembeli WHERE id_pembeli =
        ".$id_pembeli." ";

```

```

$resPembeli = mysql_query($sqlPembeli);
while ($rowPembeli = mysql_fetch_array($resPembeli)) {
    $id_pembeli    = $rowPembeli['id_pembeli'];
    $nama_lengkap = $rowPembeli['nama_lengkap'];
    $ktp           = $rowPembeli['ktp'];
    $status_warga = $rowPembeli['status_warga'];
    $alamat       = $rowPembeli['alamat'];
    $status_nikah = $rowPembeli['status_nikah'];
    $no_hp        = $rowPembeli['no_hp'];
    $no_tlp       = $rowPembeli['no_tlp'];
    $email        = $rowPembeli['email'];
}

$sqlBooking = "SELECT * FROM tbl_booking WHERE id_pembeli =
"."$id_pembeli." AND id_booking = "."$id_booking." ";
$resBooking = mysql_query($sqlBooking);
while ($rowBooking = mysql_fetch_array($resBooking)) {
    $id_period    = $rowBooking['id_period'];
    $bank_id      = $rowBooking['bank_id'];

    $sqlBank = "SELECT * FROM tbl_bank WHERE bank_id = "."$bank_id."";
    $resBank = mysql_query($sqlBank);
    while($rowBank = mysql_fetch_array($resBank)){
        $bankname = $rowBank['bank_name'];
        $bankdigit = $rowBank['bank_digit'];
    }

    $harga_ang    = number_format($rowBooking['harga_ang']);
    $no_rek       = $rowBooking['no_rek'];

```

```

        $id_period      = $rowBooking['id_period'];
        $harga_booking  = number_format($rowBooking['harga_booking']);
        $tgl_booking    = $rowBooking['tgl_booking'];
    }
?>
<fieldset>
    <legend><h1>Data Pembeli</h1></legend>
    <table class="tbl" style="border: 1px solid black;" cellspacing="0"
cellpadding="1">
        <tr>
            <td colspan="9" align="right" style="border-bottom: 1px solid black;">
                <strong>
                    <a href="exportExcel.php?id_pembeli=<?php echo
$Id_pembeli?>&id_booking=<?php echo $id_booking?>">DOWNLOAD
LAPORAN</a>
                </strong>
            </td>
        </tr>
        <tr>
            <td class="headDetail" align="left" width="16%">Kode Pemesanan</td>
            <td class="point" width="1%" align="center">?</td>
            <td class="headDetail" align="left" width="16%"><?php echo
$Id_pembeli?></td>
            <td class="headDetail" width="16%">Nama Pembeli</td>
            <td class="point" width="1%" align="center">?</td>
            <td class="headDetail" align="left" width="16%"><?php echo
$nama_lengkap?></td>
            <td class="headDetail" width="16%">Nomor HP</td>
            <td class="point" width="1%" align="center">?</td>

```

```

        <td class="headDetail" align="left" width="16%"><?php echo $sno_hp?></td>
    </tr>
    <tr>
        <td class="headDetail" align="left" width="16%">Kode Booking</td>
        <td class="point" width="1%" align="center"></td>
        <td class="headDetail" align="left" width="16%"><?php echo
$Sid_booking?></td>
        <td class="headDetail" width="16%">Nomor KTP</td>
        <td class="point" width="1%" align="center"></td>
        <td class="headDetail" align="left" width="16%"><?php echo $sktp?></td>
        <td class="headDetail" width="16%">Nomor Telepon</td>
        <td class="point" width="1%" align="center"></td>
        <td class="headDetail" align="left" width="16%"><?php echo $sno_tlp?></td>
    </tr>
    <tr><td colspan="9">&nbsp;</td></tr>
<!-- </table><br>
<table class="tbl" style="border:1px solid black;" cellspacing="0"
cellpadding="1"> -->
    <tr><td class="headDetail" colspan="9">Transaksi Booking</td></tr>
    <tr>
        <td class="head" colspan="2">Harga Booking</td>
        <td class="head">Nama Bank</td>
        <td class="head" colspan="2">Nomor Rekening</td>
        <td class="head">Angsuran (Ags)/bln</td>
        <td class="head" colspan="2">Lama Angsuran</td>
        <td class="head">Tgl Booking</td>
    </tr>
    <tr>
        <td align="center" colspan="2"><?php echo "Rp. ".$sharga_booking?></td>

```

```

<td align="center"><?php echo $bankname;?></td>
<td align="center" colspan="2"><?php echo $no_rek;?></td>
<td align="center"><?php echo "Rp. ".$harga_ang;?></td>
<td align="center" colspan="2"><?php echo $id_period." kali/bulan";?></td>
<td align="center"><?php echo $tgl_booking ;?></td>
</tr>
<tr><td colspan="9">&nbsp;</td></tr>
<!-- </table><br>
<table class="tbl" style="border:1px solid black;" cellspacing="0"
cellpadding="1"> -->
<tr><td class="headDetail" colspan="9">Transaksi Angsuran</td></tr>
<tr>
<td class="head" colspan="2">Angsuran (Ags)</td>
<td class="head">Sisa Ags</td>
<td class="head" colspan="2">Tgl Bayar Ags</td>
<td class="head">Tgl Tempo Ags</td>
<td class="head" colspan="2">(Telat/Hari) - Denda</td>
<td class="head">Total</td>
</tr>
<?php
$sqlAgs = "SELECT * FROM tbl_angsuran WHERE id_pembeli =
'".$id_pembeli."' AND id_booking = '".$id_booking.'"
ORDER BY id_angsuran ASC";

$resAgs = mysql_query($sqlAgs);
while ($rowAgs = mysql_fetch_array($resAgs)){
    $rek_bayar = $rowAgs['rek_bayar'];
    $id_rek = $rowAgs['id_rek'];
    $ags_ke = $rowAgs['ags_ke'];
    $telat = $rowAgs['telat'];

```

```

$denda    = number_format($rowAgs['denda']);
$total_bayar = number_format($rowAgs['total_bayar']);
$period    = $rowAgs['period'];
$bank_Ags  = $rowAgs['bank_id'];
$tgl_booking = $rowAgs['tgl_booking'];
$tgl_bayar  = $rowAgs['tgl_bayar'];
$tgl_tempo  = $rowAgs['tgl_tempo'];
$status    = $rowAgs['status'];

$sisAgs    = $period-$ags_ke;
?>
        <tr>
        <td align="center" colspan="2"><?php echo "ke-".$ags_ke?></td>
        <td align="center"><?php echo $sisAgs." kali/bln"?></td>
        <td align="center" colspan="2"><?php echo $tgl_bayar?></td>
        <td align="center"><?php echo $tgl_tempo?></td>
        <td align="center" colspan="2"><?php echo $telat." hari - "?><?php echo "Rp.
".$denda?></td>
        <td align="center"><?php echo "Rp. ".$total_bayar?></td>
        </tr>
        <?php
    }
?>
</table>
</fieldset>
</div>
</div>
<!-- end .content -->
<div class="footer">

```

```

    <?php include('../template/footer.php'); ?>
</div>
<!-- end .footer -->
</div>
<!-- end .container -->
</body>
</html>

```

## Folder Template

### 1. direct.php

```

<h4 align="center">this page will be redirected automatically in
<script type="text/javascript">
    var menit = 1; // Lamanya hitungan mundur (dalam menit)
    var detik = 10; // Detik standar (sesuaikan dengan perintah setTimeout)
    var penghitung_detik = detik; // Set variabel detik yang lain untuk dimanipulasi

    penghitung_detik = 0;
    function hitung_mundur() {
        penghitung_detik--; // Setiap siklus 1 detik mengurangi nilainya 1 poin
        if (penghitung_detik == -1) { // Deteksi detik ketika nilainya "0"
            menit--; // Setiap siklus 1 menit mengurangi nilainya 1 poin
            penghitung_detik = detik; // Me-reset detik untuk memulai hitung mundur menit
            yang baru
            if (menit <= -1) { // Hitung mundur selesai
                menit = 0; penghitung_detik = 0; // Menset menit dan detik ke "0"
                clearTimeout(penghitung); // Stop hitung mundur
            }

```

```

    }
    if (document.getElementById) {

document.getElementById("hitung_mundur_tampil").innerHTML=penghitung_detik; //
Memasukkan nilai variabel menit dan detik untuk ditampilkan
    }
    penghitung=setTimeout("hitung_mundur()", 1000); // Set siklus penghitungan
mundur (standar: 1 detik)
    }

    if (document.all||document.getElementById)
    document.write('<b style="color:red"
id="hitung_mundur_tampil">'+penghitung_detik+' </b>'); // Format tampilan hitung
mundur di antarmuka
    hitung_mundur();
</script>
    Second
</h4>

```

## 2. footer.php

```

<p>
    <strong>Copyright &copy 2015.<br>
    Created By : Raka Januarsa</strong>
</p>

```

## 3. header.php

```

<div class="header-left">
    
</div>

```

```
<div class="header-right">
```

```
</div>
```

#### 4. **index.php**

```
<?php  
header('Location: ../index.php');  
?>
```

#### 5. **main-footer.php**

```
<p>  
Copyright &copy 2015.<br>  
Created By : Raka Januarsa  
</p>
```

#### 6. **main-header.php**

```
</img>
```

#### 7. **main-menu.php**

```
<ul id="css3menu1" class="topmenu">  
    <li class="topfirst"><a href="index.php" style="height:15px;line-  
height:15px;">Home</a></li>  
    <li class="topmenu"><a href="page_info.php" style="height:15px;line-  
height:15px;"><span>Informasi</span></a></li>  
    <li class="topmenu"><a href="page_pemesanan.php"  
style="height:15px;line-height:15px;">Pemesanan</a></li>
```

```

        <li class="topmenu"><a href="page_profile.php" style="height:15px;line-
height:15px;">Profile</a></li>
        <li class="topmenu"><a href="page_contact.php" style="height:15px;line-
height:15px;">Contact Us</a></li>
        <li class="toplast"><a href="login.php" style="height:15px;line-
height:15px;">Login</a></li>
</ul>

```

## 8. menu.php

```

<p style="text-align:left; color:#FFFFFF; float:left; font-size:11px;">
<script type="text/javascript">
<!--
function startTime() {
    var today=new Date(),
        curr_hour=today.getHours(),
        curr_min=today.getMinutes(),
        curr_sec=today.getSeconds();
    curr_hour=checkTime(curr_hour);
    curr_min=checkTime(curr_min);
    curr_sec=checkTime(curr_sec);

document.getElementById('clock').innerHTML=curr_hour+":"+curr_min+":"+curr_sec;
}
function checkTime(i) {
    if (i<10) {
        i="0" + i;
    }
    return i;
}

```

```

    setInterval(startTime, 500);
//-->
</script>
<strong><?php echo date('d F Y');?>&nbsp;<a id="clock"></a></strong> <br>
Welcome, <strong><?php echo $_SESSION['NAMA_USER'];?></strong>.
</p>
<?php
    if($_SESSION['USR_CODE'] == 'admin') {
?>
<ul id="css3menu1" class="topmenu">
    <li class="topfirst"><a href="index.php" style="height:15px;line-
height:15px;">Home</a></li>
    <li class="topmenu"><a href="form_pemesanan.php"
style="height:15px;line-height:15px;"><span>Form Pemesanan</span></a></li>
    <li class="topmenu"><a href="data_pembeli.php" style="height:15px;line-
height:15px;">Data Pembeli</a></li>
    <li class="topmenu"><a href="#" style="height:15px;line-
height:15px;"><span>Parameter Data</span></a>
    <ul>
        <li class="subfirst"><a href="parameter_bank.php">Data
Bank</a></li>
        <li><a href="parameter_bank_admin.php">Data Bank
Admin</a></li>
        <li><a href="parameter_periode.php">Data Periode</a></li>
    </ul>
</li>
    <li class="topmenu"><a href="#" style="height:15px;line-
height:15px;"><span>Data Rumah</span></a>
    <ul>

```

```

                <li class="subfirst"><a href="parameter_tipe_rumah.php">Data
Type Rumah</a></li>
            <li><a href="parameter_data_rumah.php">Data Detail Rumah</a></li>
        </ul>
    </li>
    <li class="topmenu"><a href="#" style="height: 15px;line-
height: 15px;"><span>Setting</span></a>
        <ul>
            <li><a href="parameter_login_admin.php">Data Login Admin</a></li>
            <li><a href="parameter_login_pembeli.php">Data Login Pembeli</a></li>
        </ul>
    </li>
    <li class="topmenu"><a href="#" style="height: 15px;line-
height: 15px;"><span>Setting Main Page</span></a>
        <ul>
            <li class="subfirst"><a href="page_home.php">Page
Home</a></li>
            <li><a href="page_info.php">Page Informasi</a></li>
            <li><a href="page_contact.php">Page Contact Us</a></li>
            <li><a href="page_profile.php">Page Profile</a></li>
            <li><a href="page_gallery.php">Page Side Gallery</a></li>
        </ul>
    </li>
    <li class="toplast"><a href="logout.php" style="height: 15px;line-
height: 15px;">Log Out</a></li>
</ul>
<?php
    } else if ($_SESSION['USR_CODE'] == 'user') {
?>

```

```

<ul id="css3menu1" class="topmenu">
    <li class="topfirst"><a href="home.php" style="height:15px;line-
height:15px;">Home</a></li>
    <li class="topmenu"><a href="form_booking_pembeli.php" style="height:15px;line-
height:15px;"><span>Form Booking</span></a></li>
    <li class="topmenu"><a href="data_pembeli_usr.php" style="height:15px;line-
height:15px;"><span>Data Angsuran</span></a></li>
    <li class="topmenu"><a href="page_setting.php" style="height:15px;line-
height:15px;"><span>Setting</span></a></li>
    <li class="toplast"><a href="logout.php" style="height:15px;line-
height:15px;">Log Out</a></li>
</ul>
<?php
}
?>

```

## Folder include

### 1. get\_angsuranke.php

```

<?php
include ('../include/open_conn.php');

$id_pembeli = $_GET['id_pembeli'];
$id_booking = $_GET['id_booking'];

$sqlQuery = "SELECT ags_ke FROM tbl_angsuran WHERE id_pembeli
='".$id_pembeli."' AND id_booking = '".$id_booking.'"
AND ags_ke = (SELECT MAX(ags_ke) FROM tbl_angsuran WHERE id_pembeli
='".$id_pembeli."' AND id_booking = '".$id_booking."')";
$resQuery = mysql_query($sqlQuery);

```

```

$total = mysql_num_rows($resQuery);
if ($total > 0) {
    while($row = mysql_fetch_array($resQuery)){
        $sags_ke = $row['sags_ke']+1;
        echo $sags_ke;
    }
} else {
    $sags_ke = 1;
    echo $sags_ke;
}

?>

```

## 2. **get\_blok\_rmh.php**

```

<?php
include ('../include/open_conn.php');

$get_tipe = $_GET['tipe_rmh'];

$sqlQuery = mysql_query("SELECT blok_rmh FROM tbl_detail_rumah WHERE
id_tipe_rmh = ".$get_tipe."
AND status = 'ready' GROUP BY blok_rmh");
while($row = mysql_fetch_array($sqlQuery)){
    echo $row['blok_rmh'];
}

?>

```

## 3. **get\_det\_rmh.php**

```

<?php

```

```

include ('../include/open_conn.php');

$get_tipe = $_GET['kav'];
$get_tipe2 = $_GET['tipe_rmh'];

$sqlQuery = mysql_query("SELECT id_detail_rmh FROM tbl_detail_rumah WHERE
kav = ".$get_tipe." AND id_tipe_rmh = ".$get_tipe2."
AND status = 'ready'");
while($row = mysql_fetch_array($sqlQuery)){
    $detail_rmh = $row['id_detail_rmh'];
    echo $detail_rmh;
}
?>

```

#### 4. **get\_harga\_rmh.php**

```

<?php
include ('../include/open_conn.php');

$get_tipe = $_GET['id_detail_rmh'];
$id_period = $_GET['id_period'];

if ($id_period == 0) {
    $harga2 = 0;
    echo $harga2;
} else {
    $sqlQuery = mysql_query("SELECT * FROM tbl_detail_rumah WHERE
id_detail_rmh = ".$get_tipe." ");
    while($row = mysql_fetch_array($sqlQuery)){
        $harga1 = $row['harga']-20000000;

```

```

        $harga2 = ceil($harga1/$id_period);
        echo $harga2;
    }
}

?>

```

## 5. **get\_jml\_bayar.php**

```

<?php
include ('../include/open_conn.php');

$id_pembeli   = $_GET['id_pembeli'];
$id_booking   = $_GET['id_booking'];
$hargaAngsuran = $_GET['hargaAngsuran'];
$tgl = date('Y-m-d');

$query1 = mysql_query("SELECT harga_ang FROM tbl_booking WHERE
id_pembeli = ".$id_pembeli."");
while($rows = mysql_fetch_array($query1)){
    $harga_ang = $rows['harga_ang'];
    $harga_ang = ceil(($harga_ang*2)/1000);
}

$query = "SELECT * FROM tbl_angsuran WHERE id_pembeli = ".$id_pembeli."
AND id_booking = ".$id_booking."
AND ags_ke = (SELECT MAX(ags_ke)FROM
tbl_angsuran WHERE id_pembeli = ".$id_pembeli." AND id_booking =
".$id_booking."");

```

```

$resQuery = mysql_query($sqlQuery);
$total = mysql_num_rows($resQuery);
if ($total > 0) {
    while($row = mysql_fetch_array($resQuery)){
        $tgl_tempo = $row['tgl_tempo'];
        if ($tgl_tempo == "") {
            $jml_bayar = 0;
        } else {
            $tgl_tempo = (strtotime($tgl)-strtotime($tgl_tempo))/(60*60*24);
            if ($tgl_tempo > 0) {
                $jml_bayar = $harga_ang*$tgl_tempo;
            } else if ($tgl_tempo <= 0) {
                $jml_bayar = 0;
            }
        }
        $jml_bayar = $jml_bayar+$hargaAngsuran;
        echo $jml_bayar;
    }
} else {
    echo $hargaAngsuran;
}
//echo $sqlQuery

?>

```

## 6. get\_jml\_denda.php

```

<?php
include ('../include/open_conn.php');

```

```
$id_pembeli = $_GET['id_pembeli'];  
$id_booking = $_GET['id_booking'];  
$tgl = date('Y-m-d');
```

```
$sqlQuery1 = mysql_query("SELECT harga_ang FROM tbl_booking WHERE  
id_pembeli = ".$id_pembeli."");  
while($rows = mysql_fetch_array($sqlQuery1)){  
    $harga_ang = $rows['harga_ang'];  
    $harga_ang = ceil(($harga_ang*2)/1000);  
}
```

```
$sqlQuery = "SELECT tgl_tempo FROM tbl_angsuran WHERE id_pembeli  
= ".$id_pembeli." AND id_booking = ".$id_booking."  
AND ags_ke = (SELECT MAX(ags_ke) FROM tbl_angsuran WHERE id_pembeli  
= ".$id_pembeli." AND id_booking = ".$id_booking." )";  
$resQuery = mysql_query($sqlQuery);  
$total = mysql_num_rows($resQuery);  
//echo $sqlQuery  
if ($total > 0) {  
    while($row = mysql_fetch_array($resQuery)){  
        $tgl_tempo = $row['tgl_tempo'];  
        if ($tgl_tempo == "") {  
            $jml_denda = "0";  
        } else {  
            $tgl_tempo = (strtotime($tgl)-strtotime($tgl_tempo))/(60*60*24);  
            if ($tgl_tempo > 0) {  
                $jml_denda = $harga_ang*$tgl_tempo;  
            } else if ($tgl_tempo <= 0) {  
                $jml_denda = "0";  
            }  
        }  
    }  
}
```

```

    }
}

echo $jml_denda;
}
} else {
    $jml_denda = "0";
    echo $jml_denda;
}

?>

```

## 7. **get\_jml\_telat.php**

```

<?php
include ('../include/open_conn.php');

$id_pembeli = $_GET['id_pembeli'];
$id_booking = $_GET['id_booking'];

$sqlQuery = "SELECT tgl_tempo, current_date() as 'tgl_skr',
datediff(current_date(),tgl_tempo) AS 'jml'
FROM tbl_angsuran WHERE id_pembeli = ".$id_pembeli." AND id_booking
= ".$id_booking."
AND ags_ke = (SELECT MAX(ags_ke) FROM tbl_angsuran WHERE
id_pembeli = ".$id_pembeli." AND id_booking = ".$id_booking." ) ";
$resQuery = mysql_query($sqlQuery);
$total = mysql_num_rows($resQuery);
if ($total > 0) {
    while($row = mysql_fetch_array($resQuery)){

```

```

$ttl_tempo = $row['jml'];
if (empty($ttl_tempo)) {
    $ttl_tempo = 0;
} else if ($ttl_tempo <= 0){
    $ttl_tempo = 0;
} else {
    $ttl_tempo = $ttl_tempo;
}
echo $ttl_tempo;
}
} else {
    $ttl_tempo = 0;
    echo $ttl_tempo;
}
?>

```

## 8. **get\_kav\_rmh.php**

```

<?php
include ('../include/open_conn.php');

$get_tipe = $_GET['luas_tnh'];

$sqlQuery = mysql_query("SELECT kav FROM tbl_detail_rumah WHERE luas_tnh
= ".$get_tipe." AND status = 'ready' GROUP BY kav");
echo "<option value=".>Pilih Kavling</option>";
while($row = mysql_fetch_array($sqlQuery)){
    echo "<option value=\"".$row['kav']."\">".$row['kav']."</option>\n";
}

```

?>

### 9. **get\_ket\_rmh.php**

```
<?php
include ('../include/open_conn.php');

$get_tipe = $_GET['luas_tnh'];

$query = mysql_query("SELECT ket FROM tbl_detail_rumah WHERE luas_tnh =
".$get_tipe." AND status = 'ready' GROUP BY ket");
while($row = mysql_fetch_array($query)){
    echo $row['ket'];
}
?>
```

### 10. **get\_luas\_bgn.php**

```
<?php
include ('../include/open_conn.php');

$get_tipe = $_GET['luas_tnh'];

$query = mysql_query("SELECT luas_bgn FROM tbl_detail_rumah WHERE
luas_tnh = ".$get_tipe." AND status = 'ready' GROUP BY luas_bgn");
while($row = mysql_fetch_array($query)){
    echo $row['luas_bgn'];
}
?>
```

### 11. **get\_luas\_tnh.php**

```
<?php
```

```

include ('../include/open_conn.php');

$get_tipe = $_GET['tipe_rmh'];

$sqlQuery = mysql_query("SELECT luas_tnh FROM tbl_detail_rumah WHERE
id_tipe_rmh = ".$get_tipe."
        AND status = 'ready' GROUP BY luas_tnh");
echo "<option value="">Pilih Luas Tanah</option>";
while($row = mysql_fetch_array($sqlQuery)){
    echo "<option value='".$row['luas_tnh']."'>".$row['luas_tnh']."</option>\n";
}
?>

```

## 12. get\_sisaangsuran.php

```

<?php
include ('../include/open_conn.php');

$id_pembeli = $_GET['id_pembeli'];
$id_booking = $_GET['id_booking'];
$period = $_GET['period'];
$angsuranKe = $_GET['angsuranKe'];

$sqlQuery = "SELECT ags_ke FROM tbl_angsuran WHERE id_pembeli
=".$id_pembeli." AND id_booking = ".$id_booking."
        AND ags_ke = (SELECT MAX(ags_ke) FROM tbl_angsuran WHERE id_pembeli
=".$id_pembeli." AND id_booking = ".$id_booking."));
$resQuery = mysql_query($sqlQuery);
$total = mysql_num_rows($resQuery);
//echo $sqlQuery

```

```

if ($total > 0 ) {
    while($row = mysql_fetch_array($resQuery)){
        $sags_ke = $row['ags_ke'];
        if ($sags_ke == "") {
            $sags_ke = $sags_ke+1;
            $hasil = $period-$sags_ke." kali";
        } else {
            $sags_ke = $sags_ke+1;
            $hasil = $period-$sags_ke." kali";
        }
        echo $hasil;
    }
} else {
    $hasil = $period-1;
    echo $hasil." kali";
}

?>

```

### 13. **get\_tgl\_tempo.php**

```

<?php
include ('../include/open_conn.php');

$id_pembeli = $_GET['id_pembeli'];
$id_booking = $_GET['id_booking'];
$tgl = date('Y-m-d');

$sqlQuery = "SELECT tgl_tempo FROM tbl_angsuran WHERE id_pembeli
=".$id_pembeli." AND id_booking = ".$id_booking."

```

```

AND ags_ke = (SELECT MAX(ags_ke) FROM tbl_angsuran WHERE id_pembeli
=".$id_pembeli." AND id_booking = ".$id_booking.");
$resQuery = mysql_query($sqlQuery);
$total = mysql_num_rows($resQuery);
//echo $sqlQuery
if ($total > 0) {
    while($row = mysql_fetch_array($resQuery)){
        $tgl_tempo = $row['tgl_tempo'];
        $tgl_d = substr($tgl_tempo, 8, 10);
        $tgl_m = substr($tgl_tempo, 5, 2);
        $tgl_y = substr($tgl_tempo, 0, 4);

        $tgl_m = $tgl_m+1;

        if ($tgl_d > "30") {
            $tgl_d = "01";
            $tgl_m = $tgl_m+1;
        }
        if ($tgl_m > 12) {
            $tgl_m = "01";
            $tgl_y = $tgl_y+1;
        }
        $tgl_m = sprintf('%02s',$tgl_m);
        $tgl_tempo = $tgl_y."-".$tgl_m."-".$tgl_d;
        echo $tgl_tempo;
    }
} else {
    $tgl_tempo = date('Y-m-d');
    $tgl_d = substr($tgl_tempo, 8, 10);

```

```

$zgl_m    = substr($zgl_tempo, 5, 2);
$zgl_y    = substr($zgl_tempo, 0, 4);

$zgl_m    = $zgl_m+1;

if ($zgl_d > "30") {
    $zgl_d = "01";
    $zgl_m = $zgl_m+1;
}
if ($zgl_m > 12) {
    $zgl_m = "01";
    $zgl_y = $zgl_y+1;
}

$zgl_tempo = $zgl_y."-".$zgl_m."-".$zgl_d;
echo $zgl_tempo;
}

?>

```

#### 14. index.php

```

<?php
header('Location: ../index.php');
?>

```

#### 15. open\_conn.php

```

<?php
$host     = 'localhost';
$user     = 'root';

```

```

$pass = "";
$database = 'tugas_akhir';

mysql_connect($host,$user,$pass) or die("Koneksi gagal");
mysql_select_db($database) or die("Database tidak bisa dibuka");

$upload_dir = 'C:xampp/htdocs/trijaya_pratama/temp1/img/';

//session_start();

//require_once '../lib/function.php';
?>

```

## Cascading Style Sheet (CSS)

### 1. css.css

```
/* CSS Document */
```

```

body {
    font: 100%/1.4 Verdana, Arial, Helvetica, sans-serif;
    /*background: rgb(232,189,22);*/
    background: rgb(199,248,190);
    margin: 0;
    padding: 0;
    color: #000;
}

```

```
/* ~ ~ Element/tag selectors ~ ~ */
```

ul, ol, dl { /\* Due to variations between browsers, it's best practices to zero padding and margin on lists. For consistency, you can either specify the amounts you want here, or

on the list items (LI, DT, DD) they contain. Remember that what you do here will cascade to the .nav list unless you write a more specific selector. \*/

```
padding: 0;
margin: 0;
}
```

```
h1, h2, h3, h4, h5, h6, p {
```

```
margin-top: 0; /* removing the top margin gets around an issue where
margins can escape from their containing div. The remaining bottom margin will hold it
away from any elements that follow. */
```

```
padding-right: 15px;
padding-left: 15px; /* adding the padding to the sides of the elements within
the divs, instead of the divs themselves, gets rid of any box model math. A nested div
with side padding can also be used as an alternate method. */
}
```

```
a img { /* this selector removes the default blue border displayed in some browsers
around an image when it is surrounded by a link */
```

```
border: none;
}
```

```
/* ~~ Styling for your site's links must remain in this order - including the group of
selectors that create the hover effect. ~~ */
```

```
a:link {
```

```
color:#414958;
text-decoration: underline; /* unless you style your links to look extremely
unique, it's best to provide underlines for quick visual identification */
```

```
}
```

```
a:visited {
```

```
color: #4E5869;
text-decoration: underline;
```

```
}  
a:hover, a:active, a:focus { /* this group of selectors will give a keyboard navigator the  
same hover experience as the person using a mouse. */  
    text-decoration: none;  
}
```

```
/* ~~ this container surrounds all other divs giving them their percentage-based width  
~~ */  
.container {  
    width: 90%;  
    height: 100%;  
    background: #FFFFFF;  
    margin: 0 auto; /* the auto value on the sides, coupled with the width, centers  
the layout. It is not needed if you set the .container's width to 100%. */  
}
```

```
/* ~~the header is not given a width. It will extend the full width of your layout. It  
contains an image placeholder that should be replaced with your own linked logo~~ */  
.header {  
    background: #DCDCDC;  
    border-bottom: 2px solid rgb(232,189,22);  
    width: 100%;  
    height: 20%;  
    margin: 0 auto;  
}
```

```
.menu {  
    background: rgb(50,50,50);
```

```

text-align: right;
border-bottom: 2px solid rgb(232,189,22);
clear: both;
}
/* ~~ This is the layout information. ~~

```

1) Padding is only placed on the top and/or bottom of the div. The elements within this div have padding on their sides. This saves you from any "box model math". Keep in mind, if you add any side padding or border to the div itself, it will be added to the width you define to create the *\*total\** width. You may also choose to remove the padding on the element in the div and place a second div within it with no width and the padding necessary for your design.

```

*/
.content {
    padding: 10px 10px;
    height: 800%;
}
.content p{font-size: 12px; padding: 0px ;}
.content .tbl {
    width: 100%; font-size: 12px;
    font-family: Tahoma, Geneva, Verdana, sans-serif;
}
.content .tbl .head{text-align: center; background-color: rgb(228,228,228); font-weight:
bold;}
.content .tbl .headDetail{text-align: left; background-color: #E8BD16; font-weight:
bold; padding-left:5px; border-bottom: 1px solid black; border-right: 1px solid black;}
.content .tbl .point{text-align: center; background-color: #E8BD16; font-weight: bold;
border-bottom: 1px solid black; border-right: 1px solid black;}

```

```
.content .tbl a{text-decoration: none; color: rgb(0,51,255);}
.content .tbl a:hover{text-decoration: underline; color: rgb(255,0,0);}
.content .tbl .grid-data{text-align: center;}
.content .odd{background-color: #FFFFFF;}
.content .even{background-color: #D7D7D7;}
.content .reg{background-color: rgb(201,224,252);}
.content .rct{background-color: rgb(224,0,16);}
.content .apv{background-color: rgb(224,144,0);}
```

```
.content h1 {
  font-weight: normal;
  font-size: 18px; padding: 0;
  font-family: Tahoma, Geneva, Verdana, sans-serif;
  border-bottom: 1px solid black;
}
```

*/\* ~~ This grouped selector gives the lists in the .content area space ~~ \*/*

```
.content ul, .content ol {
  padding: 0 15px 15px 40px; /* this padding mirrors the right padding in the
  headings and paragraph rule above. Padding was placed on the bottom for space
  between other elements on the lists and on the left to create the indentation. These may be
  adjusted as you wish. */
}
```

*/\* ~~ The footer ~~ \*/*

```
.footer {
  height: 10%;
  padding: 10px 0px;
  background: rgb(228,228,228);
```

```
text-align: right;
font-size: 11px;
font-family: Verdana, Geneva, Tahoma, sans-serif;
border-top: 2px solid rgb(232,189,22);
}
```

```
/* ~~ miscellaneous float/clear classes ~~ */
```

```
.fltrt { /* this class can be used to float an element right in your page. The floated
element must precede the element it should be next to on the page. */
```

```
float: right;
margin-left: 8px;
```

```
}
```

```
.fllft { /* this class can be used to float an element left in your page. The floated
element must precede the element it should be next to on the page. */
```

```
float: left;
margin-right: 8px;
```

```
}
```

```
.clearfloat { /* this class can be placed on a <br /> or empty div as the final element
following the last floated div (within the #container) if the #footer is removed or taken
out of the #container */
```

```
clear:both;
height:0;
font-size: 1px;
line-height: 0px;
```

```
}
```

## 2. **main-css.css**

```
body{
background-color: black;
padding: 0px ;
```

```
margin: 0 auto;
font: 100%/1.4 Verdana, Arial, Helvetica, sans-serif;
}
```

```
#wrapper {
width: 100%;
height: 100%;
margin: 0 auto;
background-color: black;
}
```

```
#header-wrap {
/*background: rgb(74,140,239);*/
background: #DCDCDC;
position: fixed;
width: 100%;
height: 120px;
top: 0;
}
```

```
#menu {
background: rgb(50,50,50);
text-align: left;
border-bottom: 2px solid rgb(232,189,22);
border-top: 2px solid rgb(232,189,22);
clear: both;
margin-bottom: 0px;
}
```

```
#sidebar {
float: right;
```

```
position: fixed;
width: 20%;
height: 78%;
background-color: rgb(236, 240, 241);
padding: 10px 10px 10px 10px;
top: 120px;
right: 0;
margin-bottom: 0px;
margin-right: 0px;
bottom: 0;
border-right: 1px solid black ;
}
```

```
#content {
float: left;
width: 74%;
background-color: white;
padding: 10px 30px;
margin-top: 120px;
overflow: scroll;
height:470px;
}
```

```
#content .tbl {
```

```
width: 100%; font-size: 12px;
font-family: Tahoma, Geneva, Verdana, sans-serif;
```

```
}
```

```
#content .tbl .head{ text-align: center; background-color: rgb(228,228,228); font-weight:
bold;}
```

```
#content .tbl .headDetail{text-align: left; background-color: #E8BD16; font-weight:
bold;}
#content .tbl a{text-decoration: none; color: rgb(0,51,255);}
#content .tbl a:hover{text-decoration: underline; color: rgb(255,0,0);}
#content .tbl .grid-data{text-align: center;}
#content .odd{background-color: #FFFFFF;}
#content .even{background-color: #D7D7D7;}
#content h1{
font-weight: normal;
font-size: 18px; padding: 0;
font-family: Tahoma, Geneva, Verdana, sans-serif;
border-bottom: 1px solid black;
}

#footer {
float: left;
width: 100%;
height: 5%;
/*background-color: rgb(200,214,228);*/
background-color: rgb(50,50,50) ;
margin-bottom: 0px;
bottom: 0;
position: fixed;
text-align: center;
font-size: 11px;
font-family: Verdana, Geneva, Tahoma, sans-serif;
padding-top: 5px;
color: #FFFFFF;
}
```

```
#footer a:link {color:blue;} /* unvisited link */  
#footer a:visited {color:#black;} /* visited link */  
#footer a:hover {color:white;} /* mouse over link */  
#footer a:active {color:#white;} /* selected link */
```