

Gambaran Duplikasi Penomoran Rekam Medis

Statistics

pemberian nomor

N	Valid	60
	Missing	0

pemberian nomor

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid duplikasi	24	40.0	40.0	40.0
tidak duplikat	36	60.0	60.0	100.0
Total	60	100.0	100.0	

Gambaran Kualifikasi Pendidikan

Statistics

pendidikan responden

N	Valid	60
	Missing	0

pendidikan responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid sma	23	38.3	38.3	38.3
d3	26	43.3	43.3	81.7
d4/S1	11	18.3	18.3	100.0
Total	60	100.0	100.0	

Gambaran Pengetahuan

Statistics

pengetahuan

N	Valid	60
	Missing	0

pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid baik	31	51.7	51.7	51.7
tidak baik	29	48.3	48.3	100.0
Total	60	100.0	100.0	

Gambaran Usia

Statistics

umur responden

N	Valid	60
	Missing	0
Mean		31.98
Std. Error of Mean		1.210
Median		32.00
Std. Deviation		9.374
Minimum		19
Maximum		52

umur responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 19	2	3.3	3.3	3.3
20	2	3.3	3.3	6.7
21	6	10.0	10.0	16.7
22	1	1.7	1.7	18.3
23	4	6.7	6.7	25.0
24	2	3.3	3.3	28.3
25	2	3.3	3.3	31.7
26	2	3.3	3.3	35.0
28	6	10.0	10.0	45.0
29	1	1.7	1.7	46.7
30	1	1.7	1.7	48.3
32	2	3.3	3.3	51.7
33	5	8.3	8.3	60.0
34	5	8.3	8.3	68.3

36	1	1.7	1.7	70.0
37	3	5.0	5.0	75.0
38	2	3.3	3.3	78.3
40	1	1.7	1.7	80.0
41	1	1.7	1.7	81.7
44	1	1.7	1.7	83.3
45	3	5.0	5.0	88.3
46	1	1.7	1.7	90.0
47	1	1.7	1.7	91.7
48	2	3.3	3.3	95.0
50	1	1.7	1.7	96.7
51	1	1.7	1.7	98.3
52	1	1.7	1.7	100.0
Total	60	100.0	100.0	

Hubungan Pendidikan dengan Duplikasi Penomoran

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendidikan responden * pemberian nomor	60	100.0%	0	0.0%	60	100.0%

pendidikan responden * pemberian nomor Crosstabulation

			pemberian nomor		Total
			duplikasi	tidak duplikat	
pendidikan responden	sma	Count	16	7	23
		% within pendidikan responden	69.6%	30.4%	100.0%
	d3	Count	6	20	26
		% within pendidikan responden	23.1%	76.9%	100.0%
	d4/S1	Count	2	9	11

	% within pendidikan responden	18.2%	81.8%	100.0%
Total	Count	24	36	60
	% within pendidikan responden	40.0%	60.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.661 ^a	2	.001
Likelihood Ratio	13.973	2	.001
Linear-by-Linear Association	10.974	1	.001
N of Valid Cases	60		

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 4.40.

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	60	100.0
	Missing Cases	0	.0
	Total	60	100.0
Unselected Cases		0	.0
Total		60	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
duplikasi	0
tidak duplikat	1

Categorical Variables Codings

		Frequency	Parameter coding	
			(1)	(2)
pendidikan responden	sma	23	.000	.000
	d3	26	1.000	.000
	d4/S1	11	.000	1.000

Block 0: Beginning Block

Classification Table^{a,b}

		Observed	Predicted		
			pemberian nomor		Percentage Correct
			duplikasi	tidak duplikat	
Step 0	pemberian nomor	duplikasi	0	24	.0
		tidak duplikat	0	36	100.0
Overall Percentage					60.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	.405	.264	2.367	1	.124	1.500

Variables not in the Equation

		Score	df	Sig.
Step 0	Variables			
	pendidik	13.661	2	.001
	pendidik(1)	5.475	1	.019
	pendidik(2)	2.672	1	.102
Overall Statistics		13.661	2	.001

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	13.973	2	.001
	Block	13.973	2	.001
	Model	13.973	2	.001

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	66.789 ^a	.208	.281

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Classification Table^a

Observed			Predicted		
			pemberian nomor		Percentage Correct
			duplikasi	tidak duplikat	
Step 1	pemberian nomor	duplikasi	16	8	66.7
		tidak duplikat	7	29	80.6
Overall Percentage					75.0

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
Step 1 ^a								
pendidik			12.287	2	.002			
pendidik(1)	2.031	.650	9.771	1	.002	7.619	2.133	27.219
pendidik(2)	2.331	.904	6.654	1	.010	10.286	1.750	60.446
Constant	-.827	.453	3.328	1	.068	.438		

a. Variable(s) entered on step 1: pendidik.

Hubungan Pengetahuan dengan Duplikasi Penomoran Rekam Medis

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan * pemberian nomor	60	100.0%	0	0.0%	60	100.0%

pengetahuan * pemberian nomor Crosstabulation

			pemberian nomor		Total
			duplikasi	tidak duplikat	
pengetahuan	baik	Count	3	28	31
		% within pengetahuan	9.7%	90.3%	100.0%
	tidak baik	Count	21	8	29
		% within pengetahuan	72.4%	27.6%	100.0%
Total		Count	24	36	60
		% within pengetahuan	40.0%	60.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	24.572 ^a	1	.000	.000	.000
Continuity Correction ^b	22.027	1	.000		
Likelihood Ratio	26.887	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	24.162	1	.000		
N of Valid Cases	60				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.60.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pengetahuan (baik / tidak baik)	.041	.010	.173
For cohort pemberian nomor = duplikasi	.134	.045	.401
For cohort pemberian nomor = tidak duplikat	3.274	1.795	5.971
N of Valid Cases	60		

Hubungan Usia dengan Duplikasi Penomoran Rekam Medis

Group Statistics

	pemberian nomor	N	Mean	Std. Deviation	Std. Error Mean
umur responden	duplikasi	24	32.63	10.202	2.082
	tidak duplikat	36	31.56	8.904	1.484

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
umur responden	Equal variances assumed	.972	.328	.430	58	.669	1.069	2.488	-3.910	6.049
	Equal variances not assumed			.418	44.716	.678	1.069	2.557	-4.082	6.221