

ANALISA UNIVARIAT

Tehnik Relaksasi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	20	40.0	40.0	40.0
Baik	30	60.0	60.0	100.0
Total	50	100.0	100.0	

Sikap Kooperatif

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	18	36.0	36.0	36.0
Baik	32	64.0	64.0	100.0
Total	50	100.0	100.0	

Indikasi Spinal Anestesi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	20	40.0	40.0	40.0
Baik	30	60.0	60.0	100.0
Total	50	100.0	100.0	

Posisi Anatomis

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	19	38.0	38.0	38.0
Baik	31	62.0	62.0	100.0
Total	50	100.0	100.0	

HASIL STATISTIK PENELITIAN

Statistics

		Tehnik Relaksasi	Sikap Kooperatif	Posisi Anatomis	Indikasi Spinal Anestesi	Total Sikap Kooperatif
N	Valid	50	50	50	50	50
	Missing	0	0	0	0	0
Mean		2.2800	1.5000	1.4400	2.6800	5.6200
Std. Error of Mean		.13106	.10400	.11486	.12597	.19143
Median		3.0000	2.0000	2.0000	3.0000	6.0000
Mode		3.00	2.00	2.00	2.00 ^a	6.00
Std. Deviation		.92670	.73540	.81215	.89077	1.35360
Range		2.00	2.00	2.00	3.00	7.00
Minimum		1.00	.00	.00	1.00	1.00
Maximum		3.00	2.00	2.00	4.00	8.00
Sum		114.00	75.00	72.00	134.00	281.00

a. Multiple modes exist. The smallest value is shown

HASIL NORMALITAS DATA

Descriptives

		Statistic	Std. Error
Tehnik Relaksasi	Mean	1,6	0,06999
	95% Confidence Interval for Mean	Lower Bound Upper Bound	1,4594 1,7406
	5% Trimmed Mean	1,6111	
	Median	2	
	Variance	0,245	
	Std. Deviation	0,49487	
	Minimum	1	
	Maximum	2	
	Range	1	
	Interquartile Range	1	
	Skewness	-0,421	0,337
	Kurtosis	-1,9	0,662

Sikap Kooperatif	Mean		1,64	0,06857
	95% Confidence Interval for Mean	Lower Bound	1,5022	
		Upper Bound	1,7778	
			1,6556	
	5% Trimmed Mean		1,6556	
	Median		2	
	Variance		0,235	
	Std. Deviation		0,48487	
	Minimum		1	
	Maximum		2	
	Range		1	
	Interquartile Range		1	
	Skewness		-0,602	0,337
	Kurtosis		-1,708	0,662
Posisi Anatomis	Mean		1,62	0,06934
	95% Confidence Interval for Mean	Lower Bound	1,4807	
		Upper Bound	1,7593	
			1,6333	
	5% Trimmed Mean		1,6333	
	Median		2	
	Variance		0,24	
	Std. Deviation		0,49031	
	Minimum		1	
	Maximum		2	
	Range		1	
	Interquartile Range		1	
	Skewness		-0,51	0,337
	Kurtosis		-1,814	0,662

ANALISA BIVARIAT

Crosstab

		Indikasi Spinal Anestesi		Total	
		Kurang Baik	Baik		
Tehnik Relaksasi	Kurang Baik	Count	14	6	20
		Expected Count	8,0	12,0	20,0
		% within Tehnik Relaksasi	70,0%	30,0%	100,0%
	Baik	Count	6	24	30
		Expected Count	12,0	18,0	30,0
		% within Tehnik Relaksasi	20,0%	80,0%	100,0%
		% of Total	28,0%	12,0%	40,0%
Total	Count		20	30	50
	Expected Count		20,0	30,0	50,0
	% within Tehnik Relaksasi		40,0%	60,0%	100,0%
	% of Total		40,0%	60,0%	100,0%

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.447	.000
N of Valid Cases	50	

- Not assuming the null hypothesis.
- Using the asymptotic standard error assuming the null hypothesis.

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	12.500 ^a	1	.000		
Continuity Correction	10.505	1	.001		
Likelihood Ratio	12.842	1	.000		
Fisher's Exact Test				.001	.001
Linear-by-Linear Association	12.250	1	.000		
N of Valid Cases	50				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.00.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Teknik Relaksasi (Kurang Baik / Baik)	9.333	2.519	34.576
For cohort Indikasi Spinal Anestesi = Kurang Baik	3.500	1.619	7.567
For cohort Indikasi Spinal Anestesi = Baik	.375	.188	.750
N of Valid Cases	50		

ANALISA BIVARIAT

Crosstab

			Sikap Kooperatif		Total
			Kurang Baik	Baik	
Teknik Relaksasi	Kurang Baik	Count	17	3	20
		Expected Count	7.6	12.4	20.0
		% within Teknik Relaksasi	85.0%	15.0%	100.0%
		% of Total	34.0%	6.0%	40.0%
	Baik	Count	2	28	30
		Expected Count	11.4	18.6	30.0
		% within Teknik Relaksasi	6.7%	93.3%	100.0%
		% of Total	4.0%	56.0%	60.0%
Total	Count	19	31	50	
	Expected Count	19.0	31.0	50.0	
	% within Teknik Relaksasi	38.0%	62.0%	100.0%	
	% of Total	38.0%	62.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	31.254 ^b	1	.000		
Continuity Correction	28.017	1	.000		
Likelihood Ratio	34.802	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	30.628	1	.000		
N of Valid Cases	50				

a. Computed only for a 2x2 table.

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.60.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.620	.000
N of Valid Cases	50	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-laki	31	62.0	62.0	62.0
Perempuan	19	38.0	38.0	100.0
Total	50	100.0	100.0	

Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 30-39 tahun	6	12.0	12.0	12.0
40-49 tahun	24	48.0	48.0	60.0
50-59 tahun	17	34.0	34.0	94.0
60-70 tahun	3	6.0	6.0	100.0
Total	50	100.0	100.0	

Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid SMP	15	30.0	30.0	30.0
SMA	29	58.0	58.0	88.0
Sarjana	6	12.0	12.0	100.0
Total	50	100.0	100.0	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Teknik Relaksasi (Kurang Baik / Baik)	79.333	12.010	524.064
For cohort Total Sikap Kooperatif = Kurang Baik	12.750	3.300	49.256
For cohort Total Sikap Kooperatif = Baik	.161	.056	.458
N of Valid Cases	50		