

**OUTPUT SPSS HASIL ANALISIS BIVARIAT
(HUBUNGAN KEAKTIFAN PETUGAS PENERIMAAN PASIEN BARU
RAWAT JALAN DENGAN KELENGKAPAN PENGISIAN
IDENTITAS PASIEN)**

Tingkat keaktifan * kelengkapan Crosstabulation

			kelengkapan		Total
			lengkap	tidak lengkap	
Tingkat keaktifan	keaktifan tinggi	Count	28	7	35
		% within Tingkat keaktifan	80.0%	20.0%	100.0%
	keaktifan rendah	Count	4	37	41
		% within Tingkat keaktifan	9.8%	90.2%	100.0%
Total		Count	32	44	76
		% within Tingkat keaktifan	42.1%	57.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	38.219 ^a	1	.000		
Continuity Correction ^b	35.392	1	.000		
Likelihood Ratio	42.213	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	37.716	1	.000		
N of Valid Cases	76				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.74.

b. Computed only for a 2x2 table

Lampiran 5

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Tingkat keaktifan (keaktifan tinggi / keaktifan rendah)	37.000	9.855	138.914
For cohort kelengkapan = lengkap	8.200	3.185	21.109
For cohort kelengkapan = tidak lengkap	.222	.113	.433
N of Valid Cases	76		