

Hasil Spss

persentase kategori

N	Valid	48
	Missing	0

persentase kategori

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Lengkap	19	39,6	39,6	39,6
	tidak lengkap	29	60,4	60,4	100,0
	Total	48	100,0	100,0	

Skor pengetahuan

N	Valid	48
	Missing	0
	Mean	12,71

Skor pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	9	1	2,1	2,1	2,1
	10	3	6,3	6,3	8,3
	11	6	12,5	12,5	20,8
	12	16	33,3	33,3	54,2
	13	9	18,8	18,8	72,9
	14	5	10,4	10,4	83,3
	15	3	6,3	6,3	89,6
	16	4	8,3	8,3	97,9
	17	1	2,1	2,1	100,0
	Total	48	100,0	100,0	

pengetahuan

N	Valid	48
	Missing	0

pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Baik	22	45,8	45,8	45,8
	Tidak baik	26	54,2	54,2	100,0
	Total	48	100,0	100,0	

pengetahuan * Kelengkapan Crosstabulation

			Kelengkapan		Total
			lengkap	tidak lengkap	
pengetahuan	Baik	Count	14	8	22
		% within pengetahuan	63,6%	36,4%	100,0%
	Tidak baik	Count	5	21	26
		% within pengetahuan	19,2%	80,8%	100,0%
Total		Count	19	29	48
		% within pengetahuan	39,6%	60,4%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9,826 ^a	1	,002		
Continuity Correction ^b	8,057	1	,005		
Likelihood Ratio	10,146	1	,001		
Fisher's Exact Test				,003	,002
Linear-by-Linear Association	9,621	1	,002		
N of Valid Cases	48				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 8,71.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pengetahuan (Baik / Tidak baik)	7,350	1,991	27,133
For cohort Kelengkapan = lengkap	3,309	1,416	7,732
For cohort Kelengkapan = tidak lengkap	,450	,251	,807
N of Valid Cases	48		

Statistics

pendidikan

N	Valid	48
	Missing	0

pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid D3 kep	45	93,8	93,8	93,8
S1 kep	3	6,3	6,3	100,0
Total	48	100,0	100,0	

pendidikan * Kelengkapan Crosstabulation

		Kelengkapan		Total	
		lengkap	tidak lengkap		
pendidikan	D3 kep	Count	17	28	45
		% within pendidikan	37,8%	62,2%	100,0%
	S1 kep	Count	2	1	3
		% within pendidikan	66,7%	33,3%	100,0%
Total		Count	19	29	48
		% within pendidikan	39,6%	60,4%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,981 ^a	1	,322	,554	,343
Continuity Correction ^b	,145	1	,703		
Likelihood Ratio	,957	1	,328		
Fisher's Exact Test					
Linear-by-Linear Association	,961	1	,327		
N of Valid Cases	48				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,19.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendidikan (D3 kep / S1 kep)	,304	,026	3,607
For cohort Kelengkapan = lengkap	,567	,234	1,371
For cohort Kelengkapan = tidak lengkap	1,867	,371	9,399
N of Valid Cases	48		

lama kerja

N	Valid	48
	Missing	0
	Mean	86,48
	Median	36,00
	Std. Deviation	103,700
	Minimum	3
	Maximum	412

lama kerja

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	2,1	2,1
	4	2	4,2	6,3
	6	3	6,3	12,5
	12	7	14,6	27,1

18	1	2,1	2,1	29,2
24	7	14,6	14,6	43,8
29	1	2,1	2,1	45,8
36	4	8,3	8,3	54,2
46	1	2,1	2,1	56,3
48	1	2,1	2,1	58,3
77	1	2,1	2,1	60,4
84	1	2,1	2,1	62,5
96	5	10,4	10,4	72,9
108	1	2,1	2,1	75,0
120	2	4,2	4,2	79,2
144	1	2,1	2,1	81,3
180	1	2,1	2,1	83,3
204	2	4,2	4,2	87,5
228	1	2,1	2,1	89,6
252	2	4,2	4,2	93,8
312	1	2,1	2,1	95,8
408	1	2,1	2,1	97,9
412	1	2,1	2,1	100,0
Total	48	100,0	100,0	

Group Statistics

Kelengkapan		N	Mean	Std. Deviation	Std. Error Mean
lama kerja	lengkap	19	127,21	123,239	28,273
	tidak lengkap	29	59,79	80,149	14,883

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
lama kerja	Equal variances assumed	3,717	,060	2,301	46	,026	67,417	29,298	8,444	126,391
	Equal variances not assumed			2,110	27,977	,044	67,417	31,951	1,966	132,869

Statistics

umur

N	Valid	48
	Missing	0
	Mean	29,85
	Median	26,00
	Std. Deviation	8,372
	Minimum	22
	Maximum	54

umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	22	4	8,3	8,3	8,3
	23	4	8,3	8,3	16,7
	24	6	12,5	12,5	29,2
	25	7	14,6	14,6	43,8
	26	5	10,4	10,4	54,2
	27	1	2,1	2,1	56,3
	28	2	4,2	4,2	60,4
	29	2	4,2	4,2	64,6
	30	3	6,3	6,3	70,8
	31	1	2,1	2,1	72,9
	32	1	2,1	2,1	75,0
	33	1	2,1	2,1	77,1
	35	1	2,1	2,1	79,2
	38	1	2,1	2,1	81,3
	39	1	2,1	2,1	83,3
	40	1	2,1	2,1	85,4
	41	1	2,1	2,1	87,5
	42	1	2,1	2,1	89,6
	43	2	4,2	4,2	93,8
	49	1	2,1	2,1	95,8
	53	1	2,1	2,1	97,9
	54	1	2,1	2,1	100,0
Total		48	100,0	100,0	

Group Statistics

Kelengkapan		N	Mean	Std. Deviation	Std. Error Mean
umur	lengkap	19	33,68	9,516	2,183
	tidak lengkap	29	27,34	6,553	1,217

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	T	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
umur	Equal variances assumed	4,952	,031	2,737	46	,009	6,339	2,316	1,677	11,002
	Equal variances not assumed			2,536	29,116	,017	6,339	2,499	1,228	11,450