

**ESA UNGGUL UNIVERSITY
FACULTY OF HEALTH SCIENCE
NURSING SCIENCE PROGRAM**

NOVIA ELMA ULPA HELUTH
2010-33-006

**“EFFECT TO MOTHER HOLDING TO THE PAIN IN INFANTS WHEN
IMMUNIZED IN PUSKESMAS KECAMATAN KEBON JERUK
JAKARTA BARAT”**

Chapter xvi + 7 Bab + 79 page + 7 table + 2 scheme + 8 attachment

ABSTRACT

Background: The scope of immunization complete need nine times injections can cause pain in one child in his first year of life. One way to reduce pain immunization on the baby is with given mother holding.

Objectives: This study was to determine the effect to mother holding to the pain in infants when immunized in Puskesmas Kecamatan Kebon Jeruk Jakarta Barat.

Methods: The sample used is baby age 0-12 months coming to visit Puskesmas Kebon Jeruk subdistrict for as many as 40 people immunized with purposive sampling technic. The method used was quasi experiment post test-only non equivalent control group.

Results: Based on the analysis of chi-square test, found a significant decrease influence between the levels of pain in infant when immunized.

Conclusion: Based on the research, acquired the majority of respondents aged 3-0 defeat months (55,0%), the majority of respondents expected to female genitalia (55,0%), the majority of respondents immunized of HB (62,5%) and the majority of respondents in the intervention group experiencing mild pain when immunized (45,0%) while the majority of respondents in the control group experienced the medium level pain (32,5%).

Recommendation: It is recommended for nursing services at Puskesmas Kecamatan Kebon Jeruk Jakarta Barat can apply holding mother to her baby on any implementation of the invasive actions such as immunization.

Keywords : Mother holding, Pain, Immunization.

Bibliography: 28(2005-2014)