

Hasil Uji Validitas dan Reliabilitas Variabel Dukungan Suami

Dukungan Suami	r hasil	r tabel	Keterangan valid	<i>Alpha cronbach</i>	Keterangan reliabel
P1	0,5659	0,4438	Valid	0,8871	Sangat reliabel
P2	0,6025	0,4438	Valid		
P3	0,4505	0,4438	Valid		
P4	0,5346	0,4438	Valid		
P5	0,5914	0,4438	Valid		
P6	0,4636	0,4438	Valid		
P7	0,5085	0,4438	Valid		
P8	0,4771	0,4438	Valid		
P9	0,4748	0,4438	Valid		
P10	0,4709	0,4438	Valid		
P11	0,5377	0,4438	Valid		
P12	0,4806	0,4438	Valid		
P13	0,5583	0,4438	Valid		
P14	0,6486	0,4438	Valid		

Hasil Uji Validitas dan Reliabilitas Variabel Pemilihan Kontrasepsi

Pemilihan Kontrasepsi	r hasil	r tabel	Keterangan valid	<i>Alpha cronbach</i>	Keterangan reliabel
P1	0,5133	0,4438	Valid	0,8725	Sangat reliabel
P2	0,5191	0,4438	Valid		
P3	0,6215	0,4438	Valid		
P4	0,5331	0,4438	Valid		
P5	0,5878	0,4438	Valid		
P6	0,5045	0,4438	Valid		
P7	0,5107	0,4438	Valid		
P8	0,5543	0,4438	Valid		
P9	0,6031	0,4438	Valid		