

## LAMPIRAN

### A. SOURCE CODE

#### KONEKSI.PHP

```
<?php
$koneksi = mysql_connect ('localhost','root','') or
die ('KONEKSI GAGAL');
mysql_select_db ('dbdwi',$koneksi) or die
('Database Hilang');
?>
```

#### INDEX.PHP

```
<?php
session_start();
include 'classPHP/asset.php';
include 'classPHP/koneksi.php';
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1" />
<link rel="stylesheet" type="text/css"
href="css/bootstrap.min.css"></link>
<link rel="stylesheet" type="text/css"
href="css/style1.css" />

<title>Selamat Datang</title>
<script language="javascript"
type="text/javascript" src="js/jquery.js"></script>
<script language="javascript"
type="text/javascript"
src="js/jquery.easing.js"></script>
<script language="javascript"
type="text/javascript" src="js/script.js"></script>
```

```

<script type="text/javascript">
  $(document).ready( function(){
    // buttons for next and previous item

    var buttons = {
previous:$('#jslidernews1 .button-previous') ,

    next:$('#jslidernews1 .button-next') };

    $('#jslidernews1').lofJSidernews( {
interval : 4000,
    direction : 'opacitys',
    easing     : 'easeInOutExp',
    duration   : 1200,
    auto       : true,
    maxItemDisplay : 4,
    navPosition : 'horizontal', //
horizontal
    navigatorHeight : 32,
    navigatorWidth  : 80,
    mainWidth       : 980,
    buttons         : buttons } );

    });
</script>
</head>
<body>
  <div class="container" >
    <div id="header">
      <?php include 'header.php'; ?>
    </div>
    <div id="container">
      <div class="row">
        <div class="col-md-9">
          <div id="contentLeft">
<!----- THE CONTENT
----->

```

```

<div id="jslidernews1" class="lof-slidecontent"
style="width:100%; height:340px;">
    <div class="preload"><div></div></div>
        <!-- MAIN CONTENT -->
        <div class="main-slider-content"
style="width:100%; height:340px;">
            <ul class="sliders-wrap-inner">
                <?php
                    $q = "SELECT * FROM promo WHERE
Status = 1 AND Slide = 1 ORDER BY idPromo DESC";
                    $rs = mysql_query($q);
                    while($row =
mysql_fetch_array($rs)): ?>
                        <li>
                            <?php
                                $source =
getPath($row['PromoName']);
                                //$Path1 =
'../imagePromo/' . $source . "_small." . $row['FileExt1']
;
                                $Path2 =
'imagePromo/' . $source . "_large." . $row['FileExt2'];
                                //$Gambar1 = '';
                                //$Gambar2 = '';
                                ?>
                                <a
href="promoDetail.php?id=<?php echo
$row['idPromo']; ?>">" > </a>
                                <div class="slider-
description">
                                    <div class="slider-
meta">
                                        <a target="_parent"
title="<?php echo $row['PromoName']; ?>"
href="promoDetail.php?id=<?php echo

```



```

        $source = getPath('Hd_'. $idHadiyah);
        $Path =
'imageHadiyah/' . $source . ". " . $row['Image'];
        echo '&nbsp;';
    }
?>
</marquee>
<!------- END OF THE
CONTENT ----->
----->
        </div>
    </div>
    <div class="col-md-3">
        <div class="panel panel-default">
            <div class="panel-body">
                <div id="contentRight1">
                    <?php include 'welcome.php'; ?>
                </div>
            </div>
            <div class="panel-footer">
                <div id="contentRight2">
                    <?php include 'plus.php'; ?>
                </div>
            </div>
        </div>
    </div>
    </div>
    </div>
</div>

<!-- footer website -->
<div class="panel panel-default">
    <div class="panel-footer">
        <!--<div id="footer" align = "center">-->

        <?php include 'footer.php'; ?>
    </div>
</div>

```

```

        </div>

        </div>
</body>
</html>

```

## LOGIN.PHP

```

<?php
session_start();
include 'classPHP/koneksi.php';

$login = FALSE;
$error = '';
$password = $_POST['passwd'];
$username = $_POST['username'];

if(empty($password) && empty($username)){
    $error = 'Username dan password harus diisi!';
} else if($username == ''){
    $error = 'Username harus diisi!';
} else if($password == ''){
    $error = 'Password harus diisi!';
} else {
    $sql = "SELECT idUser, NamaLengkap, Email,
UserName FROM customer WHERE Password =
'".$password."' AND UserName = '".$username."' AND
Status = 1";
    $rs = mysql_query($sql);
    $row = mysql_fetch_array($rs);
    if($row == ""){
        $error = "Username dan Password tidak
sesuai!";
    } else {
        //print_r($row); die;
        $_SESSION['UserName'] = $row['UserName'];
        $_SESSION['NamaLengkap'] =
$row['NamaLengkap'];
        $_SESSION['idUser'] = $row['idUser'];

```

```

        $_SESSION['Email'] = $row['Email'];
        $login = TRUE;

        $q = "UPDATE customer SET LoginDate =
        '". $tgl.'" WHERE Password = '". $Password.'" AND
        UserName = '". $UserName.'" AND Status = 1";
        mysql_query($q);
    }
}

if($login == TRUE){
    echo "<script>location='product.php'</script>";
} else {
    echo
    "<script>location='index.php?err=" . $err . "'</script>
    ";
}
?>

```

### **LOGOUT.PHP**

```

<?php
    session_start();
    session_destroy();
    echo
    "<script>location='loginForm.php'</script>";
?>

```

### **REGISTERSAVE.PHP**

```

<?php
include 'classPHP/koneksi.php';
>NamaLengkap = $_POST['NamaLengkap'];
>NamaPanggilan = $_POST['NamaPanggilan'];
>Perusahaan = $_POST['Perusahaan'];
>Alamat = $_POST['Alamat'];
>Kota = $_POST['Kota'];
>Provinsi = $_POST['Provinsi'];
>Telepon = $_POST['Telepon'];
>Handphone = $_POST['Handphone'];

```

```

$email = $_POST['Email'];
$username = $_POST['UserName'];
$password = $_POST['Password'];
$deskripsi = $_POST['Deskripsi'];
$tanggal = date('Y-m-d H:i:s');
//echo "Tanggal = ".$tanggal; die();
if($namalengkap == '' || $alamat == '' || $kota ==
'' || $provinsi == '' || $handphone == '' || $email
== '' || $username == '' || $password == '') {
    echo "<script>alert('NamaLengkap, Alamat,
Kota, Provinsi, Handphone, Email, Username,
Password harus diisi');</script>";
    $msg = "NamaLengkap, Alamat, Kota, Provinsi,
Handphone, Email, Username, Password harus diisi";
    echo
"<script>location='register.php?msg=".$msg."</scri
pt>";
} else {
    $q = "INSERT INTO customer (idUser,
NamaLengkap, NamaPanggilan, Perusahaan, Alamat,
Kota, Provinsi, Telepon, Handphone,Email, Username,
Password, Deskripsi, TanggalRegister, Status)
VALUES ('', ".$namaLengkap."',
'".$namaPanggilan."', ' ".$perusahaan."',
' ".$alamat."', ' ".$kota."', ' ".$provinsi."',
' ".$telepon."', ' ".$handphone."', ' ".$email."',
' ".$username."', ' ".$password."', ' ".$deskripsi."',
' ".$tanggal."', '1')";
    mysql_query($q);
    //echo "q = ".$q; die();
    $msg = "Terima Kasih Pesan Anda Telah
Melakukan Registrasi";
    echo
"<script>location='register.php?msg=".$msg."</scri
pt>";
}
?>

```



**WISH\_INSERT.PHP**

```

<?php
session_start();
include 'classPHP/asset.php';
include 'classPHP/koneksi.php';

$IdMember = $_SESSION['idUser'];
$idProduct = $_POST['idProduct'];
$Tanggal = date('Y-m-d H:i:s');

$q = "INSERT INTO wish_list (IdMember, idProduct,
Date)
        VALUES ('".$IdMember."', '".$idProduct."',
'".$Tanggal."')";
mysql_query($q);
//echo "q = ".$q; //die();
echo "<script>location='product.php'</script>";
?>

```

**WISHBELISAVE.PHP**

```

<?php
session_start();
include 'classPHP/asset.php';
include 'classPHP/koneksi.php';

$IdSalesOrder = getIdSalesOrder();

//print_r($_POST); die;
$line = $_POST['line'];
$Qty = $_POST['Qty'];

$IdCustomer = $_SESSION['idUser'];
$SalesOrderDate = date('Y-m-d H:i:s');
$StatusOrder = 0;
$StatusPayment = '';
$PaymentMethod = '';

```

```

$EntryBy = $_SESSION['idUser'];
$EntryDate = date('Y-m-d H:i:s');
$updateBy = $_SESSION['idUser'];
$updateDate = date('Y-m-d H:i:s');
$Description = 'wish list';

// create header
$sql = "INSERT INTO sales_order(idSalesOrder,
idCustomer, SalesOrderDate, StatusOrder,
StatusPayment,
        PaymentMethod, EntryBy, EntryDate,
UpdateBy, UpdateDate, Description)
        VALUES ('.$idSalesOrder.',
'".$idCustomer."', '".$SalesOrderDate."',
'".$StatusOrder."',
        '".$StatusPayment."', '".$PaymentMethod."',
'".$EntryBy."', '".$EntryDate."', '".$UpdateBy."',
        '".$UpdateDate."', '".$Description."');
mysql_query($sql);

foreach ($line as $ln => $Value){
    if($Value == "1"){
        $idProduct = $ln;
        $LineNumber = getSOline($idSalesOrder);
        $PriceUnit = getHarga($idProduct);
        $qty = $Qty[$ln];
        $Discount = getDiscountScema($idProduct,
$qty);

        $Tax = getProductTax($idProduct);
        $LineAmount = ($qty * ($PriceUnit + $Tax))
- $Discount;

        $sql = "INSERT INTO
sales_order_line(idSalesOrder, LineNumber,
idProduct, Qty, PriceUnit, Discount, LineAmount,
Tax, Description)
                VALUES ('.$idSalesOrder.',
'".$LineNumber."', '".$idProduct."', '".$qty."',

```

```

'".$PriceUnit."', '".$Discount."',
'".$LineAmount."', '".$Tax."', '".$Description.'');
    mysql_query($sql);

    $q = "DELETE FROM wish_list WHERE idProduct
= '".$idProduct.'" AND idMember =
'".$idCustomer.'";
    mysql_query($q);
}
}
echo
"<script>location='beli.php?id=".$idSalesOrder.'"</
script>";
?>

```

### **BELIBAYARSAVE.PHP**

```

<?php
session_start();
include 'classPHP/asset.php';
include 'classPHP/koneksi.php';

$idSalesOrder = $_POST['idSalesOrder'];
$PaymentMethod = $_POST['PaymentMethod'];

$fileType2 = $_FILES['picture2']['type'];
$fileName2 = $_FILES['picture2']['name']; //get the
file name
$fileSize2 = $_FILES['picture2']['size']; //get the
size
$fileError2 = $_FILES['picture2']['error'];
$extention = explode(".", $fileName2);
$ext2 = end($extention);
$source = getPath($_SESSION['NamaLengkap']);
$Path2 = 'imageBayar/' . $source . "_" . $idSalesOrder;
$arrExtention = array('jpg', 'jpeg', 'png', 'pdf',
'JPG', 'JPEG', 'PNG', 'GIF');

if(!empty($fileName2)){

```

```

        if(file_exists($Path2.$ext2)) unlink
($Path2.$ext2);
        if(in_array($ext2, $arrExtention)){
            $upd =
copy($_FILES['picture2']['tmp_name'],
$Path2.$ext2);
            shell_exec('chmod 777 '.$Path2.$ext2);

            $sql = "UPDATE sales_order SET FileExt =
'".$ext2."', PaymentMethod = '".$PaymentMethod."',
                StatusOrder = 1
                WHERE idSalesOrder =
'".$idSalesOrder."'";
            //echo "SQL = ".$sql;
            mysql_query($sql);
            hitungPoint($idSalesOrder,
$_SESSION['idUser']);
            potongStock($idSalesOrder);
        }
        echo
"<script>location='beli.php?id=".$idSalesOrder.'"</
script>";
    } else {
        echo "<script>location='beliBayar.php?err=Bukti
Bayar tidak ada'</script>";
    }
?>

```

### **BELIMINSAVE.PHP**

```

<?php
session_start();
include 'classPHP/asset.php';
include 'classPHP/koneksi.php';

$idSalesOrder = $_POST['idSalesOrder'];
$Tanggal = date('Y-m-d H:i:s');
$line = $_POST['line'];

```

```

foreach ($line as $ln => $Value){
    if($Value == 1){
        $q = "DELETE FROM sales_order_line WHERE
LineNumber = '". $ln.'" AND idSalesOrder =
'". $idSalesOrder."'";
        mysql_query($q);
    }
}
echo
"<script>location='beli.php?id=" . $idSalesOrder . "'</
script>";
?>

```

### **ORDERINSERT.PHP**

```

<?php
session_start();
include 'classPHP/asset.php';
include 'classPHP/koneksi.php';

$idProduct = $_POST['idProduct'];
$Qty = $_POST['Qty'];
if($Qty < 1) {
    echo "<script> alert('Quantity harus diisi!');
</script>";
    echo
"<script>location='productDetail.php?id=" . $idProduct .
t.'"</script>";
}
if(empty($_SESSION['idSalesOrder'])) {
    $idSalesOrder = getIdSalesOrder();
    $_SESSION['idSalesOrder'] = $idSalesOrder;
} else {
    $idSalesOrder = $_SESSION['idSalesOrder'];
}
$LineNumber = getSOline($idSalesOrder);
$PriceUnit = getHarga($idProduct);

$Discount = getDiscountScema($idProduct, $Qty);

```

```

$Tax = getProductTax($idProduct);
$LineAmount = ($Qty * ($PriceUnit + $Tax)) -
$Discount;

$idCustomer = $_SESSION['idUser'];
$SalesOrderDate = date('Y-m-d H:i:s');
$statusOrder = 0;
$statusPayment = '';
$PaymentMethod = '';

$EntryBy = $_SESSION['idUser'];
$EntryDate = date('Y-m-d H:i:s');
$updateBy = $_SESSION['idUser'];
$updateDate = date('Y-m-d H:i:s');
$Description = '';

// create header
$sql = "INSERT INTO sales_order(idSalesOrder,
idCustomer, SalesOrderDate, StatusOrder,
StatusPayment,
        PaymentMethod, EntryBy, EntryDate,
UpdateBy, UpdateDate, Description)
VALUES('".$idSalesOrder."',
'".$idCustomer."', '".$SalesOrderDate."',
'".$StatusOrder."',
        '".$StatusPayment."', '".$PaymentMethod."',
'".$EntryBy."', '".$EntryDate."', '".$UpdateBy."',
        '".$UpdateDate."', '".$Description."')";
mysql_query($sql);

$sql = "INSERT INTO sales_order_line(idSalesOrder,
LineNumber, idProduct, Qty, PriceUnit, Discount,
LineAmount, Tax, Description)
VALUES('".$idSalesOrder."',
'".$LineNumber."', '".$idProduct."', '.$Qty."',
'".$PriceUnit."', '".$Discount."',

```

```

'".$LineAmount."', '".$Tax."',
'".$Description."');
mysql_query($sql);

```

```

echo "<script>location='product.php'</script>";
?>

```

### **CONTACTSAVE.PHP**

```

<?php
include 'classPHP/koneksi.php';
$Nama = $_POST['Nama'];
>Email = $_POST['Email'];
>Telepon = $_POST['Telepon'];
>Perusahaan = $_POST['Perusahaan'];
>Pesan = $_POST['Pesan'];
>Tanggal = date('Y-m-d H:i:s');
//echo "Tanggal = ".$Tanggal; die();
if($Nama == '' || $Email == '' || $Telepon == '' ||
>Pesan == '') {
    echo "<script>alert('Nama, Email, Telepon,
>Pesan harus diisi');</script>";
    $msg = "Nama, Email, Telepon, Pesan harus
>diisi";
    echo
"<script>location='contact.php?msg=".$msg."'</scrip
>t>";
} else {
    $q = "INSERT INTO message
>(Id,Nama,Email,Telepon,Perusahaan,Pesan,Tanggal)
VALUES ('', '".$Nama."',
'".$Email."', '".$Telepon."', '".$Perusahaan."',
'".$Pesan."', '".$Tanggal."')";
    mysql_query($q);
    //echo "q = ".$q; die();
    $msg = "Terima Kasih Pesan Anda Telah
Terkirim";

```

```

    echo
"<script>location='contact.php?msg=" . $msg. "'</scrip
t>";

}
?>

```

## B. HASIL METODOLOGI SCRUM

### 1. TABEL PRODUCT BACKLOG

No	Nama	Kepentingan	Perkiraan Waktu	Demo	Catatan
1	<i>Whislist</i>	20	5	<i>Login, klik item yang dikehendaki untuk di tambahkan ke daftar keinginan (wish list)</i>	-
2	<i>Shopping Cart</i>	25	8	<i>Login, klik item yang di kehendaki untuk di masukkan ke keranjang belanja (shopping</i>	-



				<i>cart)</i>	
3	Pembayaran	30	5	<i>Login, klik button pembayaran.</i>	Perlu UML diagram
4	<i>Point Reward</i>	25	7	<i>Login, klik button untuk menukarkan point.</i>	Perlu <i>activity diagram</i>

## 2. TABEL SPRINT BACKLOG

**Tabel Sprint ke-1**

No	Task Description	Task Status	Days in Sprint				
			1	2	3	4	5
Proses Pembuatan <i>Whislist</i>							
1	Perancangan Database	Complete	30menit	10menit	0	0	0
2	Perancangan Interface	Complete	20menit	20menit	20menit	0	0
3	Coding	Complete	2jam	2jam	2jam	2jam	1jam

**Tabel Sprint ke-2**

No	Task Description	Task Status	Days in Sprint							
			1	2	3	4	5	6	7	8
Proses Pembuatan <i>Shopping Cart</i>										
1	Perancangan Database	Complete	1jam	20menit	0	0	0	0	0	0
2	Perancangan Interface	Complete	1jam	20menit	20menit	0	0	0	0	0
3	Coding	Complete	2jam	2jam	2jam	2jam	2jam	2jam	2jam	1jam

**Tabel Sprint ke-3**

No	Task Description	Task Status	Days in Sprint				
			1	2	3	4	5
Proses Pembuatan Pembayaran							
1	Perancangan Database	Complete	30menit	10menit	0	0	0
2	Perancangan Interface	Complete	1jam	20menit	0	0	0
3	Coding	Complete	2jam	2jam	2jam	2jam	2jam

**Tabel Sprint ke-4**

No	Task Description	Task Status	Days in Sprint				
			1	2	3	4	5
Proses Pembuatan <i>Point Reward</i>							
1	Perancangan Database	Complete	30menit	10menit	0	0	0
2	Perancangan Interface	Complete	1jam	20menit	20menit	0	0
3	Coding	Complete	2jam	2jam	2jam	2jam	2jam