

FREQUENCIES VARIABLES=usia pendidikan lamakerja pengetahuan sikap penggunaanAPD  
 /ORDER=ANALYSIS.

## Frequencies

Notes	
Output Created	11-JAN-2015 15:05:35
Comments	
	C:\Users\Asus\Documents\data
	kuesioner.sav
	DataSet1
Input	<none>
	<none>
	<none>
	N of Rows in Working Data File 38
	User-defined missing values are treated as missing.
Missing Value Handling	Statistics are based on all cases with valid data.
	FREQUENCIES VARIABLES=usia
	pendidikan lamakerja pengetahuan sikap
	penggunaanAPD
	/ORDER=ANALYSIS.
	Processor Time 00:00:00,02
Resources	
	Elapsed Time 00:00:00,01

**Statistics**

		noresponden	usia	pendidikan	lamakerja	pengetahuan	sikap	penggunaanAPD
N	Valid	38	38	38	38	38	38	38
	Missing	0	0	0	0	0	0	0
Std. Deviation		11,113	,413	,500	,460	,495	,506	,446
Percentiles								
	25	10,00 <sup>a</sup>	,29 <sup>a</sup>	,08 <sup>a</sup>	,21 <sup>a</sup>	,11 <sup>a</sup>	,03 <sup>a</sup>	,24 <sup>a</sup>
	50	19,50	,79	,58	,71	,61	,53	,74
	75	29,00	.	.	.	.	.	.

a. Percentiles are calculated from grouped data.

**Frequency Table**

**noresponden**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	2,6	2,6	2,6
	2	1	2,6	2,6	5,3
	3	1	2,6	2,6	7,9
	4	1	2,6	2,6	10,5
	5	1	2,6	2,6	13,2
	6	1	2,6	2,6	15,8
	7	1	2,6	2,6	18,4

8	1	2,6	2,6	21,1
9	1	2,6	2,6	23,7
10	1	2,6	2,6	26,3
11	1	2,6	2,6	28,9
12	1	2,6	2,6	31,6
13	1	2,6	2,6	34,2
14	1	2,6	2,6	36,8
15	1	2,6	2,6	39,5
16	1	2,6	2,6	42,1
17	1	2,6	2,6	44,7
18	1	2,6	2,6	47,4
19	1	2,6	2,6	50,0
20	1	2,6	2,6	52,6
21	1	2,6	2,6	55,3
22	1	2,6	2,6	57,9
23	1	2,6	2,6	60,5
24	1	2,6	2,6	63,2
25	1	2,6	2,6	65,8
26	1	2,6	2,6	68,4
27	1	2,6	2,6	71,1
28	1	2,6	2,6	73,7
29	1	2,6	2,6	76,3
30	1	2,6	2,6	78,9
31	1	2,6	2,6	81,6
32	1	2,6	2,6	84,2
33	1	2,6	2,6	86,8
34	1	2,6	2,6	89,5
35	1	2,6	2,6	92,1
36	1	2,6	2,6	94,7
37	1	2,6	2,6	97,4
38	1	2,6	2,6	100,0
Total	38	100,0	100,0	

[DataSet1] C:\Users\Asus\Documents\data kuesioner.sav

**Statistics**

	usia	pendidikan	lamakerja	pengetahuan	sikap	penggunaanA PD
N	Valid	38	38	38	38	38
	Missing	0	0	0	0	0

**Frequency Table**

**usia**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kecil dari 30	8	21,1	21,1
	besar dari 30	30	78,9	100,0
	Total	38	100,0	

**pendidikan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak tamat SMP	16	42,1	42,1	42,1
tamat SMP	22	57,9	57,9	100,0
Valid Total	38	100,0	100,0	

**lamakerja**

	Frequency	Percent	Valid Percent	Cumulative Percent
< 5 tahun	11	28,9	28,9	28,9
> 5 tahun	27	71,1	71,1	100,0
Valid Total	38	100,0	100,0	

**pengetahuan**

	Frequency	Percent	Valid Percent	Cumulative Percent
baik	15	39,5	39,5	39,5
kurang baik	23	60,5	60,5	100,0
Valid Total	38	100,0	100,0	

**sikap**

	Frequency	Percent	Valid Percent	Cumulative Percent
positif	18	47,4	47,4	47,4
negatif	20	52,6	52,6	100,0
Valid	38	100,0	100,0	
Total				

**penggunaanAPD**

	Frequency	Percent	Valid Percent	Cumulative Percent
baik	10	26,3	26,3	26,3
kurang baik	28	73,7	73,7	100,0
Valid	38	100,0	100,0	
Total				

CROSSTABS

/TABLES=penggunaanAPD BY pengetahuan sikap

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ RISK

/CELLS=COUNT ROW

/COUNT ROUND CELL.

## Crosstabs

		Notes	
Output Created			11-JAN-2015 15:04:23
Comments			
Input	Data	C:\Users\Asus\Documents\data kuesioner.sav	
	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
Missing Value Handling	N of Rows in Working Data File		38
	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.	
Syntax		CROSSTABS /TABLES=penggunaanAPD BY pengetahuan sikap /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT ROW /COUNT ROUND CELL.	
Resources	Processor Time		00:00:00,02
	Elapsed Time		00:00:00,03
	Dimensions Requested		2
	Cells Available		174734

[DataSet1] C:\Users\Asus\Documents\data kuesioner.sav

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
penggunaanAPD * pengetahuan	38	100,0%	0	0,0%	38	100,0%
penggunaanAPD * sikap	38	100,0%	0	0,0%	38	100,0%

**penggunaanAPD \* pengetahuan**

**Crosstab**

			pengetahuan		Total
			kurang baik	baik	
penggunaanAPD	kurang baik	Count	7	3	10
		% within penggunaanAPD	70,0%	30,0%	100,0%
	baik	Count	8	20	28
		% within penggunaanAPD	28,6%	71,4%	100,0%
Total	Count	15	23	38	
	% within penggunaanAPD	39,5%	60,5%	100,0%	



**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,293 <sup>a</sup>	1	,021		
Continuity Correction <sup>b</sup>	3,701	1	,054		
Likelihood Ratio	5,262	1	,022		
Fisher's Exact Test				,030	,028
Linear-by-Linear Association	5,154	1	,023		
N of Valid Cases	38				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,95.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for penggunaanAPD (kurang baik / baik)	5,833	1,200	28,366
For cohort pengetahuan = kurang baik	2,450	1,202	4,996
For cohort pengetahuan = baik	,420	,158	1,114
N of Valid Cases	38		

**penggunaanAPD \* sikap**

**Crosstab**

			sikap		Total
			Negatif	Positif	
penggunaanAPD	kurang baik	Count	8	2	10
		% within penggunaanAPD	80,0%	20,0%	100,0%
	Baik	Count	10	18	28
		% within penggunaanAPD	35,7%	64,3%	100,0%
Total	Count	18	20	38	
	% within penggunaanAPD	47,4%	52,6%	100,0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,797 <sup>a</sup>	1	,016		
Continuity Correction <sup>b</sup>	4,156	1	,041		
Likelihood Ratio	6,067	1	,014		
Fisher's Exact Test				,027	,020
Linear-by-Linear Association	5,644	1	,018		
N of Valid Cases	38				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 4,74.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for penggunaanAPD (kurang baik / baik)	7,200	1,274	40,678
For cohort sikap = positif	2,240	1,247	4,023
For cohort sikap = negatif	,311	,087	1,108
N of Valid Cases	38		