

```

RELIABILITY
/VARIABLES=P1 P2 P3 P4 P5 P6 P7 P8 P9 P10
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/STATISTICS=DESCRIPTIVE SCALE
/SUMMARY=TOTAL.

```

Reliability

Notes		
Output Created		10-JAN-2015 19:21:47
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	17
Missing Value Handling	Matrix Input	
	Definition of Missing	User-defined missing values are treated as missing.
Syntax	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
		RELIABILITY
		/VARIABLES=P1 P2 P3 P4 P5 P6 P7 P8 P9 P10
Resources		/SCALE('ALL VARIABLES') ALL
		/MODEL=ALPHA
		/STATISTICS=DESCRIPTIVE SCALE
		/SUMMARY=TOTAL.
	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

[DataSet0]

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	10	58,8
	Excluded ^a	7	41,2
	Total	17	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,966	10

Item Statistics

	Mean	Std. Deviation	N
P1	2,20	1,033	10
P2	2,20	1,033	10
P3	2,90	,738	10
P4	2,90	,994	10
P5	2,90	,738	10
P6	2,20	1,033	10
P7	2,90	,738	10
P8	2,90	,738	10
P9	2,90	,994	10
P10	2,20	1,033	10

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	24,00	50,444	,879	,961
P2	24,00	50,444	,879	,961
P3	23,30	54,678	,841	,963
P4	23,30	51,567	,829	,963
P5	23,30	54,678	,841	,963
P6	24,00	50,444	,879	,961
P7	23,30	54,678	,841	,963
P8	23,30	54,678	,841	,963
P9	23,30	51,567	,829	,963
P10	24,00	50,444	,879	,961

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
26,20	64,400	8,025	10

RELIABILITY

```
/VARIABLES=P1 P2 P3 P4 P5 P6 P7 P8 P9 P10 P11 P12 P13 P14 P15  
/SCALE('ALL VARIABLES') ALL  
/MODEL=ALPHA  
/STATISTICS=DESCRIPTIVE SCALE  
/SUMMARY=TOTAL.
```

Reliability

Notes		
Output Created		10-JAN-2015 18:44:05
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Matrix Input	
	Definition of Missing	User-defined missing values are treated as missing.
Syntax	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
		RELIABILITY
		/VARIABLES=P1 P2 P3 P4 P5 P6 P7 P8
		P9 P10 P11 P12 P13 P14 P15
		/SCALE('ALL VARIABLES') ALL
Resources		/MODEL=ALPHA
		/STATISTICS=DESCRIPTIVE SCALE
		/SUMMARY=TOTAL.
	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

[DataSet0]

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	10	100,0
	Excluded ^a	0	,0
	Total	10	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,956	15

Item Statistics

	Mean	Std. Deviation	N
P1	,40	,516	10
P2	,30	,483	10
P3	,60	,516	10
P4	,60	,516	10
P5	,60	,516	10
P6	,40	,516	10
P7	,60	,516	10
P8	,30	,483	10
P9	,60	,516	10
P10	,60	,516	10
P11	,60	,516	10
P12	,80	,422	10
P13	,60	,516	10
P14	,80	,422	10
P15	,60	,516	10

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Cronbach's Alpha if Item Deleted
P1	8,00	29,556	,871	,950
P2	8,10	30,544	,737	,953
P3	7,80	30,178	,752	,952
P4	7,80	29,956	,794	,951
P5	7,80	30,178	,752	,952
P6	8,00	29,556	,871	,950
P7	7,80	30,622	,669	,954
P8	8,10	30,544	,737	,953
P9	7,80	30,178	,752	,952
P10	7,80	29,956	,794	,951
P11	7,80	30,622	,669	,954
P12	7,60	31,156	,718	,953
P13	7,80	30,622	,669	,954
P14	7,60	31,156	,718	,953
P15	7,80	30,178	,752	,952

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
8,40	34,711	5,892	15

```
GET
FILE='C:\Users\Asus\Documents\output reliabilitas sikap.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
```

```
GET
FILE='C:\Users\Asus\Documents\reliabilitas pengetahuan.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
```