

LAMPIRAN

Lampiran 1

Lampiran 2

Lampiran 3

Lampiran 4

Kelompok Kontrol

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
Terapi 1 * Terapi 12	6	100.0%	0	0.0%	6	100.0%

Descriptive Statistics

	N	Mean	Std. Deviation
sebelum	6	67.383	12.5113
sesudah	6	53.383	12.6746
Selisih	6	14.000	3.2766
Valid N (listwise)	6		

Kelompok Perlakuan

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
sebelum	6	50.0%	6	50.0%	12	100.0%
sesudah	6	50.0%	6	50.0%	12	100.0%
selisih	6	50.0%	6	50.0%	12	100.0%

Descriptive Statistics

	sebelum	sesudah	selisih
Mean	64.967	31.630	33.337
N	6	6	6
Std. Deviation	14.3132	11.2451	7.2160

Uji Hipotesis 1 kelompok kontrol – Paired Sample T-test

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	sebelum	67.383	6	12.5113	5.1077
	sesudah	53.383	6	12.6746	5.1744

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	sebelum & sesudah	6	.966	.002

Paired Samples Test

		Paired Differences				t	df	Sig. (2-tailed)	
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower				Upper
Pair 1	sebelum – sesudah	14.0000	3.2766	1.3377	10.5614	17.4386	10.466	5	.000

UJI HIPOTESIS II kelompok perlakuan - Paired Sample T-test

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	sebelum	64.967	6	14.3132	5.8433
	sesudah	31.630	6	11.2451	4.5908

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	sebelum & sesudah	6	.867	.025

Paired Samples Test

		Paired Differences				t	df	Sig. (2-tailed)	
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower				Upper
Pair 1	sebelum - sesudah	33.3367	7.2160	2.9459	25.7640	40.9094	11.316	5	.000

UJI HIPOTESIS III – kelompok kontrol dan kelompok perlakuan – Independent Samples T-test

Group Statistics

		kelompok	N	Mean	Std. Deviation	Std. Error Mean
sebelum	kontrol		6	67.383	12.5113	5.1077
	perlakuan		6	64.967	14.3132	5.8433

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
sebelum	Equal variances assumed	.153	.704	.311	10	.762	2.4167	7.7610	-14.8760	19.7093
	Equal variances not assumed			.311	9.824	.762	2.4167	7.7610	-14.9180	19.7513

Lampiran 5

Sampel Massage



Lampiran 6

Sampel Massage dan Mobilisasi Glenohumeral Joint

