

LAMPIRAN

A. ANALISIS DATA UNIVARIAT

	Umur bulan	Jenis Kelamin	kelompok status gizi	kelompok umur BB/U	Apakah dalam 6 bln terakhir [NAMA] mendapatkan kapsul vitami	asi eksklusif
N Valid	111	111	111	111	111	111
Missing	0	0	0	0	0	0
Mean	17,86	1,46	1,8559	1,7117	1,19	1,5315
Median	17,00	1,00	2,0000	2,0000	1,00	2,0000
Mode	16	1	2,00	2,00	1	2,00
Skewness	-,007	,165	-2,054	-,948	1,609	-,128
Std. Error of Skewness	,229	,229	,229	,229	,229	,229
Kurtosis	-1,286	-2,009	2,260	-1,123	,599	-2,020
Std. Error of Kurtosis	,455	,455	,455	,455	,455	,455
Minimum	12	1	1,00	1,00	1	1,00
Maximum	23	2	2,00	2,00	2	2,00
Sum	1983	162	206,00	190,00	132	170,00

Umur bulan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 12	5	4,5	4,5	4,5
13	8	7,2	7,2	11,7
14	11	9,9	9,9	21,6
15	8	7,2	7,2	28,8
16	14	12,6	12,6	41,4
17	10	9,0	9,0	50,5
18	6	5,4	5,4	55,9
19	4	3,6	3,6	59,5
20	12	10,8	10,8	70,3
21	12	10,8	10,8	81,1
22	8	7,2	7,2	88,3
23	13	11,7	11,7	100,0
Total	111	100,0	100,0	

**Jenis Kelamin**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki - Laki	60	54,1	54,1	54,1
	Perempuan	51	45,9	45,9	100,0
	Total	111	100,0	100,0	

**kelompok status gizi BB/TB**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurus	16	14,4	14,4	14,4
	normal	95	85,6	85,6	100,0
	Total	111	100,0	100,0	

**kelompok status gizi BB/U**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang	32	28,8	28,8	28,8
	baik	79	71,2	71,2	100,0
	Total	111	100,0	100,0	

**mendapatkan kapsul vitamin A**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	90	81,1	81,1	81,1
	Tidak	21	18,9	18,9	100,0
	Total	111	100,0	100,0	

**asi eksklusif**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak asi eks	52	46,8	46,8	46,8
	asi eks	59	53,2	53,2	100,0
	Total	111	100,0	100,0	

## B. ANALISIS DATA BIVARIAT

### 1. HUBUNGAN JENIS KELAMIN DENGAN STATUS GIZI BB/TB

#### Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
	Jenis Kelamin * kelompok status gizi	111	100,0%	0	,0%	111

Jenis Kelamin * kelompok status gizi Crosstabulation					
		kelompok status gizi		Total	
		kurus	normal		
Jenis Kelamin	Laki - Laki	Count	9	51	60
		% within kelompok status gizi	56,3%	53,7%	54,1%
	Perempuan	Count	7	44	51
		% within kelompok status gizi	43,8%	46,3%	45,9%
Total		Count	16	95	111
		% within kelompok status gizi	100,0%	100,0%	100,0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,036(b)	1	,849	1,000	,534
Continuity Correction(a)	,000	1	1,000		
Likelihood Ratio	,036	1	,849		
Fisher's Exact Test					
Linear-by-Linear Association	,036	1	,850		
N of Valid Cases	111				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 7,35.

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis Kelamin (Laki - Laki / Perempuan)	1,109	,382	3,224
For cohort kelompok status gizi = kurus	1,093	,438	2,727
For cohort kelompok status gizi = normal	,985	,846	1,148
N of Valid Cases	111		

2. Hubungan antara jenis kelamin dengan status gizi menurut BB/U

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jenis Kelamin * kelompok umur BB/U	111	100,0%	0	,0%	111	100,0%

			kelompok umur BB/U		Total
			kurang	baik	
Jenis Kelamin	Laki - Laki	Count	20	40	60
		% within kelompok umur BB/U	62,5%	50,6%	54,1%
	Perempuan	Count	12	39	51
		% within kelompok umur BB/U	37,5%	49,4%	45,9%
Total		Count	32	79	111
		% within kelompok umur BB/U	100,0%	100,0%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,291(b)	1	,256		
Continuity Correction(a)	,858	1	,354		
Likelihood Ratio	1,303	1	,254		
Fisher's Exact Test				,297	,177
Linear-by-Linear Association	1,280	1	,258		
N of Valid Cases	111				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 14,70.

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis Kelamin (Laki - Laki / Perempuan)	1,625	,701	3,767
For cohort kelompok umur BB/U = kurang	1,417	,769	2,609
For cohort kelompok umur BB/U = baik	,872	,689	1,103
N of Valid Cases	111		

3. Hubungan antara pemberian kapsul vitamin A dengan status gizi BB/TB

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Apakah dalam 6 bln terakhir [NAMA] mendapatkan kapsul vitami * kelompok status gizi	111	100,0%	0	,0%	111	100,0%

**Apakah dalam 6 bln terakhir [NAMA] mendapatkan kapsul vitami \* kelompok status gizi Crosstabulation**

			kelompok status gizi		Total
			kurus	normal	
Apakah dalam 6 bln terakhir [NAMA] mendapatkan kapsul vitami	Ya	Count	11	79	90
		% within kelompok status gizi	68,8%	83,2%	81,1%
	Tidak	Count	5	16	21
		% within kelompok status gizi	31,3%	16,8%	18,9%
Total		Count	16	95	111
		% within kelompok status gizi	100,0%	100,0%	100,0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,853(b)	1	,173		
Continuity Correction(a)	1,033	1	,309		
Likelihood Ratio	1,664	1	,197		
Fisher's Exact Test				,180	,154
Linear-by-Linear Association	1,836	1	,175		
N of Valid Cases	111				

a Computed only for a 2x2 table

b 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,03.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Apakah dalam 6 bln terakhir [NAMA] mendapatkan kapsul vitami (Ya / Tidak)	,446	,136	1,459
For cohort kelompok status gizi = kurus	,513	,200	1,320
For cohort kelompok status gizi = normal	1,152	,896	1,481
N of Valid Cases	111		

#### 4. Hubungan antara pemberian kapsul vitamin A dengan status gizi BB/U

Crosstab					
			kelompok umur BB/U		Total
			kurang	baik	
Apakah dalam 6 bln terakhir [NAMA] mendapatkan kapsul vitami	Ya	Count	24	66	90
		% within kelompok umur BB/U	75,0%	83,5%	81,1%
	Tidak	Count	8	13	21
		% within kelompok umur BB/U	25,0%	16,5%	18,9%
Total	Count	32	79	111	
		% within kelompok umur BB/U	100,0%	100,0%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,084(b)	1	,298		
Continuity Correction(a)	,598	1	,439		
Likelihood Ratio	1,041	1	,308		
Fisher's Exact Test				,299	,217
Linear-by-Linear Association	1,074	1	,300		
N of Valid Cases	111				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 6,05.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Apakah dalam 6 bln terakhir [NAMA] mendapatkan kapsul vitami (Ya / Tidak)	,591	,218	1,601
For cohort kelompok umur BB/U = kurang	,700	,368	1,333
For cohort kelompok umur BB/U = baik	1,185	,828	1,694
N of Valid Cases	111		

### 5. Hubungan antara ASI EKSKLUSIF dengan status gizi menurut BB/TB

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
asi eksklusif * kelompok status gizi	111	100,0%	0	,0%	111	100,0%

			kelompok status gizi		Total
			kurus	normal	
asi eksklusif	tidak asi eks	Count	8	44	52
		% within kelompok status gizi	50,0%	46,3%	46,8%
	asi eks	Count	8	51	59
		% within kelompok status gizi	50,0%	53,7%	53,2%
Total		Count	16	95	111
		% within kelompok status gizi	100,0%	100,0%	100,0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,075(b)	1	,785		
Continuity Correction(a)	,000	1	,998		
Likelihood Ratio	,075	1	,785		
Fisher's Exact Test				,794	,497
Linear-by-Linear Association	,074	1	,786		
N of Valid Cases	111				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 7,50.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for asi eksklusif (tidak asi eks / asi eks)	1,159	,402	3,345
For cohort kelompok status gizi = kurus	1,135	,458	2,808
For cohort kelompok status gizi = normal	,979	,839	1,142
N of Valid Cases	111		

### 6. Hubungan antara ASI EKSKLUSIF dengan status gizi menurut BB/U Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
asi eksklusif * kelompok umur BB/U	111	100,0%	0	,0%	111	100,0%

			kelompok umur BB/U		Total
			kurang	baik	
asi eksklusif	tidak asi eks	Count	19	33	52
		% within kelompok umur BB/U	59,4%	41,8%	46,8%
	asi eks	Count	13	46	59
		% within kelompok umur BB/U	40,6%	58,2%	53,2%
Total		Count	32	79	111
		% within kelompok umur BB/U	100,0%	100,0%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,834(b)	1	,092		
Continuity Correction(a)	2,171	1	,141		
Likelihood Ratio	2,839	1	,092		
Fisher's Exact Test				,099	,070
Linear-by-Linear Association	2,809	1	,094		
N of Valid Cases	111				

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 14,99.



### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for asi eksklusif (tidak asi eks / asi eks)	2,037	,884	4,697
For cohort kelompok umur BB/U = kurang	1,658	,911	3,018
For cohort kelompok umur BB/U = baik	,814	,636	1,042
N of Valid Cases	111		