

## DAFTAR PUSTAKA

- Bashaw, RT, Edwin M. Tingstad, *Rehabilitation of The Osteoarthritis Patient: focus on the knee*, (USA: Elsevier, 2005).
- Bejek, Z, Róbert Paróczai, Árpád Illyés, László Kocsis, Rita M. Kiss, *Gait Parameters of Patients with Osteoarthritis of The Knee Joint*, (Hungaria: Physical Education and Sport Vol. 4, No 1, 2006) hal. 9-16.
- Bennell, KL, Rana S. Hinman, *A Review of The Clinical Evidance for Exercise in Osteoarthritis of the Hip and Knee*, (Australia: Elsevier, 2010).
- Bennell, KL, Thorlene Egerton, Tim V Wrigley, Paul W Hodges, Michael Hunt, Ewa M Roos, Mary kyriakides, Ben Metcalf, Andrew Forbes, Eva Ageberg, Rana S. Hinman, *Comparison of Neuromuscular and Quadriceps strengthening Exercise in the Treatment of Varus Malaligment Knees with Medial Knee Osteoarthritis: a randomised controlled trial protocol*, (Australia: BioMed Central, 2011).
- Biedert RM, *Patellofemoral Disorder, diagnosis and treatment*, (England: Jhon Wiley & Sons, 2004).
- Bosomworth, NJ, *Clinical Review, Exercise and Knee Osteoarthritis: benefit or hazard?*, (Canada: Canadian Family physician, 2009).
- Collado, H, Michael Fredericson, *Patellofemoral Pain Syndrome*, (USA: Elseiver, 2010).
- Diracoglu, D, Resa Aydin, Akin Baskent, Ajda Celik, *Effects of kinesthesia and Balance Exercises in Knee Osteoarthritis*, (Turkey: Williams and Wilkins, 2005).
- Escamilla, RF, *Knee Biomechanics of The Dynamic Squat Exercise*, (Durham: American Collage of Sports Medicine, 2001). Medical Science Sports & Exercise, Vol. 33, No. 1, hlm. 127-141.
- Gbiri, CA, Udoka A. Chris Okafor, Micheal Taiwo Alade, *Comparative Efficacy of Open-chain and Close-chain Kinematics on Proprioception, Muscles' Strength and Functional Performances in Individual with Knee Osteoarthritis*, (Nigeria: Occupational Medicine & Health Affairs, 2013).

- Goldring, SR, M. B. Goldring, *Clinical Aspects, Pathology and Pathophysiology of Osteoarthritis*, (USA: Hylonome, 2006).
- Gullett, JC, Mark D. Tillman, Gregory M. Gutierrez, John W. Chow, *A Biomechanical Comparison of Back and Front Squat in healthy Trained Individuals*, (Florida: Jurnal of Strength and Conditioning Association, 2009). hlm. 284-292.
- Hochberg, MC, Alan J. Silman, Josef S. Smolen, *Rheumatology*, 5<sup>th</sup> edition, (Philadelphia: Elsevier, 2011).
- Magee, DJ, *Orthopedic Physical Assessment*, 4<sup>th</sup> edition, (USA: Elsevier Science, 2006).
- Karandlkar, N, Oscar O. Ortiz Vargas, *Kinetic Chains: a review of the concept and its clinical applications*, (USA: The American Academy of Physical Medicine and Rehabilitation, 2011). Vol. 3, hlm. 739-745.
- Kisner C, Lynn Allen Colby, *Therapeutic Exercise*, 5<sup>th</sup> Edition, (Philadelphia: F. A. Davis Company, 2007).
- Knoop, J, M.P.M. Steultjens, M. van der Leeden, M. van der Esch, C.A. Thorstensson, L.D. Roorda, W.F. Lems, J. Dekker, *Osteoarthritis and Cartilage, Proprioception in Knee Osteoarthritis: a narrative review*, (Netherlands: Elsevier, 2011).
- Knoop, J, Marike van der Leeden, Martin van der Esch, Carina A. Thorstensson, Martijn Gerritsen, Ramon E. Voorneman, Willem F. Lems, Leo D. Roorda, Joost Dekker, Martijn P. M. Steultjens, *Association of Lower Muscle Strength With Self-Reported Knee Instability in Osteoarthritis of the Knee: results from the Amsterdam osteoarthritis Cohort*, (Netherland: American Collage of Rheumatology, 2012). vol. 64, hlm. 38-45.
- Kwon, YJ, Soo Jin Park, John Jefferson, Kyuong Kim, *The Effect of Open and Closed Kinetic Chain Exercise on Dynamic Balance Ability of Normal healthy Adults*, (Republic of Korea: Journal Physical Therapy Science, 2013). vol. 25, hlm. 671-674.
- Liikavainio, T, *Biomechanics of Gait and Physical Function in Patients with Knee Osteoarthritis*, (Finland: University of Eastern Finland, 2010).

- Lin, D-H, Yeong-Fwu Lin, Hei-Min Chai, Yueh-Chin Han, Mei-Hwa jan, *Comparison of Proprioception Functions between Computerized Proprioception Facilitation Exercise and Closed Kinetic Chain Exercise in patients with Knee Osteoarthritis*, (Republic of China: Clinical Rheumatology, 2006).
- Lippert, LS, *Clinical kinesiology and Anatomy, 5<sup>th</sup> edition*, (Philadelphia: F. A. Davis Company, 2011).
- Schmitt, LC, Katherine S. Rudolph, *Influences on Knee Movement Strategies During Walking in Person with Medial Knee Osteoarthritis*, (Newark: American College of Rheumatology, 2007). vol. 57, hlm. 1018-1026.
- Schoenfeld, BJ, *Squatting Kinematics and Kinetics and Their Application to Exercise Performance*, (New York: National Strength and Conditioning Association, 2010).
- Stensdotter, AK, Paul W. Hodges, Rebecca Mellor, Gunnevi Sundelin, Charlotte Hager-Ross, *Quadriceps Activation in Closed and in Open Kinetic Chain Exercise*, (Sweden: American College of Sports Medicine, 2003).
- Susilawati, I., Tirtayasa, K., Lesmana, S. I. (2015). *Latihan closed kinetic chain lebih baik dari pada osteoarthritis lutut setelah pemberian micro wave diathermy (MWD) dan transcutaneous electrical nerves stimulation (TENS)*. Sport and Fitness Journal. 3(1): 26-34
- van der Esch, M, *Knee joint Stability and Functional Ability in Patients with Osteoarthritis of the Knee*, (Netherlands: Ponsen en Looijen BV, 2007).
- Vincent, KR., Heather K. Vincent, *Resistance Exercise for Knee Osteoarthritis*, (Gainesville Florida: National Institutes of Health, 2012).
- Wortley, M, Songning Zhang, maxime Paquette, Erin Byrd, Lucas Baumgartner, Gary Klipple, John Krusenklous, Lary Bown, *Effects of resistance and Tai Ji training on mobility and symptoms in knee osteoarthritis patients*, (Shanghai: Journal of Sport and Health Science, production and hosting by Elsevier B.V, 2012).