

HASIL PENELITIAN BIVARIAT

Crosstab

			Kepatuhan Pasien		Total
			Kurang Baik	Baik	
D Informasi	Kurang Baik	Count	10	4	14
		Expected Count	5.3	8.8	14.0
		% within D Informasi	71.4%	28.6%	100.0%
		% of Total	25.0%	10.0%	35.0%
	Baik	Count	5	21	26
		Expected Count	9.8	16.3	26.0
		% within D Informasi	19.2%	80.8%	100.0%
		% of Total	12.5%	52.5%	65.0%
Total	Count	15	25	40	
	Expected Count	15.0	25.0	40.0	
	% within D Informasi	37.5%	62.5%	100.0%	
	% of Total	37.5%	62.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10.579 ^b	1	.001		
Continuity Correction ^a	8.469	1	.004		
Likelihood Ratio	10.717	1	.001		
Fisher's Exact Test				.002	.002
Linear-by-Linear Association	10.314	1	.001		
N of Valid Cases	40				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 2.22

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.457	.001
N of Valid Cases		40	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for D Informasi (Kurang Baik / Baik)	10.500	2.308	47.777
For cohort Kepatuhan Pasien = Kurang Baik	3.714	1.580	8.730
For cohort Kepatuhan Pasien = Baik	.354	.151	.827
N of Valid Cases	40		

HASIL PENELITIAN BIVARIAT

Crosstab

			Kepatuhan Pasien		Total
			Kurang Baik	Baik	
D Instrumental	Kurang Baik	Count	11	6	17
		Expected Count	6.4	10.6	17.0
		% within D Instrumental	64.7%	35.3%	100.0%
		% of Total	27.5%	15.0%	42.5%
	Baik	Count	4	19	23
		Expected Count	8.6	14.4	23.0
		% within D Instrumental	17.4%	82.6%	100.0%
		% of Total	10.0%	47.5%	57.5%
Total	Count	15	25	40	
	Expected Count	15.0	25.0	40.0	
	% within D Instrumental	37.5%	62.5%	100.0%	
	% of Total	37.5%	62.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.337 ^b	1	.002		
Continuity Correction ^a	7.427	1	.006		
Likelihood Ratio	9.597	1	.002		
Fisher's Exact Test				.003	.003
Linear-by-Linear Association	9.103	1	.003		
N of Valid Cases	40				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.38.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.435	.002
N of Valid Cases		40	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for D Instrumental (Kurang Baik / Baik)	8.708	2.008	37.760
For cohort Kepatuhan Pasien = Kurang Baik	3.721	1.428	9.692
For cohort Kepatuhan Pasien = Baik	.427	.219	.835
N of Valid Cases	40		

HASIL PENELITIAN BIVARIAT

Crosstab

			Kepatuhan Pasien		Total
			Kurang Baik	Baik	
D Emosional	Kurang Baik	Count	10	6	16
		Expected Count	6.0	10.0	16.0
		% within D Emosional	62.5%	37.5%	100.0%
		% of Total	25.0%	15.0%	40.0%
	Baik	Count	5	19	24
		Expected Count	9.0	15.0	24.0
		% within D Emosional	20.8%	79.2%	100.0%
		% of Total	12.5%	47.5%	60.0%
Total	Count	15	25	40	
	Expected Count	15.0	25.0	40.0	
	% within D Emosional	37.5%	62.5%	100.0%	
	% of Total	37.5%	62.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.111 ^b	1	.008		
Continuity Correction ^a	5.444	1	.020		
Likelihood Ratio	7.192	1	.007		
Fisher's Exact Test				.018	.010
Linear-by-Linear Association	6.933	1	.008		
N of Valid Cases	40				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.00.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.389	.008
N of Valid Cases		40	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for D Emosional (Kurang Baik / Baik)	6.333	1.543	26.003
For cohort Kepatuhan Pasien = Kurang Baik	3.000	1.260	7.142
For cohort Kepatuhan Pasien = Baik	.474	.244	.921
N of Valid Cases		40	

HASIL PENELITIAN BIVARIAT

Crosstab

			Kepatuhan Pasien		Total
			Kurang Baik	Baik	
D Penghargaan	Kurang Baik	Count	11	5	16
		Expected Count	6.0	10.0	16.0
		% within D Penghargaan	68.8%	31.3%	100.0%
		% of Total	27.5%	12.5%	40.0%
	Baik	Count	4	20	24
		Expected Count	9.0	15.0	24.0
		% within D Penghargaan	16.7%	83.3%	100.0%
		% of Total	10.0%	50.0%	60.0%
Total	Count	15	25	40	
	Expected Count	15.0	25.0	40.0	
	% within D Penghargaan	37.5%	62.5%	100.0%	
	% of Total	37.5%	62.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.111 ^b	1	.001		
Continuity Correction ^a	9.000	1	.003		
Likelihood Ratio	11.423	1	.001		
Fisher's Exact Test				.002	.001
Linear-by-Linear Association	10.833	1	.001		
N of Valid Cases	40				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.00.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.466	.001
N of Valid Cases		40	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for D Penghargaan (Kurang Baik / Baik)	11.000	2.438	49.627
For cohort Kepatuhan Pasien = Kurang Baik	4.125	1.590	10.705
For cohort Kepatuhan Pasien = Baik	.375	.177	.793
N of Valid Cases		40	

HASIL PENELITIAN BIVARIAT

Crosstab

			Kepatuhan Pasien		Total
			Kurang Baik	Baik	
Dukungan Keluarga	Kurang Baik	Count	12	3	15
		Expected Count	5.6	9.4	15.0
		% within Dukungan Keluarga	80.0%	20.0%	100.0%
		% of Total	30.0%	7.5%	37.5%
	Baik	Count	3	22	25
		Expected Count	9.4	15.6	25.0
		% within Dukungan Keluarga	12.0%	88.0%	100.0%
		% of Total	7.5%	55.0%	62.5%
Total	Count	15	25	40	
	Expected Count	15.0	25.0	40.0	
	% within Dukungan Keluarga	37.5%	62.5%	100.0%	
	% of Total	37.5%	62.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18.496 ^b	1	.000		
Continuity Correction	15.708	1	.000		
Likelihood Ratio	19.567	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	18.034	1	.000		
N of Valid Cases	40				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.63.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.562	.000
N of Valid Cases		40	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Dukungan Keluarga (Kurang Baik / Baik)	29.333	5.107	168.474
For cohort Kepatuhan Pasien = Kurang Baik	6.667	2.239	19.854
For cohort Kepatuhan Pasien = Baik	.227	.082	.632
N of Valid Cases	40		