

```

GET
FILE='D:\MY DOKUMEN\SKRIPSI\Perlakuan 2.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
NPAR TESTS
/WILCOXON=Sebelum WITH Sesudah (PAIRED)
/STATISTICS DESCRIPTIVES QUANTILES
/MISSING ANALYSIS.

```

NPar Tests

Notes

Output Created	25-FEB-2014 18:46:40	
Comments		
Input	Data	D:\MY DOKUMEN\SKRIPSI\Perlakuan 2.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax	NPAR TESTS /WILCOXON=Sebelum WITH Sesudah (PAIRED) /STATISTICS DESCRIPTIVES QUANTILES /MISSING ANALYSIS.	
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00
	Number of Cases Allowed ^a	112347

a. Based on availability of workspace memory.

[DataSet1] D:\MY DOKUMEN\SKRIPSI\Perlakuan 2.sav

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum	Percentiles
						25th
Sebelum	10	963.0000	167.73325	770.00	1250.00	795.0000
Sesudah	10	1022.0000	157.04210	820.00	1300.00	877.5000

Descriptive Statistics

	Percentiles	
	50th (Median)	75th
Sebelum	980.0000	1102.5000
Sesudah	1020.0000	1137.5000

Wilcoxon Signed Ranks Test

Ranks

		N	Mean Rank	Sum of Ranks
Sesudah - Sebelum	Negative Ranks	0 ^a	.00	.00
	Positive Ranks	10 ^b	5.50	55.00
	Ties	0 ^c		
	Total	10		

- a. Sesudah < Sebelum
- b. Sesudah > Sebelum
- c. Sesudah = Sebelum

Test Statistics^a

	Sesudah - Sebelum
Z	-2.825 ^b
Asymp. Sig. (2-tailed)	.005

- a. Wilcoxon Signed Ranks Test
- b. Based on negative ranks.