

Lampiran 1

Nilai normalitas

Tests of Normality

| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|-------------------------------|---------------------------------|----|-------|--------------|----|------|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| nilai VAS sebelum perlakuan 1 | .134 | 10 | .200* | .944 | 10 | .603 |
| nilai VAS sesudah perlakuan 1 | .153 | 10 | .200* | .964 | 10 | .831 |
| nilai selisih VAS perlakuan 1 | .112 | 10 | .200* | .975 | 10 | .934 |
| nilai VAS sebelum perlakuan 2 | .238 | 10 | .114 | .869 | 10 | .096 |
| nilai VAS sesudah perlakuan 2 | .095 | 10 | .200* | .985 | 10 | .985 |
| nilai selisih VAS perlakuan 2 | .184 | 10 | .200* | .887 | 10 | .156 |

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Lampiran 2

Uji Homogenitas

Independent Samples Test

| | | Levene's Test for Equality of Variances | | t-test for Equality of Means | | | | | | |
|----------|-----------------------------|---|------|------------------------------|--------|-----------------|-----------------|-----------------------|---|---------|
| | | F | Sig. | t | df | Sig. (2-tailed) | Mean Difference | Std. Error Difference | 95% Confidence Interval of the Difference | |
| | | | | | | | | | Lower | Upper |
| VAR00001 | Equal variances assumed | .097 | .759 | -.624 | 18 | .541 | -3.10000 | 4.96935 | -13.54022 | 7.34022 |
| | Equal variances not assumed | | | -.624 | 17.299 | .541 | -3.10000 | 4.96935 | -13.57061 | 7.37061 |

Uji Hipotesa

Paired Samples Test

| Paired Differences | | | t | df | Sig. (2-tailed) |
|--------------------|---|----------|--------|----|-----------------|
| Std. Error Mean | 95% Confidence Interval of the Difference | | | | |
| | Lower | Upper | | | |
| 1.86070 | 12.99079 | 21.40921 | 9.244 | 9 | .000 |
| 2.31924 | 37.05351 | 47.54649 | 18.239 | 9 | .000 |

Lampiran 3

Hipotesa 3

Independent Samples Test

| | | Levene's Test for Equality of Variances | | t-test for Equality of Means | | | | | | |
|----------|-----------------------------|---|------|------------------------------|--------|-----------------|-----------------|-----------------------|---|-----------|
| | | F | Sig. | t | df | Sig. (2-tailed) | Mean Difference | Std. Error Difference | 95% Confidence Interval of the Difference | |
| | | | | | | | | | Lower | Upper |
| VAR00003 | Equal variances assumed | .015 | .904 | -8.442 | 18 | .000 | -25.10000 | 2.97340 | -31.34688 | -18.85312 |
| | Equal variances not assumed | | | -8.442 | 17.192 | .000 | -25.10000 | 2.97340 | -31.36799 | -18.83201 |

Lampiran 4

Independent Samples Test

| | | Levene's Test for Equality of Variances | | t-test for Equality of Means | | | | | | |
|------|-----------------------------|---|------|------------------------------|--------|-----------------|-----------------|-----------------------|---|---------|
| | | F | Sig. | t | df | Sig. (2-tailed) | Mean Difference | Std. Error Difference | 95% Confidence Interval of the Difference | |
| | | | | | | | | | Lower | Upper |
| komp | Equal variances assumed | .097 | .759 | -.624 | 18 | .541 | -3.10000 | 4.96935 | -13.54022 | 7.34022 |
| | Equal variances not assumed | | | -.624 | 17.299 | .541 | -3.10000 | 4.96935 | -13.57061 | 7.37061 |

Independent Samples Test

| | | Levene's Test for Equality of Variances | | t-test for Equality of Means | | | | | | |
|------|-----------------------------|---|------|------------------------------|--------|-----------------|-----------------|-----------------------|---|----------|
| | | F | Sig. | t | df | Sig. (2-tailed) | Mean Difference | Std. Error Difference | 95% Confidence Interval of the Difference | |
| | | | | | | | | | Lower | Upper |
| home | Equal variances assumed | .983 | .335 | 3.945 | 18 | .001 | 22.00000 | 5.57654 | 10.28413 | 33.71587 |
| | Equal variances not assumed | | | 3.945 | 16.659 | .001 | 22.00000 | 5.57654 | 10.21617 | 33.78383 |

Paired Samples Statistics

| | | Mean | N | Std. Deviation | Std. Error Mean |
|--------|-----------------------------|---------|----|----------------|-----------------|
| Pair 1 | nilai vas sebelum perlakuan | 78.9000 | 10 | 12.17876 | 3.85126 |
| | nilai vas sesudah perlakuan | 36.6000 | 10 | 14.12799 | 4.46766 |

Lampiran 6

Paired Samples Correlations

| | N | Correlation | Sig. |
|--|----|-------------|------|
| Pair 1 nilai vas sebelum perlakuan 2 & nilai vas sesudah perlakuan 2 | 10 | .855 | .002 |

Paired Samples Test

| | Paired Differences | | | | | t | df | Sig. (2-tailed) |
|--|--------------------|----------------|-----------------|---|----------|--------|----|-----------------|
| | Mean | Std. Deviation | Std. Error Mean | 95% Confidence Interval of the Difference | | | | |
| | | | | Lower | Upper | | | |
| Pair 1 nilai vas sebelum perlakuan 2 - nilai vas sesudah perlakuan 2 | 4.23000E1 | 7.33409 | 2.31924 | 37.05351 | 47.54649 | 18.239 | 9 | .000 |