

Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 nilai disabilitas sebelum terapi 1 perlakuan II	56.40	10	18.446	5.833
nilai disabilitas sesudah terapi 6 perlakuan II	42.60	10	11.853	3.748

Paired Samples Correlations

	N	Correlation	Sig.
Pair 1 nilai disabilitas sebelum terapi 1 perlakuan II & nilai disabilitas sesudah terapi 6 perlakuan II	10	.936	.000

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 nilai disabilitas sebelum terapi 1 perlakuan II - nilai disabilitas sesudah terapi 6 perlakuan II	13.800	8.456	2.674	7.751	19.849	5.161	9	.001

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
nilai disabilitas sebelum terapi 1 perlakuan I	.202	10	.200*	.866	10	.091
nilai disabilitas sesudah terapi 2 perlakuan I	.184	10	.200*	.856	10	.069
nilai disabilitas sesudah terapi 3 perlakuan I	.121	10	.200*	.981	10	.968
nilai disabilitas sesudah terapi 4 perlakuan I	.191	10	.200*	.929	10	.439
nilai disabilitas sesudah terapi 5 perlakuan I	.142	10	.200*	.964	10	.833
nilai disabilitas sesudah terapi 6 perlakuan I	.152	10	.200*	.947	10	.632
nilai disabilitas sebelum terapi 1 perlakuan II	.214	10	.200*	.946	10	.617
nilai disabilitas sesudah terapi 2 perlakuan II	.211	10	.200*	.946	10	.625
nilai disabilitas sesudah terapi 3 perlakuan II	.186	10	.200*	.937	10	.516
nilai disabilitas sesudah terapi 4 perlakuan II	.183	10	.200*	.927	10	.420
nilai disabilitas sesudah terapi 5 perlakuan II	.221	10	.183	.896	10	.196
nilai disabilitas sesudah terapi 6 perlakuan II	.211	10	.200*	.940	10	.557

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 nilai disabilitas sebelum terapi 1 perlakuan II	56.40	10	18.446	5.833

Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 nilai disabilitas sebelum terapi 1 perlakuan II	56.40	10	18.446	5.833
nilai disabilitas sesudah terapi 6 perlakuan II	42.60	10	11.853	3.748

Paired Samples Correlations

	N	Correlation	Sig.
Pair 1 nilai disabilitas sebelum terapi 1 perlakuan II & nilai disabilitas sesudah terapi 6 perlakuan II	10	.936	.000

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 nilai disabilitas sebelum terapi 1 perlakuan II - nilai disabilitas sesudah terapi 6 perlakuan II	13.800	8.456	2.674	7.751	19.849	5.161	9	.001