

LAMPIRAN OUTPUT SPSS

1. Analisis Univariat

a. Umur

Statistics		
UMUR RESPONDEN		
N	Valid	70
	Missing	0
Mean		31.21
Median		31.00
Mode		26 ^a
Std. Deviation		6.055
Minimum		21
Maximum		45

a. Multiple modes exist. The smallest value is shown

UMUR RESPONDEN				
	Frequency	Percent	Valid Percent	Cumulative Percent
21	1	1.4	1.4	1.4
22	3	4.3	4.3	5.7
23	2	2.9	2.9	8.6
24	4	5.7	5.7	14.3
25	4	5.7	5.7	20.0
26	6	8.6	8.6	28.6
27	2	2.9	2.9	31.4
28	4	5.7	5.7	37.1
29	3	4.3	4.3	41.4
30	4	5.7	5.7	47.1
31	6	8.6	8.6	55.7
Valid 32	3	4.3	4.3	60.0
33	4	5.7	5.7	65.7
34	5	7.1	7.1	72.9
35	3	4.3	4.3	77.1
36	1	1.4	1.4	78.6
37	5	7.1	7.1	85.7
40	2	2.9	2.9	88.6
41	5	7.1	7.1	95.7
43	1	1.4	1.4	97.1
44	1	1.4	1.4	98.6
45	1	1.4	1.4	100.0
Total	70	100.0	100.0	

b. Jenis kelamin

Statistics

JENIS KELAMIN

N	Valid	70
	Missing	0

JENIS KELAMIN

	Frequency	Percent	Valid Percent	Cumulative Percent
LAKI-LAKI	31	44.3	44.3	44.3
Valid PEREMPUAN	39	55.7	55.7	100.0
Total	70	100.0	100.0	

c. Masa kerja

Statistics

MASA KERJA

N	Valid	70
	Missing	0
Mean		5.50
Median		6.00
Mode		7
Std. Deviation		3.147
Minimum		1
Maximum		14

MASA KERJA

	Frequency	Percent	Valid Percent	Cumulative Percent
1	8	11.4	11.4	11.4
2	9	12.9	12.9	24.3
3	3	4.3	4.3	28.6
4	7	10.0	10.0	38.6
5	4	5.7	5.7	44.3
6	12	17.1	17.1	61.4
7	14	20.0	20.0	81.4
Valid 8	5	7.1	7.1	88.6
9	1	1.4	1.4	90.0
10	2	2.9	2.9	92.9
11	1	1.4	1.4	94.3
12	1	1.4	1.4	95.7
13	2	2.9	2.9	98.6
14	1	1.4	1.4	100.0
Total	70	100.0	100.0	

d. Lama penggunaan computer

Statistics


LAMA PENGGUNAAN
KOMPUTER

N	Valid	70
	Missing	0
Mean		3.74
Median		4.00
Mode		4
Std. Deviation		1.282
Minimum		1
Maximum		6

LAMA PENGGUNAAN KOMPUTER

	Frequenc y	Percent	Valid Percent	Cumulative Percent
1	3	4.3	4.3	4.3
2	8	11.4	11.4	15.7
3	19	27.1	27.1	42.9
Valid 4	21	30.0	30.0	72.9
5	12	17.1	17.1	90.0
6	7	10.0	10.0	100.0
Total	70	100.0	100.0	

Histogram



e. Computer vision syndrome


Statistics

COMPUTER VISION SYNDROME

N	Valid	70
	Missing	0
Mean		84.11
Median		85.00
Mode		85
Std. Deviation		6.013
Minimum		64
Maximum		98

COMPUTER VISION SYNDROME

	Frequency	Percent	Valid Percent	Cumulative Percent
64	1	1.4	1.4	1.4
69	1	1.4	1.4	2.9
72	1	1.4	1.4	4.3
74	2	2.9	2.9	7.1
76	3	4.3	4.3	11.4
77	2	2.9	2.9	14.3
78	3	4.3	4.3	18.6
81	5	7.1	7.1	25.7
82	3	4.3	4.3	30.0
83	6	8.6	8.6	38.6
84	6	8.6	8.6	47.1
85	10	14.3	14.3	61.4
86	5	7.1	7.1	68.6
87	2	2.9	2.9	71.4
88	7	10.0	10.0	81.4
89	2	2.9	2.9	84.3
90	3	4.3	4.3	88.6
92	2	2.9	2.9	91.4
93	4	5.7	5.7	97.1
94	1	1.4	1.4	98.6
98	1	1.4	1.4	100.0
Total	70	100.0	100.0	



2. Analisis normalitas / kolmogorof smirnof

a. Lama penggunaan computer

One-Sample Kolmogorov-Smirnov Test

		LAMA PENGUNAAN KOMPUTER
N		70
Normal Parameters ^{a,b}	Mean	3.74
	Std. Deviation	1.282
	Absolute	.151
Most Extreme Differences	Positive	.149
	Negative	-.151
Kolmogorov-Smirnov Z		1.263
Asymp. Sig. (2-tailed)		.082

a. Test distribution is Normal.

b. Calculated from data.

b. Computer vision syndrome

One-Sample Kolmogorov-Smirnov Test

		COMPUTER VISION SYNDROME
N		70
Normal Parameters ^{a,b}	Mean	84.11
	Std. Deviation	6.013
	Absolute	.126
Most Extreme Differences	Positive	.073
	Negative	-.126
Kolmogorov-Smirnov Z		1.058
Asymp. Sig. (2-tailed)		.213

a. Test distribution is Normal.

b. Calculated from data.

3. Analisis korelasi product moment

Descriptive Statistics

	Mean	Std. Deviation	N
COMPUTER VISION SYNDROME	84.11	6.013	70
LAMA PENGGUNAAN KOMPUTER	3.74	1.282	70

Correlations

		COMPUTER VISION SYNDROME	LAMA PENGGUNAAN KOMPUTER
COMPUTER VISION SYNDROME	Pearson Correlation	1	.775**
	Sig. (2-tailed)		.000
	N	70	70
LAMA PENGGUNAAN KOMPUTER	Pearson Correlation	.775**	1
	Sig. (2-tailed)	.000	
	N	70	70

** . Correlation is significant at the 0.01 level (2-tailed).