

# LAMPIRAN

## Index.php

```
<center>

  <p>&nbsp;</p>

  <p>&nbsp;</p><br><br><br><br><br><br><br><br>

  <p></p>

  <p><span class="message">Please wait ...</span></p>

</center>

<meta http-equiv="refresh" content="1; url=home.php?page=utama">
```

## Config.php

```
<?php
function formatBytes($bytes, $precision = 2) {
    $units = array('B', 'KB', 'MB', 'GB', 'TB');

    $bytes = max($bytes, 0);
    $pow = floor(($bytes ? log($bytes) : 0) / log(1024));
    $pow = min($pow, count($units) - 1);
    $bytes /= pow(1024, $pow);
    return round($bytes, $precision) . ' ' . $units[$pow];
}
?>
```

## Home.php

```
<html>

<?php session_start();?>

<head>

<meta charset="utf-8">

<title>eLearning - MTS</title>

<link rel="shortcut icon"

href="assets/images/e.ico" type="image/x-icon">

<link rel="favicon"

href="assets/images/favicon.png">

<link rel="stylesheet"

href="assets/css/bootstrap.min.css">

<link rel="stylesheet"

href="assets/css/font-awesome.min.css">

<!-- Custom styles for our template -->

<link rel="stylesheet"

href="assets/css/bootstrap-theme.css" media="screen">

<link rel="stylesheet" type="text/css"

href="assets/css/da-slider.css" />

<link rel="stylesheet"

href="assets/css/style.css">
```

```
<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and
media queries -->
```

```
<!--[if lt IE 9]>
```

```
<script src="assets/js/html5shiv.js"></script>
```

```
<script src="assets/js/respond.min.js"></script>
```

```
<![endif]-->
```

```
<link href="fancyBox/style.css"
```

```
rel="stylesheet" type="text/css" media="screen" />
```

```
<script type="text/javascript"
```

```
src="fancyBox/js/javascript.js"></script>
```

```
<script type="text/javascript"
```

```
src="fancyBox/js/login.js"></script>
```

```
</head>
```

```
<body>
```

```
<!-- Fixed navbar -->
```

```
<div class="navbar navbar-inverse">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
<!-- Button for smallest screens -->
```

```

<button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse"><span class="icon-bar"></span><span
class="icon-bar"></span><span class="icon-bar"></span></button>

<a class="navbar-brand" href="?page=utama">

</a>

</div>

<div class="navbar-collapse collapse">

<ul class="nav navbar-nav pull-right mainNav">

<li class="active"><a href="?page=utama">Home</a></li>

<li><a href="?page=about">About</a></li>

<li><a href="?page=galeri">Galery</a></li>

<?php

if(@$_SESSION['id_level']=='2'){

?>

<li><a href="?page=mata_pelajaran">Pembelajaran</a></li>

<li><a href="?page=nilai_siswa">Nilai</a></li>

<?php }; ?>

<?php

if(@$_SESSION['id_level']=='1'){

?>

```

```

<li><a href="?page=materi_guru&a=1">Mengajar</a></li>

<li><a href="" class="dropdown-toggle" data-toggle="dropdown">

Nilai</a>

<ul class="dropdown-menu">

<li><a href="?page=materi_guru&b=2">Lihat Nilai</a></li>

<li><a href="?page=materi_guru&a=2">Input Nilai</a></li>

</ul></li><?php }; ?><?php

if (@!$_SESSION){ ?>

<li><a href="#login-box" title="Login" class="login-
window">Login</a></li> <?php } ?>

<?php include "pages/login.php"; ?>

<!-- <li class="dropdown">

<a href="#" class="dropdown-toggle" data-toggle="dropdown">Pages <b
class="caret"></b></a>

<ul class="dropdown-menu">

<li><a href="sidebar-right.html">Right Sidebar</a></li>

<li><a href="#">Dummy Link1</a></li>

<li><a href="#">Dummy Link2</a></li>

<li><a href="#">Dummy Link3</a></li>

</ul></li><li><a href="contact.html">Contact</a></li> -->

<?php

```

```

session_start();

if($_SESSION){ ?>

<li><a href="" class="dropdown-toggle" data-toggle="dropdown">

<?php

session_start();

if(ISSET($_SESSION['nis'])){

include "koneksi.php";

$exe = mysql_query("select *from siswa where nis=".$_SESSION['nis']) or
die(mysql_error());

$data = mysql_fetch_array($exe);

$id_siswa = $data['id_siswa'];

$name_siswa = $data['nama_siswa'];

$id_kelas_siswa = $data['id_kelas'];

echo "$name_siswa";

}else if(ISSET($_SESSION['no_induk_guru'])){

include "koneksi.php";

$exe1 = mysql_query("select *from guru where
no_induk_guru=".$_SESSION['no_induk_guru']) or die(mysql_error());

$data1 = mysql_fetch_array($exe1);

$name_guru = $data1['nama_guru'];

$id = $data1['id_guru'];

```

```

echo "$nama_guru";

}

?>

<b class="caret"></b></a>

<ul class="dropdown-menu">

<?php

if($_SESSION){

session_start();

if(ISSET($_SESSION['nis'])){

include "koneksi.php";

$exe = mysql_query("select *from siswa where nis='".$_SESSION['nis']") or
die(mysql_error());

$data = mysql_fetch_array($exe);

$id_siswa = $data['id_siswa'];

$id_kelas = $data['id_kelas'];

echo "<li><a href='?page=edit_siswa&id=$id_siswa'>Your
Profil</a></li>";

}else if(ISSET($_SESSION['no_induk_guru'])){

include "koneksi.php";

$exe1 = mysql_query("select *from guru where
no_induk_guru='".$_SESSION['no_induk_guru']") or die(mysql_error());

$data1 = mysql_fetch_array($exe1);

```



```
$id = $data1['id_guru'];  
echo "<li><a href='?page=edit_guru&id=$id'>Your Profil</a></li>";  
}  
?>  
<li><a href="pages/logout.php">LogOut</a></li>  
</ul>  
  
</li>  
<?php };>  
  
</ul>  
</div>  
<!--/.nav-collapse -->  
</div>  
  
</div>  
<!-- /.navbar -->  
  
<!-- /Header -->  
<?php
```

```
$page=$_GET['page'];  
  
if ($page=="utama") {include "pages/utama.php";}  
  
elseif ($page=="about") {include "pages/about.php";}  
  
elseif ($page=="galeri") {include "pages/galeri.php";}  
  
elseif ($page=="mata_pelajaran") {include "pages/mata_pelajaran.php";}  
  
elseif ($page=="mata_pelajaran_sub") {include  
"pages/mata_pelajaran_sub.php";}  
  
elseif ($page=="nilai_siswa") {include "pages/nilai_siswa.php";}  
  
elseif ($page=="lihat_nilai_siswa") {include  
"pages/lihat_nilai_siswa.php";}  
  
elseif ($page=="materi") {include "pages/materi.php";}  
  
elseif ($page=="tugas") {include "pages/tugas.php";}  
  
elseif ($page=="upload_tugas") {include "pages/upload_tugas.php";}  
  
elseif ($page=="calender") {include "fullcalendar/calender.php";}  
  
elseif ($page=="materi_guru") {include "pages/mata_pelajaran_guru.php";}  
  
elseif ($page=="materi_guru_ajar") {include "pages/materi_guru.php";}  
  
elseif ($page=="tugas_guru_ajar") {include "pages/tugas_guru.php";}  
  
elseif ($page=="hapus_materi") {include "pages/hapus_materi.php";}  
  
elseif ($page=="pilih_materi_tugas") {include  
"pages/pilih_materi_tugas.php";}  
  
elseif ($page=="nilai") {include "pages/nilai.php";}  
  
elseif ($page=="input_nilai") {include "pages/input_nilai.php";}
```

```

elseif ($page=="input_nilai1") { include "pages/input_nilai1.php";}

elseif ($page=="proses_input_nilai") { include
"pages/proses_input_nilai.php";}

elseif ($page=="edit_siswa") { include "pages/edit_siswa.php";}

elseif ($page=="proses_edit_siswa") { include
"pages/proses_edit_siswa.php";}

elseif ($page=="edit_guru") { include "pages/edit_guru.php";}

elseif ($page=="proses_edit_guru") { include
"pages/proses_edit_guru.php";}

elseif ($page=="hapus_nilai") { include "pages/hapus_nilai.php";}

?>

<footer id="footer">

<div class="container">

<div class="social text-center">

<a href="#"><i class="fa fa-twitter"></i></a>

<a href="#"><i class="fa fa-facebook"></i></a>

<a href="#"><i class="fa fa-dribbble"></i></a>

<a href="#"><i class="fa fa-flickr"></i></a>

<a href="#"><i class="fa fa-github"></i></a>

</div>

<div class="clear"></div>

<!--CLEAR FLOATS-->

```

```
</div>

<div class="footer2">

<div class="container">

<div class="row">

<div class="col-md-6 panel">

<div class="panel-body">

<p class="text-right">

Copyright &copy; 2015.Efrian Dhika Ahmad<a href=""
rel="develop">MTS08</a>

</p>

</div>

</div>

</div>

<!-- /row of panels -->

</div>

</div>

</footer>

<!-- JavaScript libs are placed at the end of the document so the pages load
faster -->

<script src="assets/js/modernizr-latest.js"></script>

<script src="assets/js/jquery.min.js"></script>
```

```
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/jquery.cslider.js"></script>
<script src="assets/js/custom.js"></script>
</body>
</html>
```

### **Utama.php**

```
<!-- Header -->
<header id="head">
<div class="container">
<div class="banner-content">

</div>

</div>
</header>
```

### **Materi.php**

```
<style type="text/css">
.treeview ul {
margin: 0;
padding: 0;
```

```

}
.treeview li {
  list-style-type: none;
  padding-left: 22px;
  margin-bottom: 3px;
}
</style>
<header id="head" class="secondary">
<div class="container">
<div class="row">
<div class="col-sm-8">
<h1>Materi</h1>
</div>
</div>
</div>
</header>
<!-- container -->
<section class="container">
<div class="row">
<!-- Article main content -->
<article class="col-md-8 maincontent" >

```

```

<br><br>

<h3>Modul</h3>

<table class="table" style="border:2pxsolid #D5D5D5;">

<tr>

<th>No.</th>

<th>Nama Modul</th>

<th>Tipe</th>

<th>Ukuran</th>

<th>Action</th>

</tr>

<?php

include"koneksi.php";

include "config.php";

$id_kelas          = $_GET['id_kelas'];

$id_mapel          = $_GET['id_mapel'];

$sql = mysql_query("SELECT * FROM materi where id_kelas='$id_kelas'
and id_kelas='$id_kelas' and id_mapel='$id_mapel' and jenis='modul' order
by id_materi desc");

if(mysql_num_rows($sql) > 0 ){

$no = 1;

```

```

while($data = my sql_fetch_array($sql)){

echo '

<tr bgcolor="#fff">

<td>'. $no.'</td>

<td>'. $data['nama_materi'].'</td>

<td>'. $data['tipe_file'].'</td>

<td>'. formatBytes($data['ukuran_file']).'</td>

<td><a href="'. $data['file'].'">Download</a></td>

</tr>

';

$no++;

}

} else {

echo '

<tr bgcolor="#fff">

<td align="center" colspan="4" align="center">Tidak ada data!</td>

</tr>

';

}

?>

</table>

```





## Tugas.php

```
<style type="text/css">

.treeview ul {

    margin: 0;

    padding: 0;

}

.treeview li {

list-style-type: none;

padding-left: 22px;

margin-bottom: 3px;

}

</style>

<header id="head" class="secondary">

<div class="container">

<div class="row">

<div class="col-sm-8">

<h1>Tugas</h1>

</div>

</div>
```

```

</div>

</header>

<!-- container -->

<section class="container">

<div class="row">

<!-- Article main content -->

<article class="col-md-8 maincontent" >

<br><br>

<h3>Tugas</h3>

<table class="table" style="border:2pxsolid #D5D5D5;">

<tr>

<th>No.</th>

<th>Nama Tugas</th>

<th>Tipe</th>

<th>Ukuran</th>

<th>Action</th>

</tr>

<?php

include"koneksi.php";

include "config.php";

$id_kelas = $_GET['id_kelas'];

```

```

Sid_mapel                = $_GET['id_mapel'];

$sql = mysql_query("SELECT * FROM materi where id_kelas='$id_kelas'
and id_kelas='$id_kelas' and id_mapel='$id_mapel' and jenis='tugas' order
by id_materi asc");

if(mysql_num_rows($sql) > 0 ){

$no = 1;

while($data = mysql_fetch_array($sql)){

echo '

<tr bgcolor="#fff">

<td>'.$no.'</td>

<td>'.$data['nama_materi'].'</td>

<td>'.$data['tipe_file'].'</td>

<td>'.formatBytes($data['ukuran_file']).'</td>

<td><a href="'. $data['file']. "'>Download</a> |

<a
href="home.php?page=upload_tugas&id_kelas='.$Sid_kelas.'&id_mapel='.$Si
d_mapel.'&id_materi='.$data['id_materi'].'">Kumpul</a></td>

</tr>

';

$no++;

}

}else{

```

```

echo '
<tr bgcolor="#fff">
<td align="center" colspan="4" align="center">Tidak ada data!</td>
</tr>
;
}
?>
</table>
</article>
<!-- /Article -->
<!-- Sidebar -->
<aside class="col-md-4 sidebar sidebar-right">
<div class="row panel">
<div class="col-xs-12" style="overflow:auto;width:auto;height:300px;">
<h3>Daftar Tugas</h3>
<p>
<table id="rounded-corner">
<tr>
<th>Nis</th>
<th>Nama File</th>
</tr>

```

```

<?php
$id_kelas = $_GET['id_kelas'];

$sql = mysql_query("SELECT * FROM tugas_siswa where
id_kelas='$id_kelas' and id_mapel='".$_GET['id_mapel']."' order by id_tugas
desc");

if(mysql_num_rows($sql) > 0){

$no = 1;

while($data = mysql_fetch_array($sql)){

echo '

<tr bgcolor="#fff">

<td>'.$data['nis'].'</td>

<td>'.$data['nama_tugas'].'</td>

</tr>

';

$no++;

}

}

?>

</table>

</p>

</div>

```

```
</div>

</aside>

<!-- /Sidebar -->

</div>

</section>
```

### **Input nilai.php**

```
<?php
$_SESSION;
include ("koneksi.php");
extract($_POST);
echo $id_siswa;
echo "<br>".$id_kelas;
echo "<br>".$id_mapel;

$sql = "select *from nilai_siswa" ;
$query1 = mysql_query ($sql) or die ("sql error");
$row1 = mysql_fetch_array($query1);
if($row1['id_siswa']=$id_siswa and $row1['id_mapel']=$id_mapel){
```

```

mysql_query("delete from nilai_siswa where id_siswa='$id_siswa'");

$sexel= mysql_query("INSERT INTO nilai_siswa
(id_nilai,id_siswa,id_kelas,id_mapel,nilai_tugas1,nilai_tugas2,nilai_uts,nila
i_uas,nilai)

VALUES
(NULL,'$id_siswa','$id_kelas','$id_mapel','$tugassatu','$tugasdua','$uts','$ua
s','$nilai_akhir)");

}else{

$sexel= mysql_query("INSERT INTO nilai_siswa
(id_nilai,id_siswa,id_kelas,id_mapel,nilai_tugas1,nilai_tugas2,nilai_uts,nila
i_uas,nilai)

VALUES
(NULL,'$id_siswa','$id_kelas','$id_mapel','$tugassatu','$tugasdua','$uts','$ua
s','$nilai_akhir)");
}

echo"<script>window.location='".$_SERVER['HTTP_REFERER']."'</scri
pt>";

?>

```

### **Nilai\_siswa.php**

```

<style type="text/css">

.treeview ul {

margin: 0;

padding: 0;

```



```

}

.treeview li {
list-style-type: none;
padding-left: 22px;
margin-bottom: 3px;
}
</style>

<header id="head" class="secondary">

<div class="container">

<div class="row">

<div class="col-sm-8">

<h1>Nilai</h1>

</div>

</div>

</div>

</header>

<!-- container -->

<section class="container">

<div class="row">

<!-- Article main content -->

<article class="col-md-8 maincontent" >

```

```

<br><br>
<h3>Nilai Mata Pelajaran</h3>
<table class="table" style="width:500px;border:2px solid #D5D5D5;">
<tr>
<th>No.</th>
<th style="width:100px;">Mata Pelajaran</th>
<th>Nilai</th>
</tr>
<?php
include "koneksi.php";
$sql = "select *from mapel";
$query = mysql_query($sql) or die ("sql salah");
$no = 1;
while ($row=mysql_fetch_array($query))
echo"
<tr>
<td>$no</td>
<td>$row[nama_mapel]</td>
<td><a
href='home.php?page=lihat_nilai_siswa&id_siswa=$id_siswa&id_mapel=$
row[id_mapel]'>lihat</a></td>

```



```
</aside>  
  
<!-- /Sidebar -->  
  
</div>  
  
</section>
```