

LAMPIRAN

Statistics

Provinsi

N	Valid	717
	Missing	0

Provinsi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kalimantan Barat	260	36.3	36.3	36.3
	Kalimantan Tengah	114	15.9	15.9	52.2
	Kalimantan Selatan	217	30.3	30.3	82.4
	Kalimantan Timur	126	17.6	17.6	100.0
	Total	717	100.0	100.0	

Statistics


b4k7thn

N	Valid	717
	Missing	0
Mean		64.98
Median		64.00
Mode		60
Std. Deviation		4.038

b4k7thn

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 60	131	18.3	18.3	18.3
61	58	8.1	8.1	26.4
62	63	8.8	8.8	35.1
63	42	5.9	5.9	41.0
64	70	9.8	9.8	50.8
65	75	10.5	10.5	61.2
66	30	4.2	4.2	65.4
67	38	5.3	5.3	70.7
68	33	4.6	4.6	75.3
69	47	6.6	6.6	81.9
70	53	7.4	7.4	89.3
71	27	3.8	3.8	93.0
72	20	2.8	2.8	95.8
73	16	2.2	2.2	98.0
74	14	2.0	2.0	100.0
Total	717	100.0	100.0	

Histogram



Statistics


JenisKelamin

N	Valid	717
	Missing	0
Mean		1.54
Median		2.00
Mode		2
Std. Deviation		.499

JenisKelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	333	46.4	46.4	46.4
	Perempuan	384	53.6	53.6	100.0
	Total	717	100.0	100.0	

Histogram



Statistics


Pendidikan

N	Valid	717
	Missing	0
Mean		1.59
Median		1.00
Std. Deviation		.829

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Pernah Sekolah+Tidak Tamat	415	57.9	57.9	57.9
	SD	221	30.8	30.8	88.7
	SMP	42	5.9	5.9	94.6
	SMA+D1/D2/D3/PT	39	5.4	5.4	100.0
	Total	717	100.0	100.0	

Histogram



Statistics


Pekerjaan

N	Valid	717
	Missing	0
Mean		4.45
Median		6.00
Mode		6
Std. Deviation		2.710

Pekerjaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Kerja	248	34.6	34.6	34.6
PNS/Pegawai	9	1.3	1.3	35.8
Wiraswasta/layan jasa/dagang	83	11.6	11.6	47.4
Petani	288	40.2	40.2	87.6
Nelayan	11	1.5	1.5	89.1
Buruh	12	1.7	1.7	90.8
Lainnya	66	9.2	9.2	100.0
Total	717	100.0	100.0	

Histogram



Statistics


Pendapatan

N	Valid	717
	Missing	0
Mean		2.99
Median		3.00
Mode		3
Std. Deviation		1.368

Pendapatan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ekonomi sangat rendah	135	18.8	18.8	18.8
	Ekonomi rendah	139	19.4	19.4	38.2
	Ekonomi menengah	166	23.2	23.2	61.4
	Ekonomi tinggi	149	20.8	20.8	82.1
	Ekonomi sangat tinggi	128	17.9	17.9	100.0
	Total	717	100.0	100.0	

Histogram



Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pendidikan ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.168 ^a	.028	.027	3.9288

a. Predictors: (Constant), Pendidikan

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	314.602	1	314.602	20.382	.000 ^a
	Residual	10866.439	704	15.435		
	Total	11181.041	705			

a. Predictors: (Constant), Pendidikan

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	19.704	.322		61.269	.000
	Pendidikan	.813	.180	.168	4.515	.000

a. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	19.704	.322		61.269	.000
	Pendidikan	.813	.180	.168	4.515	.000

PENDAPATAN

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pendapatan ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.279 ^a	.078	.076	3.8275

a. Predictors: (Constant), Pendapatan

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	867.756	1	867.756	59.234	.000 ^a
	Residual	10313.285	704	14.650		
	Total	11181.041	705			

a. Predictors: (Constant), Pendapatan

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	18.571	.346		53.644	.000
	Pendapatan	.808	.105	.279	7.696	.000

a. Dependent Variable: BMI

PSEROL

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pserol ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.035 ^a	.001	.000	3.9829

a. Predictors: (Constant), Pserol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	13.366	1	13.366	.843	.359 ^a
	Residual	11136.244	702	15.864		
	Total	11149.610	703			

a. Predictors: (Constant), Pserol

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	20.745	.312		66.389	.000
	Pserol	.022	.024	.035	.918	.359

a. Dependent Variable: BMI

Pumbol

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pumbol ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.041 ^a	.002	-.019	4.6161

a. Predictors: (Constant), Pumbol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.752	1	1.752	.082	.776 ^a
	Residual	1022.813	48	21.309		
	Total	1024.565	49			

a. Predictors: (Constant), Pumbol

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.635	.967		22.362	.000
	Pumbol	-.164	.570	-.041	-.287	.776

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.635	.967		22.362	.000
	Pumbol	-.164	.570	-.041	-.287	.776

a. Dependent Variable: BMI

Pkacol

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pkacol ^a		. Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.070 ^a	.005	-.005	3.7552

a. Predictors: (Constant), Pkacol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	6.670	1	6.670	.473	.493 ^a
	Residual	1353.721	96	14.101		
	Total	1360.391	97			

a. Predictors: (Constant), Pkacol

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.066	.647		32.556	.000
	Pkacol	.034	.049	.070	.688	.493

a. Dependent Variable: BMI

Psayol

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Psayol ^a		. Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.005 ^a	.000	-.002	4.0488

a. Predictors: (Constant), Psayol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.171	1	.171	.010	.919 ^a
	Residual	8311.243	507	16.393		
	Total	8311.414	508			

a. Predictors: (Constant), Psayol

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.292	.224		94.977	.000
	Psayol	-.006	.061	-.005	-.102	.919

a. Dependent Variable: BMI

Pbuhol

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pbuhol ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.120 ^a	.015	.006	4.2147

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.120 ^a	.015	.006	4.2147

a. Predictors: (Constant), Pbuhol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	30.354	1	30.354	1.709	.194 ^a
	Residual	2060.565	116	17.763		
	Total	2090.918	117			

a. Predictors: (Constant), Pbuhol

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.605	.490		44.099	.000
	Pbuhol	-.324	.248	-.120	-1.307	.194

a. Dependent Variable: BMI

Pdauol

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pdauol ^a		Enter

a. All requested variables entered.

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pdauol ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.068 ^a	.005	-.006	3.8309

a. Predictors: (Constant), Pdauol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	6.297	1	6.297	.429	.514 ^a
	Residual	1364.832	93	14.676		
	Total	1371.129	94			

a. Predictors: (Constant), Pdauol

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.840	.680		32.123	.000
	Pdauol	.014	.022	.068	.655	.514

a. Dependent Variable: BMI

pikuol

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pikuol ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pikuol ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.062 ^a	.004	.001	3.9749

a. Predictors: (Constant), Pikuol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	20.070	1	20.070	1.270	.261 ^a
	Residual	5198.096	329	15.800		
	Total	5218.165	330			

a. Predictors: (Constant), Pikuol

b. Dependent Variable: BMI

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		

1	(Constant)	21.069	.328		64.187	.000
	Pikuol	-.012	.011	-.062	-1.127	.261

a. Dependent Variable: BMI

Ptelol

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Ptelol ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.009 ^a	.000	-.007	3.6552

a. Predictors: (Constant), Ptelol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.156	1	.156	.012	.914 ^a
	Residual	1776.961	133	13.361		
	Total	1777.117	134			

a. Predictors: (Constant), Ptelol

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.300	.659		32.322	.000
	Ptelol	.007	.065	.009	.108	.914

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.300	.659		32.322	.000
	Ptelol	.007	.065	.009	.108	.914

a. Dependent Variable: BMI

Psuol

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Psuol ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.099 ^a	.010	-.021	3.5781

a. Predictors: (Constant), Psuol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	4.079	1	4.079	.319	.576 ^a
	Residual	409.701	32	12.803		
	Total	413.780	33			

a. Predictors: (Constant), Psuol

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	4.079	1	4.079	.319	.576 ^a
	Residual	409.701	32	12.803		
	Total	413.780	33			

a. Predictors: (Constant), Psuol

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	22.442	.882		25.438	.000
	Psuol	.051	.090	.099	.564	.576

a. Dependent Variable: BMI

Plenyak

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Plenyak ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.111 ^a	.012	.001	3.7176

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.111 ^a	.012	.001	3.7176

a. Predictors: (Constant), Plenyak

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	15.119	1	15.119	1.094	.298 ^a
	Residual	1216.181	88	13.820		
	Total	1231.300	89			

a. Predictors: (Constant), Plenyak

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	20.490	.394		51.997	.000
	Plenyak	130.337	124.613	.111	1.046	.298

a. Dependent Variable: BMI

Pgusik

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pgusik ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.023 ^a	.001	-.001	3.7903

a. Predictors: (Constant), Pgusik

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	3.944	1	3.944	.274	.601 ^a
	Residual	7441.771	518	14.366		
	Total	7445.715	519			

a. Predictors: (Constant), Pgusik

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	20.986	.191		109.602	.000
	Pgusik	-.181	.345	-.023	-.524	.601

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	20.986	.191		109.602	.000
	Pgusik	-.181	.345	-.023	-.524	.601

a. Dependent Variable: BMI

Pbumbu

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Pbumbu ^a		. Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.095 ^a	.009	-.003	4.7254

a. Predictors: (Constant), Pbumbu

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	16.930	1	16.930	.758	.386 ^a
	Residual	1853.326	83	22.329		
	Total	1870.256	84			

a. Predictors: (Constant), Pbumbu

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	22.427	.699		32.069	.000
	Pbumbu	-.385	.442	-.095	-.871	.386

a. Dependent Variable: BMI

Psnack

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Psnack ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.050 ^a	.003	-.003	4.0745

a. Predictors: (Constant), Psnack

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	7.972	1	7.972	.480	.489 ^a
	Residual	3121.087	188	16.602		
	Total	3129.059	189			

a. Predictors: (Constant), Psnack

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	21.482	.372		57.756	.000
	Psnack	-.034	.049	-.050	-.693	.489

a. Dependent Variable: BMI

Ptotal

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Ptotal ^a		Enter

a. All requested variables entered.

b. Dependent Variable: BMI

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.046 ^a	.002	.001	3.9810

a. Predictors: (Constant), Ptotal

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	23.746	1	23.746	1.498	.221 ^a
	Residual	11157.296	704	15.848		
	Total	11181.041	705			

a. Predictors: (Constant), Ptotal

b. Dependent Variable: BMI

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	20.721	.268		77.188	.000
	Ptotal	.008	.007	.046	1.224	.221

a. Dependent Variable: BMI

Report

BMI

Pendidikan	Mean	N	Std. Deviation
Tidak Pernah Sekolah+Tidak Tamat	20.528	408	4.1689
SD	21.249	220	3.4829
SMP	22.734	41	4.0240
SMA+D1/D2/D3/PT	22.686	37	3.6126
Total	20.994	706	3.9824

Report

BMI

Pendapatan	Mean	N	Std. Deviation
Ekonomi sangat rendah	19.593	134	4.1436
Ekonomi rendah	19.646	136	3.4709
Ekonomi menengah	21.393	161	3.6311
Ekonomi tinggi	21.663	148	3.3288
Ekonomi sangat tinggi	22.630	127	4.5343
Total	20.994	706	3.9824