

LAMPIRAN

Lampiran 1. Source Code Aplikasi

Index.php

```
<?php
header("Location: home");
?>
```

Home.php

```
<?php
include "header.php";

$page = $theme['folder']."home.tpl";

$promo = mysql_query("SELECT * FROM promo WHERE active = 'Y'
ORDER BY promo_id DESC LIMIT 8");

while ($dtPromo = mysql_fetch_array($promo)){

    $judul = strtolower(str_replace(" ", "+", $dtPromo['judul']));

    $dataPromo[] = array(
        $dtPromo['promo_id'] =>
        $dtPromo['promo_id'],
        $dtPromo['judul'] =>
        $dtPromo['judul'],
        $dtPromo['gambar'] =>
        $dtPromo['gambar']);
}
```

```

$smarty->assign("dataPromo", $dataPromo);

$produk = mysql_query("SELECT * FROM products WHERE active = 'Y'
ORDER BY product_id DESC LIMIT 3");

while ($dtProduk = mysql_fetch_array($produk)){

    $id = $dtProduk['product_id'];

    $r = mysql_query("SELECT SUM(total_votes) as total_votes,
SUM(total_value) as total_value FROM vote WHERE product_id='$id'
AND used_ips = '$ip'");

    while($row = mysql_fetch_array($r)){

        $v = $row['total_votes'];

        $tv= $row['total_value'];

        $rat=$tv/$v;

    }

    $j = $i+1;

    $class = array();

    for($k=1; $k<6; $k++){

        if($rat+0.5>$k){

            $class[] = "star_$k ratings_stars
ratings_vote";

        }

        else{

            $class[] = "star_$k ratings_stars
ratings_blank";

        }

    }

}

```

```

        $namaProduk = strtolower(str_replace(" ", "+",
        $dtProduk['nama_produk']));

        $price = format_rupiah($dtProduk['price']);

        $priceAfterDiscount = format_rupiah($dtProduk['price'] -
        ($dtProduk['price'] * ($dtProduk['diskon'] / 100)));

        $dataProduk[] = array(        'product_id' =>
        $dtProduk['product_id'],

        'nama_produk' => $dtProduk['nama_produk'],

        'namalower' => $namaProduk,

        'gambar1' => $dtProduk['gambar1'],
        'price' => $price,
        'pricediskon' => $priceAfterDiscount,
        'diskon' => $dtProduk['diskon'],
        'star' => $class);
    }

    $smarty->assign("dataProduk", $dataProduk);

    include "footer.php";

?>

```

Apotek.php

```

<?php

include "header.php";

$page = $theme['folder']."apotek.tpl";

$p = new Paging;

$batas = 12;

```

```

$posisi = $p->cariPosisi($batas);

$produk = mysql_query("SELECT * FROM products WHERE active = 'Y'
AND apotek_id = '$_GET[id]' ORDER BY product_id DESC LIMIT
$posisi,$batas");

$no = $posisi+1;

while ($dtProduk = mysql_fetch_array($produk)){

    $id = $dtProduk['product_id'];

    $r = mysql_query("SELECT SUM(total_votes) as total_votes,
SUM(total_value) as total_value FROM vote WHERE product_id='$id'
AND used_ips = 'sip'");

    while($row = mysql_fetch_array($r)){

        $v = $row['total_votes'];

        $tv= $row['total_value'];

        $rat=$tv/$v;

    }

    $j = $i+1;

    $class = array();

    for($k=1; $k<6; $k++){

        if($rat+0.5>$k){

            $class[] = "star_{$k} ratings_stars
ratings_vote";

        }

        else{

            $class[] = "star_{$k} ratings_stars
ratings_blank";

```

```

    }

}

$namaProduk = strtolower(str_replace(" ", "+",
SdtProduk['nama_produk']));

$price = format_rupiah(SdtProduk['price']);

$priceAfterDiscount = format_rupiah($dtProduk['price'] -
($dtProduk['price'] * ($dtProduk['diskon'] / 100)));

$dataProduk[] = array(      'product_id' =>
SdtProduk['product_id'],

    'nama_produk' => $dtProduk['nama_produk'],

    'namalower' => $namaProduk,

    'gambar1' => $dtProduk['gambar1'],

    'price' => $price,

    'pricediskon' => $priceAfterDiscount,

    'diskon' => $dtProduk['diskon'],

                                                                    'star'
=> $class);
}

$jmldata = mysql_num_rows(mysql_query("SELECT * FROM products
WHERE active = 'Y' AND apotek_id = '$_GET[id]'"));

$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);

$linkhalaman = $p->navHalaman($_GET['page'], $jmlhalaman);

```

```
$apotek_a = mysql_fetch_array(mysql_query("SELECT nama_apotek
FROM apotek WHERE active = 'Y' AND apotek_id = '$_GET[id]'"));

$smarty->assign("dataProduk", $dataProduk);

$smarty->assign("linkHalaman", $linkhalaman);

$smarty->assign("apotek_a", $apotek_a['nama_apotek']);

include "footer.php";

?>
```

Bayar.php

```
<?php
include "header.php";

$page = $theme['folder']."bayar.tpl";

$act = $_GET['act'];

if ($act == 'submit'){

    $nama = $_POST['nama'];

    $email = $_POST['email'];

    $nofaktur = $_POST['nofaktur'];

    $noresi = $_POST['noresi'];

    $bank = $_POST['bank'];

    $jmlbayar = $_POST['jmlbayar'];

    $pesan = $_POST['pesan'];

    $date = date('Y-m-d');
```

```

        mysql_query("INSERT INTO
bayar(nama_pengirim,email,nofaktur,noresi,bank,jmlbayar,pesan,tanggal,pe
ngirim,tanggal_jawab,status)

        VALUES('$nama','$email','$nofaktur','$noresi','$bank','$jmlbayar'
,$pesan','$date',' ','belum dijawab");

        header("Location: bayar.html?yes=1");
    }
else{

    $full_url = full_url();

    if (strpos($full_url, "?yes=1") == TRUE){

        $result = "1";

    }

    $smarty->assign("result", $result);

}

include "footer.php";

?>

```

History.php

```

<?php

include "header.php";

$page = $theme['folder']."history.tpl";

$sqlOrder = mysql_query("SELECT A.nofaktur, A.order_id, A.tanggal,
A.status, A.ekspedisi, A.no_resi FROM orders A

```

```
WHERE A.member_id = '$_SESSION[member_id]' GROUP BY  
A.nofaktur DESC");
```

```
$no = 1;
```

```
while ($dtOrder = mysql_fetch_array($sqlOrder)){  
    $subtotal = format_rupiah($dtOrder['subtotal']);  
    $price = format_rupiah($dtOrder['price']);  
    $namalower = strtolower(str_replace(" ", "+",  
$dtOrder['nama_produk']));  
    $tanggal = date_indo($dtOrder['tanggal']);  
    if ($dtOrder['status'] == '1'){  
        $status = "Baru";  
    }  
    else{  
        $status = "Dikirim";  
    }  
    if ($dtOrder['ekspedisi'] != ""){  
        $ekspedisi = $dtOrder['ekspedisi'];  
    }  
    else{  
        $ekspedisi = "-";  
    }  
    if ($dtOrder['no_resi'] != ""){  
        $no_resi = $dtOrder['no_resi'];
```



```
    }

    else{

        $no_resi = "-";

    }

    $dataOrder[] = array(        'no' => $no,
    'order_id' => $dtOrder['order_id'],
    'nofaktur' => $dtOrder['nofaktur'],
    'tanggal' => $tanggal,
    'ekspedisi' => $ekspedisi,
    'no_resi' => $no_resi,
    'status' => $status);

    $no++;

}

$smarty->assign("dataOrder", $dataOrder);

include "footer.php";

?>
```

Header.php

```
<?php

error_reporting(0);

session_start();

include "config/koneksi.php";

include "config/debug.php";

include "config/fungsi_rupiah.php";

include "config/fungsi_url.php";
```

```

include "config/fungsi_generate.php";
include "config/fungsi_halaman.php";
include "config/date_function.php";
require('libs/Smarty.class.php');
$smarty = new Smarty;

$ip=$_SERVER['REMOTE_ADDR'];
$year = date('Y');
$faktur = $_SESSION['nofaktur'];
if(empty($faktur)){
    $faktur = date('ymdhis');
    $_SESSION['nofaktur'] = $faktur;
}

$apotek_a = mysql_query("SELECT * FROM apotek WHERE active = 'Y'
ORDER BY nama_apotek ASC");

while ($dtApotek = mysql_fetch_array($apotek_a)){

    $nums = mysql_num_rows(mysql_query("SELECT product_id
FROM products WHERE apotek_id = '$dtApotek[apotek_id]' AND active
= 'Y'"));

    $nama_apotek = strtolower(str_replace(" ", "+",
$dtApotek['nama_apotek']));

    $dataApotek[] = array(
        'apotek_id' => $dtApotek['apotek_id'],
        'apoteklower' => $nama_apotek,

```

```

        'nama_apotek' => $dtApotek['nama_apotek'],

        'total' => $nums);
    }

$smarty->assign("dataApotek", $dataApotek);

$slider = mysql_query("SELECT product_id, gambar1, nama_produk
FROM products WHERE active = 'Y' ORDER BY product_id LIMIT 14");

while ($dtSlider = mysql_fetch_array($slider)){

    $namalower = strtolower(str_replace(" ", "+",
$dtSlider['nama_produk']));

    $dataSlider[] = array(        'product_id' =>
$dtSlider['product_id'],

        'nama_produk' => $dtSlider['nama_produk'],

        'namalower' => $namalower,

        'gambar1' => $dtSlider['gambar1']);
}

$total = mysql_fetch_array(mysql_query("SELECT SUM(qty) as qty,
SUM(subtotal) as subtotal FROM carts WHERE nofaktur =
'$_SESSION[nofaktur]"));

$subt = format_rupiah($total['subtotal']);

$smarty->assign("item", $total['qty']);

$smarty->assign("subt", $subt);

```

```
$ch =
curl_init("http://opi.yahoo.com/online?u=".$yahoooid."&m=t");

curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);

$status = curl_exec($ch);

curl_close($ch);

if($status == $yahoooid." is NOT ONLINE"){

    $ymStatus = "2";

}

elseif ($status == $yahoooid." is ONLINE"){

    $ymStatus = "1";

}

}

$smarty->assign("judulvideo", $video['judul_video']);

$smarty->assign("kodevideo", $video['video']);

$smarty->assign("dataSlider", $dataSlider);

$smarty->assign("member_id", $_SESSION['member_id']);

$smarty->assign("email", $_SESSION['email']);

$smarty->assign("nama", $_SESSION['nama']);

$smarty->assign("nofaktur", $_SESSION['nofaktur']);

$smarty->assign("server", "http://".$_SERVER['SERVER_NAME']);

$smarty->assign("code", $_GET['code']);

?>
```

Koneksi.php

```
<?php

$database_host = "localhost";

$database_username = "root";

$database_password = "";

$database_name = "apotek_db";

mysql_connect($database_host,$database_username,$database_password)
or die("Koneksi Gagal");

mysql_select_db($database_name) or die("Database tidak ditemukan");

?>
```

Produk.php

```
<?php

include "header.php";

$page = $theme['folder']."produk.tpl";

$dtProduk = mysql_fetch_array(mysql_query("SELECT * FROM products
WHERE product_id = $_GET[id]' AND active = 'Y'"));

$category = mysql_fetch_array(mysql_query("SELECT category FROM
categories WHERE category_id = '$dtProduk[category_id]' AND active =
'Y'"));

$apotek_a = mysql_fetch_array(mysql_query("SELECT nama_apotek
FROM apotek WHERE apotek_id = '$dtProduk[apotek_id]' AND active =
'Y'"));

$namaProduk = strtolower(str_replace(" ", "+",
$dtProduk['nama_produk']));

$price = format_rupiah($dtProduk['price']);
```

```

$priceAfterDiscount = format_rupiah($dtProduk['price'] -
($dtProduk['price'] * ($dtProduk['diskon'] / 100)));

$id = $dtProduk['product_id'];

$r = mysql_query("SELECT SUM(total_votes) as total_votes,
SUM(total_value) as total_value FROM vote WHERE product_id='$id'
AND used_ips = '$ip'");

while($row = mysql_fetch_array($r)){

    $v = $row['total_votes'];

    $tv= $row['total_value'];

    $rat=$tv/$v;

}

$j = $i+1;

$class = array();

for($k=1; $k<6; $k++){

    if($rat+0.5>$k){

        $class[] = "star_$k ratings_stars ratings_vote";

    }

    else{

        $class[] = "star_$k ratings_stars ratings_blank";

    }

}

$dataProduk[] = array(        'product_id' => $dtProduk['product_id'],

                                'nama_produk'

=> $dtProduk['nama_produk'],

```

```
$namaProduk,                                'namalower' =>
$dtProduk['gambar1'],                        'gambar1' =>
$dtProduk['gambar2'],                        'gambar2' =>
$dtProduk['gambar3'],                        'gambar3' =>
$price,                                       'price' =>
$priceAfterDiscount,                         'pricediskon' =>
$dtProduk['diskon'],                          'diskon' =>
$dtProduk['description'],                     'description' =>
$dtProduk['stock'],                           'stock' =>
$dtProduk['berat'],                           'berat' =>
$dtProduk['price'],                           'harga' =>
$apotek_a['nama_apotek'],                     'apotek' =>
$category['category'],                         'category' =>
                                                'star' => $class);
$smarty->assign("dataProduk", $dataProduk);
```

```

$smarty->assign("gambar1", $dtProduk['gambar1']);
$smarty->assign("gambar2", $dtProduk['gambar2']);
$smarty->assign("gambar3", $dtProduk['gambar3']);
$smarty->assign("nama_produk", $dtProduk['nama_produk']);
$smarty->assign("gambar", $dtProduk['gambar1']);
$smarty->assign("deskripsi", $dtProduk['description']);
include "footer.php";
?>

```

Promo.php

```

<?php
include "header.php";

$page = $theme['folder']."promo.tpl";

$data = mysql_fetch_array(mysql_query("SELECT * FROM promo
WHERE promo_id = '$_GET[id]' AND active = 'Y'"));

$judullower = strtolower(str_replace(" ", "+", $data['judul']));

$dataPromo[] = array(
    $data['promo_id'],
    $data['judul'],
    $data['gambar'],
    $judullower,
    $data['description']);

```



```
$smarty->assign("dataPromo", $dataPromo);

include "footer.php";

?>
```

Rate.php

```
<?php

include "header.php";

$id_sent = $_REQUEST['id'];

$product_id = explode("-", $id_sent);

$vote_sent = $_REQUEST['stars'];

$value_sent = explode("-", $vote_sent);

$ip =$_SERVER['REMOTE_ADDR'] ;

$q = mysql_num_rows(mysql_query("SELECT vote_id FROM vote
WHERE product_id = '$product_id[1]' AND used_ips = '$ip'"));

if($q == '0')mysql_query("INSERT INTO vote
(product_id,total_votes,total_value,used_ips,created_date) values
('$product_id[1]','1','$value_sent[1]','$ip',curdate())");

$query = mysql_query("SELECT total_votes, total_value, used_ips FROM
vote WHERE product_id='$product_id[1]'");

$numbers = mysql_fetch_assoc($query);

$checkIP = unserialize($numbers['used_ips']);

$count = $numbers['total_votes'];

$current_rating = $numbers['total_value'];

$sum = $value_sent[1]+$current_rating;
```

```

Stense = ($count==1) ? "vote" : "votes

($sum==0 ? $added=0 : $added=$count+1);

((is_array($checkIP)) ? array_push($checkIP,$ip) : $checkIP=array($ip));

$insertip=serialize($checkIP);

if(!isset($_COOKIE['rating_'.$id_sent])){

    $voted = mysql_num_rows(mysql_query("SELECT used_ips
FROM vote WHERE used_ips LIKE '%".$ip."%' AND
product_id='".$product_id[1].'""));

}

else{

    $voted = 1;

}

if(!$voted) {

    if ($vote_sent >= 1) {

        $result = mysql_query("UPDATE vote SET
total_votes='$added', total_value='$sum', used_ips='$insertip' WHERE
product_id = '$product_id[1]'");

        if($result)setcookie("rating_".$id_sent,1, time()+
2592000);

    }

}

$newtotals = mysql_query("SELECT total_votes, total_value, used_ips
FROM vote WHERE product_id = '$product_id[1]'");

$numbers = mysql_fetch_assoc($newtotals);

```

```

$count = $numbers['total_votes'];

$current_rating = $numbers['total_value'];

$tense = ($count==1) ? "vote" : "votes";

if($voted){

    $sum = $current_rating;

    $added = $count;

}

$new_back = array();

for($i=0;$i<5;$i++){

    $j=$i+1;

    if($i<@number_format($current_rating/$count,1)-0.5)
    $class="ratings_stars ratings_vote";

    else $class="ratings_stars";

    $new_back[] .= '<div class="star_'.$j.' '.$class.'"></div>';

}

$allnewback = join("\n", $new_back);

$output = $allnewback;

echo $output;

?>

```

Register.php

```

<?php

include "header.php";

```

```
$page = $theme['folder']."register.tpl";

$sact = $_GET['act'];

function antiinjection($data){

    $filter_sql =
mysql_real_escape_string(stripslashes(strip_tags(htmlspecialchars($data,ENT_QUOTES))));

    return $filter_sql;

}

if ($sact == 'register'){

    $nama = antiinjection($_POST['nama']);

    $alamat = antiinjection($_POST['alamat']);

    $email = antiinjection($_POST['email']);

    $phone = antiinjection($_POST['phone']);

    $password = md5($_POST['password']);

    $confirm = md5($_POST['confirm']);

    $numsMember = mysql_num_rows(mysql_query("SELECT *
FROM member WHERE email = '$email'"));

    if ($password != $confirm){

        header("Location: register.html?err=1");

    }

    elseif ($numsMember > 0){

        header("Location: register.html?err=2");

    }

    else{
```

```
$created_date = date('Y-m-d H:i:s');

$activation_code = generate_password();

mysql_query("INSERT INTO member
(nama,alamat,id_kota,phone,email,password,status,created_date,modified_d
ate,activation_code)
VALUES('$nama','$alamat','$_POST[kota]','$phone','$email','$pa
ssword','0','$created_date','$activation_code')");

$pass = $_POST['password'];

$subject = "apotekunggul.com - Activation Code";

$server = "http://".$_SERVER['SERVER_NAME'];

$html = "<h5>Terima kasih telah mendaftar sebagai
member sebagai apotekunggul.com.</h5>

<p>

Username Anda : $email

<br>

Password Anda : $pass

<br><br>

Kode aktivasi Anda
adalah $activation_code <br><br>

Untuk aktivasi silahkan
klik link berikut: <br>

<a
href='$server/activate.php?code=$activation_code&email=$email'$server/
activate.php?code=$activation_code&email=$email</a>

<br><br><br>

Terima kasih<br>
```

Ini adalah email otomatis,
jangan dibalas, untuk masalah kirimkan email ke <a href='mailto:
help@apotekunggul.com'>help@apotekunggul.com

apotekunggul.com

</p>

”;

```
$headers = 'MIME-Version: 1.0' . "\r\n";
```

```
$headers .= 'Content-type: text/html; charset=iso-8859-1' . "\r\n";
```

```
$headers .= 'From: Membership-Apotekxtz  
<membership@apotekunggul.com>' . "\r\n";
```

```
mail($email, $subject, $html, $headers);
```

```
header("Location: register.html?yes=1");
```

```
}
```

```
}
```

```
$full_url = full_url();
```

```
if (strpos($full_url, "?err=1") == TRUE){
```

```
    $result = "1";
```

```
}
```

```
if (strpos($full_url, "?err=2") == TRUE){
```

```
    $result = "2";
```

```
}
```

```
if (strpos($full_url, "?yes=1") == TRUE){
```

```
    $result = "3";
```

```
}
```

```

$kota = mysql_query("SELECT * FROM kota WHERE aktif = 'Y' ORDER
BY nama_kota ASC");

while ($dtKota = mysql_fetch_array($kota)){

    $dataKota[] = array(          'id_kota' => $dtKota['id_kota'],

    'nama_kota' => $dtKota['nama_kota']);

}

$smarty->assign("dataKota", $dataKota);

$smarty->assign("result", $result);

include "footer.php";

?>

```

.htaccess

```

RewriteEngine on

RewriteRule ^home$ home.php [L]

RewriteRule ^profil\.html$ profil.php [L]

RewriteRule ^cara-pembelian\.html$ cara_pembelian.php [L]

RewriteRule ^kontak\.html$ kontak.php [L]

RewriteRule ^bayar\.html$ bayar.php [L]

RewriteRule ^batal\.html$ batal.php [L]

RewriteRule ^login\.html$ login.php [L]

RewriteRule ^register\.html$ register.php [L]

RewriteRule ^activate\.html$ activate.php [L]

RewriteRule ^activate_manual\.html$ activate_manual.php [L]

```

```
RewriteRule ^apotek-(.*)-(.*)-(.*)\.html$  
apotek.php?id=$1&title=$2&page=$3 [L]
```

```
RewriteRule ^detailproduk-(.*)-(.*)\.html$ produk.php?id=$1&$title=$2  
[L]
```

```
RewriteRule ^cart\.html$ cart.php [L]
```

```
RewriteRule ^customer\.html$ customer.php [L]
```

```
RewriteRule ^finish\.html$ finish.php [L]
```

```
RewriteRule ^bacapromo\.html$ promo.php?id=$1 [L]
```

```
RewriteRule ^history\.html$ history.php [L]
```

```
RewriteRule ^forget\.html$ forget.php [L]
```

```
RewriteRule ^reset\.html$ reset.php [L]
```

```
RewriteRule ^akun\.html$ akun.php [L]
```

```
RewriteRule ^change_password\.html$ change_password.php [L]
```

```
RewriteRule ^detailhistory-(.*)-(.*)\.html$  
detail_history.php?id=$1&no=$2 [L]
```