

LAMPIRAN

LAMPIRAN

Frequencies

		Statistics					
		sebelum1	sebelum2	setelah1	setelah2	selisih1	selisih2
N	Valid	5	5	5	5	5	5
	Missing	5	5	5	5	5	5
Mean		59.4000	55.4000	55.0000	51.2000	4.4000	4.2000
Std. Error of Mean		4.69681	3.88072	4.65833	4.02989	.50990	.37417
Median		62.0000	55.0000	57.0000	50.0000	4.0000	4.0000
Mode		47.00 ^a	43.00 ^a	43.00 ^a	39.00 ^a	4.00	4.00 ^a
Std. Deviation		10.50238	8.67756	1.04163E 1	9.01110	1.14018	.83666
Minimum		47.00	43.00	43.00	39.00	3.00	3.00
Maximum		71.00	65.00	68.00	61.00	6.00	5.00
Sum		297.00	277.00	275.00	256.00	22.00	21.00

a. Multiple modes exist. The smallest value is shown

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
sebelum1	.215	5	.200 [*]	.912	5	.477
sebelum2	.177	5	.200 [*]	.964	5	.832
setelah1	.206	5	.200 [*]	.944	5	.691
setelah2	.207	5	.200 [*]	.945	5	.701
selisih1	.237	5	.200 [*]	.961	5	.814
selisih2	.231	5	.200 [*]	.881	5	.314

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

T-Test INDEPENDENT

Group Statistics

VAR0 0001	N	Mean	Std. Deviation	Std. Error Mean
VAR00003 1	5	4.4000	1.14018	.50990
2	5	4.2000	.83666	.37417

Independent Samples Test

	Levene's Test for Equality of Variances		t-test for Equality of Means						
	F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
								Lower	Upper
VAR0003 Equal variances assumed	.554	.478	.316	8	.760	.20000	.63246	-1.25845	1.65845
Equal variances not assumed			.316	7.339	.761	.20000	.63246	-1.28161	1.68161

Oneway

Test of Homogeneity of Variances

VAR00002

Levene Statistic	df1	df2	Sig.
.659	1	8	.440

ANOVA

VAR00002

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	40.000	1	40.000	.431	.530
Within Groups	742.400	8	92.800		
Total	782.400	9			

T-Test (KELOMPOK I)

Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 sebelum1	59.4000	5	10.50238	4.69681
setelah1	55.0000	5	10.41633	4.65833

Paired Samples Correlations

	N	Correlation	Sig.
Pair 1 sebelum1 & setelah1	5	.994	.001

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 sebelum1 - setelah1	4.40000	1.14018	.50990	2.98429	5.81571	8.629	4	.001

T-Test (KELOMPOK II)

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	sebelum2	55.4000	5	8.67756	3.88072
	setelah2	51.2000	5	9.01110	4.02989

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	sebelum2 & setelah2	5	.996	.000

Paired Samples Test

		Paired Differences				t	df	Sig. (2-tailed)	
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower				Upper
Pair 1	sebelum2 - setelah2	4.20000	.83666	.37417	3.16115	5.23885	11.225	4	.000