

DAFTAR PUSTAKA

- Aoki Y, Yasuda K, Tohyama H, Ito H, Minami A.2004. *Magnetic Resonance Imaging in Stress Fractures and Shin Splints*. Clinical Orthopaedics: 421:26-267.
- Ballard, K, Charles, H, 2001. *Ultrasound Therapy*. Nursing Times. Vol 97, No 24, Pp 58-59.
- Bennell K, Crossley K, Jayarajan J, Walton E, Warden S, Kiss SZ, Wrigley T.2004. *Ground Reaction Forces and Bone Parameters in Females With Tibial Stress Fracture*. Medicine & Science in Sports & Exercise: 36(3):397-404.
- Bennett, JE, Reinking, MF, Pluemer, B, Pentel, A, Seaton, M, Killian, C, 2001. *Factors Contributing to the Development of Medial Tibial Stress Syndrome in High School Runners*. Journal of Orthopaedic and Sports Physical Therapy. Vol 31, pp 504-510.
- Cosca, D. & Navazio, F. 2007. *Common Problems in Endurance Athletes*. American Family Physician:76(2), 23.
- PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA nomor 80
2013 pasal 1 ayat 2 tentang penyelenggaraan pekerjaan dan praktik
fisioterapis
- Craig, Debbie. 2008. *Medial Tibial Stress Syndrome: Evidence Based Prevention*. Journal of Athletic Training; 43(3):316-318
- Dubin,Joshua.2008. *Getting a Leg Up on Shin Pain*. United state of America: Dubin Chiropractic.

- Edwards PH Jr, Wright ML, Hartman JF.2005. *American Journal of Sports Medicine*. 33:1241.
- Fredericson M, Wun C. *Differential Diagnosis of Leg Pain in the Athlete*.2003. Journal of the American Podiatric Medical Association: 93(4):321-324.
- Gum SL, Reddy GK, Stehno-Bittel L, Enwemeka CS.1997. *Combined Ultrasound, Electrical Muscle Stimulation and Laser Promote Collagen Synthesis With Moderate Changes in Tendon Biomechanics*. Am J Phys Med Rehabil:76(4):288-96.
- Herring K. A.2006. *Plyometric Training Model Used to Augment Rehabilitation From Tibial Fasciitis*. Current Sports Medicine Reports :5(3):147-54.
- Hislop M, Tierney P.2004. *Anatomical Variations Within the Deep Posterior Compartment of the Leg and Important Clinical Consequences*. Journal of Science and Medicine in Sport :7(3):392-9.
- Reeser JC,2004. *Stress Fracture*. Physical Medicine and Rehabilitation 2004. October.
- Richmond,2000.*Shin Splint Protocol*. The sport Medicine Specialist.
- Robertson, V, Baker, K, 2001. *A Review of Therapeutic Ultrasound: Effectiveness Studies*. Physical Therapy:Vol 81, pp1339-1350. 7-244.
- Smurawa T.2006. *Overuse Injuries Curb Triathlon Preparation Efforts*. Biomechanics :13(5).
- Stephen B.2002. *The Prevation of Shin Splint in Sport a Systematic Review of literature*. American College of Sport Medicine.

- Suriani, S., Lesmana, S. I. (2013). *Latihan theraband lebih baik menurunkan nyeri dari pada latihan quadricep bench pada Osteoarthritis genu*. Jurnal Fisioterapi. 13(1): 46-54
- Thacker SB, Gilchrist J, Stroup D, Dexter Kimsey C,2002.*The Prevention of Shin Splints in Sports: a Systematic Review of Literature*. Medicine & Science in Sports & Exercise:34(1):32-40.
- Tommasini SM, Nasser P, Schaffler MB, Jepsen KJ,2005. *Relationship Between Bone Morphology and Bone Quality in Male Tibias: Implications for Stress Fracture Risk*. Journal of Bone and Mineral Research :20(8):1372-1380.
- Wilder RP, Sethi S,2004. *Overuse Injuries: Tendinopathies, Stress Fractures, Compartment Syndrome and Shin Splints*. Clin Sports Med :23:55-81.