

DataPelanggan.php

```
<?php
include 'header.php'
?>
<!-- SLIDER SECTION -->
<div class="container">
  <div class="col-md-12 col-sm-12">
    <h3 class="text-center">DATA PELANGGAN</h3>
    <hr>
    <form role="form" method="post"
action="../function/F_pelangganInsert.php">
      <div class="row">
        <div class="col-md-6 col-sm-6">
          <div class="form-group">
            <label>ID Pelanggan</label>
            <input type="text" class="form-control" required="required"
name="id" >
          </div>
        </div>
        <div class="col-md-6 col-sm-6">
          <label>Nama Pelanggan</label>
          <div class="form-group">
            <input type="text" class="form-control" required="required"
name="nama" >
          </div>
        </div>
        <div class="col-md-6 col-sm-6">
          <label>No Telepon</label>
          <div class="form-group">
            <input type="text" class="form-control" required="required"
name="tlp" >
          </div>
        </div>
        <div class="col-md-6 col-sm-6">
          <label>Email</label>
          <div class="form-group">
            <input type="text" class="form-control" required="required"
name="email">
          </div>
        </div>
      </div>
    </form>
  </div>
</div>
```



```

    $sql=mysql_query($stampil);
    $kode = 1;

    while($data=mysql_fetch_array($sql))
    {
        echo'
        <tbody>
            <tr>
                <td>'. $data['ID']. '</td>
                <td>'. $data['nama']. '</td>

                <td>'. $data['tlp']. '</td>
                <td>'. $data['email']. '</td>

                <td>'. $data['alamat']. '</td>
                <td><a href=" ../function/F_pelangganDelete.php?kode=' . $data['no']. '"
class="btn btn-warning btn-sm" role="button" > Delete </a> ' ;
        echo "<a onClick=myFunction($kode)"; echo' class="btn btn-primary btn-sm"
        role="button" id="btEdit" > Edit </a></td>

        </tr>
        </tbody>
        ;
        $kode = $kode+1; }
    ?>
        </table>
        </div>
        </div>
        </div>
    </div>
    <?php
include 'footer.php'
?>
<script language="JavaScript" type="text/javascript">
var isi = 0;
var rowcount = 0;

```

```

function test() {
alert("aa"); }

    function myFunction(a) {
        var tabLines = document.getElementById("myTable");
var zz = $("#myTable tr").length;
        //alert(zz);
        if(zz == rowcount || rowcount == 0)
        {

            var subs = tabLines.rows[a].cells[0].innerHTML;

            var subs1 = tabLines.rows[a].cells[1].innerHTML;

            var subs2 = tabLines.rows[a].cells[2].innerHTML;

            var subs3 = tabLines.rows[a].cells[3].innerHTML;

            var subs4 = tabLines.rows[a].cells[4].innerHTML;

            var tabLinesRow = tabLines.insertRow(a);
                //var col1 = "<input type=checkbox name=case
style=opacity:0 id=checkbox/>";
                var col1html = '<input type="text" class="form-
control" name="kode" value="'+subs+'" id="ids">';
                var col2html = '<input type="text" class="form-
control" name="kode" value="'+subs1+'" id="nams">';
                var col3html = '<input type="text" class="form-
control" name="kode" value="'+subs2+'" id="tlps">';

                var col4html = '<input type="text" class="form-control"
name="kode" value="'+subs3+'" id="emails">';
                var col5html = '<textarea class="form-control"
rows="3" name="keterangan" value="" id="alamat"/>'+subs4+'</textarea>';

                var col6html = '<button onClick="editData()" class="btn btn-
primary btn-sm" role="button" id="buttons">Save</button> <button
onClick="cancel()" class="btn btn-warning btn-sm" role="button"
id="buttons">Cancel</button>';

```

```
        //var colno = tabLinesRow.insertCell(0);
colno.innerHTML = col11;
        var col1 = tabLinesRow.insertCell(0); col1.innerHTML
= col1html;
        var col2 = tabLinesRow.insertCell(1); col2.innerHTML
= col2html;
        var col3 = tabLinesRow.insertCell(2); col3.innerHTML
= col3html;
        var col4 = tabLinesRow.insertCell(3); col4.innerHTML
= col4html;
var col5 = tabLinesRow.insertCell(4); col5.innerHTML = col5html;
        var col6 = tabLinesRow.insertCell(5); col6.innerHTML = col6html;

        tabLines.rows[a+1].cells[0].style.display = 'none';
        tabLines.rows[a+1].cells[1].style.display = 'none';
        tabLines.rows[a+1].cells[2].style.display = 'none';
        tabLines.rows[a+1].cells[3].style.display = 'none';
        tabLines.rows[a+1].cells[4].style.display = 'none';
        tabLines.rows[a+1].cells[5].style.display = 'none';

        rowcount =zz;

        isi = a;
    }
    else
    {
        alert("Selesaikan Dahulu Proses Edit");
    }
}
```

```
        //tabLines.deleteRow(a+1);
    }

    function cancel() {

        var tabLines = document.getElementById("myTable");

        tabLines.rows[isi+1].cells[0].style.display = "";
        tabLines.rows[isi+1].cells[1].style.display = "";
        tabLines.rows[isi+1].cells[2].style.display = "";
        tabLines.rows[isi+1].cells[3].style.display = "";
        tabLines.rows[isi+1].cells[4].style.display = "";
        tabLines.rows[isi+1].cells[5].style.display = "";

        tabLines.deleteRow(isi);

    }

    function editData() {
        var tabLines = document.getElementById("ids").value;
        var tabLines1 = document.getElementById("namas").value;
        var tabLines2 = document.getElementById("tlps").value;
        var tabLines3 = document.getElementById("emails").value;
        var tabLines4 = document.getElementById("alamat").value;

        document.location.href =
        "../function/F_pelangganUpdate.php?id_pel="+tabLines+"&&namas="+tabLines1+"&&tlps="+tabLines2+"&&emails="+tabLines3+"&&alamat="+tabLines4;

    }
</script>
```

DataPemesanan.php

```

<?php
include 'header.php'
?>

<!-- SLIDER SECTION -->

    <div class="container">

        <div class="col-md-12 col-sm-12">
            <h3 class="text-center">DATA PEMESANAN PELANGGAN</h3>
            <hr>
            <form role="form" method="post"
action="../function/F_pemesananInsert.php">
                <div class="row">
                    <div class="col-md-4 col-sm-4">
                        <div class="form-group">

                            <label>ID Pemesanan</label>
                            <input type="text" class="form-control" required="required" name="id"
id="1">

                                </div>
                            </div>
                        <div class="form-group col-lg-4">
                            <label for="sel1">ID Pelanggan</label>
                            <select class="form-control" name = "id_pel" >

                                <option>----</option>

                                <?php

                                    $stampil= "select * from pelanggan";
                                    $sql=mysql_query($stampil);

                                    while($data=mysql_fetch_array($sql))
                                    {
                                        echo'
                                        <option value="" . $data['ID'] . "'>' . $data['ID'] . '</option> ' ;

                                    }?>
                                </select>
                            </div>
                        </div>
                    </div>
                </div>
            </form>
        </div>
    </div>

```

```

        </select>
    </div>
    <div class="col-md-4 col-sm-4">
    <label>Tanggal Pemesanan</label>
    <div class="form-group">
    <input type="text" class="form-control" required="required"
name="tgl" id="2">
    </div>
    </div>
    <div class="form-group col-lg-4">
    <label for="sel1">ID Produk</label>
    <select class="form-control" name = "id_pros" id="id_pro"
onchange="klikon()">
    <option>----</option>
    <?php
$stampil= "select * from produk";
$sql=mysql_query($stampil);
while($data=mysql_fetch_array($sql))
{
echo'
<option value="" .$data['ID']. ".$data['nama']. "'>'. $data['ID']. '</option>';
} ?>
    </select>
    </div>
    <div class="col-md-4 col-sm-4">
    <label>Nama Produk</label>
    <div class="form-group">
    <input type="text" class="form-control" required="required"
name="nama_pro" id="namabah" id="3">
    </div>
</div>
<div class="col-md-4 col-sm-4">
<label>Banyaknya</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="qty"
id="4">
</div>

```



```

</div>
<div class="col-md-4 col-sm-4">
<label>Harga Satuan</label>
    <div class="form-group">
<input type="text" class="form-control" required="required" name="harga"
id="5">
        </div>
    </div>
    <div class="col-md-4 col-sm-4">
        <div class="form-group">
            <input type="hidden" class="form-control"
required="required" name="id_pro" id="temp">
        </div>
    </div>
    <div class="form-group col-lg-12">
        <button class="btn btn-primary btn-lg btn-
block">Save</button>
    </div>
</form>
</div>
<hr>
    <div class="row">
        <div class="col-lg-12">
            <div class="table-responsive">
                <table class="table table-bordered table-hover table-striped"
id="myTable">
                    <thead>
                        <tr>
                            <th>ID Pemesanan</th>
                            <th>ID Pelanggan</th>
                            <th>Tanggal Pemesanan</th>
                            <th>ID Produk</th>
                            <th>Nama Produk</th>
                            <th>QTY</th>
                            <th>Harga Satuan</th>
                            <th>Jumlah</th>
                        <th></th>
                    </tr>
                </thead>

```



```

<script language="JavaScript" type="text/javascript">
    var isi = 0;
    var rowcount = 0;
    $(function(){
        $('#2').datetimepicker();
    });

    function prints()
    {
        window.print();
    }
    function klikon()
{
    var isi = document.getElementById("id_pro").value;
    var splits = isi.split("-");
    var id = splits[0];
    var nama = splits[1];
    document.getElementById("namabah").value = nama;
    document.getElementById("temp").value = id;
    //document.location.href = "../function/function
partial/F_getPemesananProduk.php?id="+isi;
    }
function myFunction(a)
{
var tabLines = document.getElementById("myTable");
    var zz = $("#myTable tr").length;
    //alert(zz);
    if(zz == rowcount || rowcount == 0)
    {
        var subs = tabLines.rows[a].cells[0].innerHTML;
        var subs1 = tabLines.rows[a].cells[1].innerHTML;
        var subs2 = tabLines.rows[a].cells[2].innerHTML;
        var subs3 = tabLines.rows[a].cells[3].innerHTML;
        var subs4 = tabLines.rows[a].cells[4].innerHTML;
        var subs5 = tabLines.rows[a].cells[5].innerHTML;
        var subs6 = tabLines.rows[a].cells[6].innerHTML;
        var subs7 = tabLines.rows[a].cells[7].innerHTML;
        var ab = subs6.substring(4);
    }
}

```

```

var bc=ab.split(",");
var cd = bc.length;
var txtval = "";
for(var tt=0;tt<cd;tt++)
{
var txtval = txtval+bc[tt];
}
var tabLinesRow = tabLines.insertRow(a);
//var col11 = "<input type=checkbox name=case
style=opacity:0 id=checkbox/>";
var col1html = '<input type="text" class="form-
control" name="kode" value="'+subs+"' id="id_pems">';
var col2html = '<input type="text" class="form-
control" name="kode" value="'+subs1+"' id="id_pels">';
var col3html = '<input type="text" class="form-
control" name="kode" value="'+subs2+"' id="tgl">';
var col4html = '<input type="text" class="form-
control" name="kode" value="'+subs3+"' id="id_pros">';
var col5html = '<input type="text" class="form-control" name="kode"
value="'+subs4+"' id="namas">';
var col6html = '<input type="text" class="form-
control" name="kode" value="'+subs5+"' id="qtys">';
var col7html = '<input type="text" class="form-
control" name="kode" value="'+txtval+"' id="hargas">';
var col8html = '<label>'+subs7+'</label>';
var col9html = '<button onClick="editData()" class="btn
btn-primary btn-sm" role="button" id="buttons">Save</button> <button
onClick="cancel()" class="btn btn-warning btn-sm" role="button"
id="buttons">Cancel</button>';
//var colno = tabLinesRow.insertCell(0); colno.innerHTML = col11;
var col1 = tabLinesRow.insertCell(0); col1.innerHTML = col1html;
var col2 = tabLinesRow.insertCell(1); col2.innerHTML = col2html;
var col3 = tabLinesRow.insertCell(2); col3.innerHTML = col3html;
var col4 = tabLinesRow.insertCell(3); col4.innerHTML = col4html;
var col5 = tabLinesRow.insertCell(4); col5.innerHTML = col5html;
var col6 = tabLinesRow.insertCell(5); col6.innerHTML = col6html;
var col7 = tabLinesRow.insertCell(6); col7.innerHTML = col7html;
var col8 = tabLinesRow.insertCell(7); col8.innerHTML = col8html;

```

```

var col9 = tabLinesRow.insertCell(8); col9.innerHTML = col9html;

        tabLines.rows[a+1].cells[0].style.display = 'none';
        tabLines.rows[a+1].cells[1].style.display = 'none';
        tabLines.rows[a+1].cells[2].style.display = 'none';
        tabLines.rows[a+1].cells[3].style.display = 'none';
        tabLines.rows[a+1].cells[4].style.display = 'none';
        tabLines.rows[a+1].cells[5].style.display = 'none';
        tabLines.rows[a+1].cells[6].style.display = 'none';
        tabLines.rows[a+1].cells[7].style.display = 'none';
        tabLines.rows[a+1].cells[8].style.display = 'none';

        isi = a;
        rowcount = zz;
    }
    else
    {
    alert("Selesaikan Dahulu Proses Edit");
    }

        //tabLines.deleteRow(a+1);}
function cancel() {
var tabLines = document.getElementById("myTable");
tabLines.rows[isi+1].cells[0].style.display = "";
tabLines.rows[isi+1].cells[1].style.display = "";
tabLines.rows[isi+1].cells[2].style.display = "";
tabLines.rows[isi+1].cells[3].style.display = "";
tabLines.rows[isi+1].cells[4].style.display = "";
tabLines.rows[isi+1].cells[5].style.display = "";
tabLines.rows[isi+1].cells[6].style.display = "";
tabLines.rows[isi+1].cells[7].style.display = "";
tabLines.rows[isi+1].cells[8].style.display = "";
tabLines.deleteRow(isi);
}
function editData() {
var tabLines = document.getElementById("id_pems").value;
var tabLines1 = document.getElementById("id_pels").value;
var tabLines2 = document.getElementById("tgls").value;
var tabLines3 = document.getElementById("id_pros").value;
var tabLines4 = document.getElementById("namas").value;
var tabLines5 = document.getElementById("qtys").value;

```

```

var tabLines6 = document.getElementById("hargas").value;
document.location.href =
"./function/F_pemesananUpdate.php?id_pems="+tabLines+"&&id_pels="+tab
Lines1+"&&tgls="+tabLines2+"&&id_pros="+tabLines3+"&&namas="+tabLin
es4+"&&qtyS="+tabLines5+"&&hargas="+tabLines6;
}
</script>

```

dataPenjualan.php

```

<?php
include 'header.php'
?>
<!-- SLIDER SECTION -->

<div class="container">

<div class="col-md-12 col-sm-12">
<h3 class="text-center">DATA PENJUALAN</h3>
<hr>
<form role="form" method="post"
action="../function/F_penjualanInsert.php">
<div class="row">
<div class="col-md-6 col-sm-6">
<div class="form-group">
<label>ID Penjualan</label>
<input type="text" class="form-control" required="required"
name="id">
</div>
</div>
<div class="form-group col-lg-6">
<label for="sel1">ID Pemesanan</label>
<select class="form-control" name = "id_pems"
onchange="klikon()" id="id_pem">
<option>----</option>
<?php
$stampil= "select * from pemesan";
$sql=mysql_query($stampil);
while($data=mysql_fetch_array($sql))
{
echo'

```

```

<option value=" ".$data['ID']. '.'.$data['ID_produk']. ">".$data['ID'].</option>;
}
?>
</select>
</div>
        <div class="col-md-6 col-sm-6">
            <div class="form-group">
                <label>ID Produk</label>
                <input type="text" class="form-control" required="required"
name="id_pro" id="id_pro">
            </div>
        </div>
<div class="form-group col-lg-6">
    <label for="sel1">Bulan</label>
    <select class="form-control" name = "bulan" >
        <option>----</option>
</select>
<?php
    $stampil= "select * from bulan";
    $sql=mysql_query($stampil);
    while($data=mysql_fetch_array($sql))
    {
    echo'
<option value=" ".$data['nama']. ">".$data['nama'].</option> ';
    }
?>
</select>
    </div> <div class="col-md-6 col-sm-6">
        <div class="form-group">
            <input type="hidden" class="form-control"
required="required" name="id_pem" id="temp">
        </div>
    </div>
    </div>
        <div class="form-group col-lg-12">
            <button class="btn btn-primary btn-lg btn-
block">Save</button>
        </div>
    </form>
</div>
<hr>

```

```

        <div class="row">
        <div class="col-lg-12">
        <div class="table-responsive">
        <table class="table table-bordered table-hover table-striped"
id="myTable">
        <thead>
        <tr>
        <th>ID Penjualan</th>
        <th>ID Pemesanan</th>
        <th>ID Produk</th>
        <th>Bulan</th>

        <th>Tahun</th>

        <th></th>
        </tr>
        </thead>
<?php
        $stampil= "select * from penjualan";
        $sql=mysql_query($stampil);
        $kode = 1;
        while($data=mysql_fetch_array($sql))
        {
echo'
        <tbody>
        <tr>
        <td>'.$data['ID'].'</td>
        <td>'.$data['ID_pemesan'].'</td>
        <td>'.$data['ID_produk'].'</td>
        <td>'.$data['bulan'].'</td>
        <td>'.$data['tahun'].'</td>
        <td><a href=" ../function/F_penjualanDelete.php?kode='.$data['no'].'"
class="btn btn-warning btn-sm" role="button" > Delete </a> ';
        echo "<a onClick=myFunction($kode)"; echo' class="btn btn-primary
btn-sm" role="button" id="btEdit" > Edit
</a></td>
        </tr>
        </tbody>
';
        $kode = $kode+1;

```



```

    }
?>
        </table>
    </div>
</div>
</div>
</div>
<?php
include 'footer.php'
?>
<script language="JavaScript" type="text/javascript">
    var isi = 0;
    var rowcount = 0;
    function klikon() {
    var isi = document.getElementById("id_pem").value;
    var splits = isi.split("-");
    var id = splits[0];
    var nama = splits[1];
    document.getElementById("id_pro").value = nama;
    document.getElementById("temp").value = id;
    }
    function test() {
    alert("aa");
}

        function myFunction(a)
{
        var tabLines = document.getElementById("myTable");
        var zz = $("#myTable tr").length;

//alert(zz);
if(zz == rowcount || rowcount == 0)
{
    var subs = tabLines.rows[a].cells[0].innerHTML;
    var subs1 = tabLines.rows[a].cells[1].innerHTML;
    var subs2 = tabLines.rows[a].cells[2].innerHTML;
    var subs3 = tabLines.rows[a].cells[3].innerHTML;
    var subs4 = tabLines.rows[a].cells[4].innerHTML;
    var tabLinesRow = tabLines.insertRow(a);

//var col11 = "<input type=checkbox name=case style=opacity:0
id=checkbox/>";

```

```

        var col1html = '<input type="text" class="form-control" name="kode" value="'+subs+'"' id="id_pens">';
        var col2html = '<input type="text" class="form-control" name="kode" value="'+subs1+'"' id="id_pems">';
        var col3html = '<input type="text" class="form-control" name="kode" value="'+subs2+'"' id="id_pros">';

        var col4html = '<input type="text" class="form-control" name="kode" value="'+subs3+'"' id="bulans">';
        var col5html = '<input type="text" class="form-control" name="kode" value="'+subs4+'"' id="tahuns">';
var col6html = '<button onClick="editData()" class="btn btn-primary btn-sm" role="button" id="buttons">Save</button> <button onClick="cancel()" class="btn btn-warning btn-sm" role="button" id="buttons">Cancel</button>';
//var colno = tabLinesRow.insertCell(0); colno.innerHTML = col11;
var col1 = tabLinesRow.insertCell(0); col1.innerHTML = col1html;
var col2 = tabLinesRow.insertCell(1); col2.innerHTML = col2html;
var col3 = tabLinesRow.insertCell(2); col3.innerHTML = col3html;
var col4 = tabLinesRow.insertCell(3); col4.innerHTML = col4html;
var col5 = tabLinesRow.insertCell(4); col5.innerHTML = col5html;
var col6 = tabLinesRow.insertCell(5); col6.innerHTML = col6html;

        tabLines.rows[a+1].cells[0].style.display = 'none';
        tabLines.rows[a+1].cells[1].style.display = 'none';
        tabLines.rows[a+1].cells[2].style.display = 'none';
        tabLines.rows[a+1].cells[3].style.display = 'none';
        tabLines.rows[a+1].cells[4].style.display = 'none';
        tabLines.rows[a+1].cells[5].style.display = 'none';

        isi = a;
        rowcount = zz;
    }
else
{
    alert("Selesaikan Dahulu Proses Edit");
}
//tabLines.deleteRow(a+1);
}
function cancel() {
var tabLines = document.getElementById("myTable");

```

```

tabLines.rows[isi+1].cells[0].style.display = "";
tabLines.rows[isi+1].cells[1].style.display = "";
tabLines.rows[isi+1].cells[2].style.display = "";
tabLines.rows[isi+1].cells[3].style.display = "";
tabLines.rows[isi+1].cells[4].style.display = "";
tabLines.rows[isi+1].cells[5].style.display = "";
tabLines.deleteRow(isi);
}

function editData() {
var tabLines = document.getElementById("id_pens").value;
var tabLines1 = document.getElementById("id_pems").value;
var tabLines2 = document.getElementById("id_pros").value;
var tabLines3 = document.getElementById("bulans").value;
var tabLines4 = document.getElementById("tahuns").value;

document.location.href =
"../function/F_penjualanUpdate.php?id_pens="+tabLines+"&&id_pems="+tabL
ines1+"&&id_pros="+tabLines2+"&&bulans="+tabLines3+"&&tahuns="+tabL
ines4;
}
</script>

dataBahan.php
<?php
include 'header.php'
?>

<!-- SLIDER SECTION -->
<div class="container">
<div class="col-md-12 col-sm-12">
<h3 class="text-center">DATA BAHAN BAKU</h3>
<hr>
<form role="form" method="post"
action="../function/F_bahanInsert.php">
<div class="row">
<div class="col-md-6 col-sm-6">
<div class="form-group">
<label>ID Bahan Baku</label>

```

```

        <input type="text" class="form-control" required="required"
name="id">
        </div>
    </div>
<div class="form-group col-lg-6">
    <label for="sel1">ID Produk</label>
    <select class="form-control" name = "id_pro" >
        <option>----</option>
<?php
    $stampil= "select * from produk";
    $sql=mysql_query($stampil);
    while($data=mysql_fetch_array($sql))
    {
    echo'
<option value="'.$data['ID'].'>'.$data['ID'].'</option>;
    }
?>
        </select>
    </div>
<div class="col-md-6 col-sm-6">
<label>Nama Bahan Baku</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="nama">
    </div>
</div>
<div class="col-md-6 col-sm-6">
<label>Nama Suplier</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="suplier">
    </div>
</div>
<div class="col-md-6 col-sm-6">
<label>Satuan</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="satuan">
    </div>
</div>
    <div class="col-md-6 col-sm-6">

```

```

        <label>Harga</label>
        <div class="form-group">
    <input type="text" class="form-control" required="required" name="harga">
        </div>
    </div>
</div>
<div class="form-group col-lg-12">
    <button class="btn btn-primary btn-lg btn-
block">Save</button>
    </div>
</form>
</div>

<hr>
    <div class="row">
    <div class="col-lg-12">
        <div class="table-responsive">
    <table class="table table-bordered table-hover table-striped"
id="myTable">
        <thead>
            <tr>
                <th>ID Bahan Baku</th>
                <th>ID Produk</th>
                <th>Nama Bahan Baku</th>
                <th>Nama Suplier</th>
                <th>Satuan</th>
                <th>Harga</th>
            <th></th>
        </tr>
        </thead>
<?php
$stampil= "select * from bahan";
$sql=mysql_query($stampil);
$kode = 1;
    while($data=mysql_fetch_array($sql))
    {
        $harga = number_format($data['harga']);
echo'
    <tbody>

```

```

        <tr>
            <td>'. $data['ID']. '</td>
            <td>'. $data['ID_produk']. '</td>
            <td>'. $data['namabahan']. '</td>
            <td>'. $data['suplier']. '</td>
            <td>'. $data['satuan']. '</td>
            <td>Rp. '$harga. '</td>
            <td><a href=" ../function/F_bahanDelete.php?kode='. $data['no']. "
class="btn btn-warning btn-sm" role="button" > Delete </a> ';
            echo "<a onClick=myFunction($kode)"; echo ' class="btn btn-primary
btn-sm" role="button" id="btEdit" > Edit
</a></td>
        </tr>
    </tbody>
';
        $kode = $kode+1;
    }
?>
        </table>
    </div>
</div>
</div>
</div>
<?php
include 'footer.php'
?>
<script language="JavaScript" type="text/javascript">
    var isi = 0;
    var rowcount = 0;
    function test() {
alert("aa");
    }
        function myFunction(a)
    {
var tabLines = document.getElementById("myTable");

        var zz = $("#myTable tr").length;;
        if(zz == rowcount || rowcount == 0)
        {

```

```

var subs = tabLines.rows[a].cells[0].innerHTML;
var subs1 = tabLines.rows[a].cells[1].innerHTML;
var subs2 = tabLines.rows[a].cells[2].innerHTML;
var subs3 = tabLines.rows[a].cells[3].innerHTML;
var subs4 = tabLines.rows[a].cells[4].innerHTML;
var subs5 = tabLines.rows[a].cells[5].innerHTML;
var ab = subs5.substring(4);
var bc=ab.split(",");
var cd = bc.length;
var txtval = "";
for(var tt=0;tt<cd;tt++)
{
    var txtval = txtval+bc[tt];
}
var tabLinesRow = tabLines.insertRow(a);
//var col11 = "<input type=checkbox name=case style=opacity:0
id=checkbox/>";
var col1html = '<input type="text" class="form-control" name="kode"
value="'+subs+"' id="id_bahs">';
var col2html = '<input type="text" class="form-control" name="kode"
value="'+subs1+"' id="id_pros">';
var col3html = '<input type="text" class="form-control" name="kode"
value="'+subs2+"' id="namas">';
var col4html = '<input type="text" class="form-control" name="kode"
value="'+subs3+"' id="suplier">';
var col5html = '<input type="text" class="form-control" name="kode"
value="'+subs4+"' id="satuans">';
var col6html = '<input type="text" class="form-control" name="kode"
value="'+txtval+"' id="hargas">';
var col7html = '<button onClick="editData()" class="btn btn-primary btn-sm"
role="button" id="buttons">Save</button> <button onClick="cancel()"
class="btn btn-warning btn-sm" role="button" id="buttons">Cancel</button>';
//var colno = tabLinesRow.insertCell(0); colno.innerHTML = col11;
var col1 = tabLinesRow.insertCell(0); col1.innerHTML = col1html;
var col2 = tabLinesRow.insertCell(1); col2.innerHTML = col2html;
var col3 = tabLinesRow.insertCell(2); col3.innerHTML = col3html;
var col4 = tabLinesRow.insertCell(3); col4.innerHTML = col4html;
var col5 = tabLinesRow.insertCell(4); col5.innerHTML = col5html;
var col6 = tabLinesRow.insertCell(5); col6.innerHTML = col6html;

```

```

var col7 = tabLinesRow.insertCell(6); col7.innerHTML =
col7html;
/*
    for(atas = 1; atas<a; atas++)
    {
        tabLines.rows[atas].cells[5].style.display =
"none";
    }
*/
    tabLines.rows[a+1].cells[0].style.display = 'none';
    tabLines.rows[a+1].cells[1].style.display = 'none';
    tabLines.rows[a+1].cells[2].style.display = 'none';
    tabLines.rows[a+1].cells[3].style.display = 'none';
    tabLines.rows[a+1].cells[4].style.display = 'none';
    tabLines.rows[a+1].cells[5].style.display = 'none';
    tabLines.rows[a+1].cells[6].style.display =
'none';
    isi = a;
    rowcount =
zz;
    }
    else
    {
        alert("Selesaikan Dahulu Proses Edit");
    }
//tabLines.deleteRow(a+1);}
function hid()
{
var tabLines = document.getElementById("myTable");
var zz = $("#myTable tr").length;
}
function cancel() {
var tabLines = document.getElementById("myTable");
tabLines.rows[isi+1].cells[0].style.display =
";tabLines.rows[isi+1].cells[1].style.display =
";tabLines.rows[isi+1].cells[2].style.display = ";
tabLines.rows[isi+1].cells[3].style.display = ";
tabLines.rows[isi+1].cells[4].style.display = ";
tabLines.rows[isi+1].cells[5].style.display = ";
tabLines.rows[isi+1].cells[6].style.display = ";

```



```

tabLines.deleteRow(isi);
}
function editData() {
var tabLines = document.getElementById("id_bahs").value;
var tabLines1 = document.getElementById("id_pros").value;
var tabLines2 = document.getElementById("namas").value;
var tabLines3 = document.getElementById("satuan").value;
var tabLines4 = document.getElementById("hargas").value;
var tabLines5 = document.getElementById("suplier").value;
document.location.href =
"../function/F_bahanUpdate.php?id_bah="+tabLines+"&&id_pro="+tabLines1+
"&&nama="+tabLines2+"&&satuan="+tabLines3+"&&harga="+tabLines4+"&
&&suplier="+tabLines5;
}
</script>

```

dataProduk.php

```

<?php
include 'header.php'
?>
<!-- SLIDER SECTION -->
<div class="container">
<div class="col-md-12 col-sm-12">
<h3 class="text-center">DATA PRODUK</h3>
<hr>
<form role="form" method="post"
action="../function/F_produkInsert.php">
<div class="row">
<div class="col-md-6 col-sm-6">
<div class="form-group">
<label>ID Produk</label>
<input type="text" class="form-control" required="required"
name="id">
</div>
</div>
<div class="col-md-6 col-sm-6">
<label>Nama Produk</label>
<div class="form-group">

```

```

<input type="text" class="form-control" required="required" name="nama">
    </div>
</div>
<div class="form-group col-lg-6">
<label for="sel1">ID Bahan Baku</label>
<select class="form-control" name = "id_bah" >
    <option>----</option>
<?php
    $stampil= "select * from bahan";
    $sql=mysql_query($stampil);
    while($data=mysql_fetch_array($sql))
    {
    echo'
<option value="'.$data['ID'].'">'.$data['ID'].'</option>;
    }
?>
        </select>
    </div>
    <div class="col-md-6 col-sm-6">
<label>Satuan</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="satuan">
    </div>
    </div>
    <div class="form-group col-lg-12">
    <button class="btn btn-primary btn-lg btn-
block">Save</button>
    </div>
    </form>
</div>

<hr>
    <div class="row">
    <div class="col-lg-12">

    <div class="table-responsive">
<table class="table table-bordered table-hover table-striped" id="myTable">
    <thead>
    <tr>

```

```

                <th>ID Produk</th>
                <th>Nama Produk</th>
                <th>ID Bahan Baku</th>
                <th>Satuan</th>
            <th></th>
        </tr>
    </thead>
<?php
    $stampil= "select * from produk";
    $sql=mysql_query($stampil);
    $kode = 1;
    while($data=mysql_fetch_array($sql))
    { echo'
<tbody>
        <tr>
            <td>'.$data['ID'].'</td>
            <td>'.$data['nama'].'</td>
            <td>'.$data['ID_bahan'].'</td>
            <td>'.$data['satuan'].'</td>
            <td><a href=" ../function/F_produkDelete.php?kode='.$data['no'].'"
class="btn btn-warning btn-sm" role="button" > Delete </a> ';
            echo "<a onClick=myFunction($kode)"; echo' class="btn btn-primary btn-sm"
            role="button" id="btEdit" > Edit
        </a></td>
        </tr>
    </tbody> ';
        $kode = $kode+1;
    }
?>
    </table>
</div>
</div>
</div>
</div>
<?php
include 'footer.php'
?>
<script language="JavaScript" type="text/javascript">
    var isi = 0;
    var rowcount = 0;

```

```

        function test() {
            alert("aa");
        }
        function myFunction(a)
    {
        var tabLines = document.getElementById("myTable");
        var zz = $("#myTable tr").length;
            //alert(zz);
            if(zz == rowcount || rowcount == 0)
            {
                var subs = tabLines.rows[a].cells[0].innerHTML;
                var subs1 = tabLines.rows[a].cells[1].innerHTML;
                var subs2 = tabLines.rows[a].cells[2].innerHTML;
                var subs3 = tabLines.rows[a].cells[3].innerHTML;
                var tabLinesRow = tabLines.insertRow(a);
                //var col11 = "<input type=checkbox name=case style=opacity:0
                id=checkbox/>";
                var col1html = '<input type="text" class="form-control" name="kode"
                value="'+subs+'"' id="id_pros">';
                var col2html = '<input type="text" class="form-control" name="kode"
                value="'+subs1+'"' id="namas">';
                var col3html = '<input type="text" class="form-control" name="kode"
                value="'+subs2+'"' id="id_bahs">';
                var col4html = '<input type="text" class="form-control" name="kode"
                value="'+subs3+'"' id="id_bahs">';
                var col5html = '<button onClick="editData()" class="btn btn-primary btn-sm"
                role="button" id="buttons">Save</button> <button onClick="cancel()"
                class="btn btn-warning btn-sm" role="button" id="buttons">Cancel</button>';
                //var colno = tabLinesRow.insertCell(0); colno.innerHTML = col11;
                var col1 = tabLinesRow.insertCell(0); col1.innerHTML = col1html;
                var col2 = tabLinesRow.insertCell(1); col2.innerHTML = col2html;
                var col3 = tabLinesRow.insertCell(2); col3.innerHTML = col3html;
                var col4 = tabLinesRow.insertCell(3); col4.innerHTML = col4html;
                var col5 = tabLinesRow.insertCell(4); col5.innerHTML =
                col5html;

                tabLines.rows[a+1].cells[0].style.display = 'none';
                tabLines.rows[a+1].cells[1].style.display = 'none';
                tabLines.rows[a+1].cells[2].style.display = 'none';
    }
}

```

```

        tabLines.rows[a+1].cells[3].style.display = 'none';
        tabLines.rows[a+1].cells[4].style.display = 'none';
        isi = a;
    rowcount = zz;
    } else
    {
    alert("Selesaikan Dahulu Proses Edit");
    }

        //tabLines.deleteRow(a+1);
        }
function cancel() {
var tabLines = document.getElementById("myTable");
tabLines.rows[isi+1].cells[0].style.display = "";
tabLines.rows[isi+1].cells[1].style.display = "";
tabLines.rows[isi+1].cells[2].style.display = "";
tabLines.rows[isi+1].cells[3].style.display = "";
tabLines.rows[isi+1].cells[4].style.display = "";
tabLines.deleteRow(isi);
}
function editData() {
    var tabLines = document.getElementById("id_pros").value;
    var tabLines1 = document.getElementById("namas").value;
    var tabLines2 = document.getElementById("id_bahs").value;
document.location.href =
"../function/F_produkUpdate.php?id_pro="+tabLines+"&&namas="+tabLines1
+"&&id_bah="+tabLines2;
}
</script>

```

BahanStok.php

```

<?php
include 'header.php'
?>
<!-- SLIDER SECTION -->
    <div class="container">
    <div class="col-md-12 col-sm-12">
    <h3 class="text-center">STOK BAHAN BAKU</h3>
    <hr>

```

```

        <form role="form" method="post"
action=" ../function/F_stokInsert.php">
        <div class="row">
            <div class="col-md-6 col-sm-6">
                <div class="form-group">
                    <label>ID Stok Bahan Baku</label>
                    <input type="text" class="form-control" required="required" name="id">
                </div>
            </div>
        <div class="form-group col-lg-6">
            <label for="sel1">ID Bahan Baku</label>
            <select class="form-control" name = "id_bahs"
onchange="klikon()" id="id_bah">
                <option>----</option>
            </select>
            <?php
                $stampil= "select * from bahan";
                $sql=mysql_query($stampil);
                while($data=mysql_fetch_array($sql))
                {
            echo'
            <option value="'.$data['ID'].'-'.$data['namabahan'].'">'.$data['ID'].'</option> ';
            }
            ?>
                </select>
            </div>
        <div class="col-md-6 col-sm-6">
            <label>Nama Bahan Baku</label>
            <div class="form-group">
                <input type="text" class="form-control" required="required" name="nama"
id="nama">
            </div>
        </div>
        <div class="col-md-6 col-sm-6">
            <label>Tersedia</label>
            <div class="form-group">
                <input type="text" class="form-control" required="required" name="stok">
            </div>
        </div>
        <div class="col-md-6 col-sm-6">
            <label>Satuan</label>

```

```

<div class="form-group">
<input type="text" class="form-control" required="required" name="satuan">
    </div>
</div>
<div class="col-md-6 col-sm-6">
    <div class="form-group">
        <input type="hidden" class="form-control"
required="required" name="id_bah" id="temp">
    </div>
</div>
</div>
    <div class="form-group col-lg-12">
        <button class="btn btn-primary btn-lg btn-
block">Save</button>
    </div>
</form>
</div>
<hr>
    <div class="row">
        <div class="col-lg-12">
            <div class="table-responsive">
                <table class="table table-bordered table-hover table-striped"
id="myTable">
                    <thead>
                        <tr>
                            <th>ID Stok Bahan Baku</th>
                            <th>ID Bahan Baku</th>
                            <th>Nama Bahan Baku</th>
                            <th>Tersedia</th>
                            <th>Satuan</th>
                            <th></th>
                        </tr>
                    </thead>
<?php
    $stampil= "select * from stok";
    $sql=mysql_query($stampil);
    $kode = 1;
    while($data=mysql_fetch_array($sql))
    {
echo'

```

```

<tbody>
    <tr>
        <td>'.$data['ID'].'</td>
        <td>'.$data['ID_bahan'].'</td>
        <td>'.$data['nama'].'</td>
        <td>'.$data['stok'].'</td>
        <td>'.$data['satuan'].'</td>
    <td><a href=" ../function/F_stokDelete.php?kode='.$data['no'].'" class="btn btn-
warning btn-sm" role="button" > Delete </a> ';
        echo "<a onClick=myFunction($kode)"; echo' class="btn btn-primary
btn-sm" role="button" id="btEdit" > Edit
    </a></td>
    </tr>
</tbody>
';
    $kode = $kode+1;
}
?>
        </table>
    </div>
</div>
</div>
</div>
<?php
include 'footer.php'
?>
<script language="JavaScript" type="text/javascript">
    var isi = 0;
    var rowcount = 0;
    function klikon()
    {
        var isi = document.getElementById("id_bah").value;
        var splits = isi.split("-");
        var id = splits[0];
        var nama = splits[1];
        document.getElementById("nama").value = nama;
        document.getElementById("temp").value = id;
        //document.location.href = "../function/function
partial/F_getPemesananProduk.php?id="+isi;
    }

```



```

        function myFunction(a)
    {
        var tabLines = document.getElementById("myTable");
        var zz = $("#myTable tr").length;

        //alert(zz);
        if(zz == rowcount || rowcount == 0)
        {
            var subs = tabLines.rows[a].cells[0].innerHTML;
            var subs1 = tabLines.rows[a].cells[1].innerHTML;
            var subs2 = tabLines.rows[a].cells[2].innerHTML;
            var subs3 = tabLines.rows[a].cells[3].innerHTML;
            var subs4 = tabLines.rows[a].cells[4].innerHTML;
            var tabLinesRow = tabLines.insertRow(a);
                //var col11 = "<input type=checkbox name=case
style=opacity:0 id=checkbox/>";
            var col1html = '<input type="text" class="form-control" name="kode"
            value="'+subs+'"' id="ids">';
            var col2html = '<input type="text" class="form-control" name="kode"
            value="'+subs1+'"' id="id_bahs">';
            var col3html = '<input type="text" class="form-control" name="kode"
            value="'+subs2+'"' id="namas">';
            var col4html = '<input type="text" class="form-control" name="kode"
            value="'+subs3+'"' id="qtys">';
            var col5html = '<input type="text" class="form-control" name="kode"
            value="'+subs4+'"' id="satuans">';
            var col6html = '<button onClick="editData()" class="btn btn-primary btn-sm"
            role="button" id="buttons">Save</button> <button onClick="cancel()"
            class="btn btn-warning btn-sm" role="button" id="buttons">Cancel</button>';

                //var colno = tabLinesRow.insertCell(0);
            colno.innerHTML = col11;
            var col1 = tabLinesRow.insertCell(0); col1.innerHTML = col1html;
            var col2 = tabLinesRow.insertCell(1); col2.innerHTML = col2html;
            var col3 = tabLinesRow.insertCell(2); col3.innerHTML = col3html;
            var col4 = tabLinesRow.insertCell(3); col4.innerHTML = col4html;
            var col5 = tabLinesRow.insertCell(4); col5.innerHTML = col5html;
            var col6 = tabLinesRow.insertCell(5); col6.innerHTML = col6html;
                tabLines.rows[a+1].cells[0].style.display = 'none';
                tabLines.rows[a+1].cells[1].style.display = 'none';
                tabLines.rows[a+1].cells[2].style.display = 'none';
                tabLines.rows[a+1].cells[3].style.display = 'none';

```

```

        tabLines.rows[a+1].cells[4].style.display = 'none';
        tabLines.rows[a+1].cells[5].style.display = 'none';
        isi = a;
rowcount = zz;
    } else
    {
    alert("Selesaikan Dahulu Proses Edit");
    }

        //tabLines.deleteRow(a+1);
        }
function cancel() {
var tabLines = document.getElementById("myTable");
tabLines.rows[isi+1].cells[0].style.display = "";
tabLines.rows[isi+1].cells[1].style.display = "";
tabLines.rows[isi+1].cells[2].style.display = "";
tabLines.rows[isi+1].cells[3].style.display = "";
tabLines.rows[isi+1].cells[4].style.display = "";
tabLines.rows[isi+1].cells[5].style.display = "";
tabLines.deleteRow(isi);
}
function editData() {
var tabLines = document.getElementById("ids").value;
var tabLines1 = document.getElementById("id_bahs").value;
var tabLines2 = document.getElementById("namas").value;
var tabLines3 = document.getElementById("qtys").value;
var satuans = document.getElementById("satuans").value;
document.location.href =
"../function/F_stokUpdate.php?ids="+tabLines+"&id_bahs="+tabLines1+"&
namas="+tabLines2+"&qtys="+tabLines3+"&satuans="+satuans;
}
</script>

```

bahanBaku.php

```

<?php
include 'header.php'
?>
<!-- SLIDER SECTION -->
    <div class="container">
        <h3 class="text-center">PERAMALAN BAHAN BAKU</h3>

```

```

<div class="panel panel-default">
  <div class="panel-heading"></div>
    <div class="form-group col-lg-6">
      <label for="sel1">ID Produk</label>
      <select class="form-control" name = "id_pros"
onchange="klikon()" id="id_pros">
        <option>----</option>
<?php
  $stampil= "select * from produk";
  $sql=mysql_query($stampil);
  while($data=mysql_fetch_array($sql))
  {
echo'
<option value="'. $data['ID']. "'>'. $data['ID']. '</option> ' ;
}
?>
        </select>
      </div>
      <div class="form-group col-lg-4">
        <div class="col-md-12 col-sm-12">
          <div class="form-group">
            <label></label>
            <button onclick="hitung()" class="btn btn-primary btn-lg btn-
block">Hitung</button>
          </div>
        </div>
      </div>
    </div>
    <div class="clearfix"></div>
  </div>
  <hr>
  <div class="row">
    <div class="col-lg-12">
      <div class="table-responsive">
        <table class="table table-bordered table-hover table-striped"
id="myTable">
          <thead>
            <tr>
              <th>Periode</th>
              <th>Penjualan</th>
              <th>Peramalan</th>

```

```

                </tr>
            </thead>
            <?php include 'fungsiBahan.php';?>
        </table>
    </div>
</div>
</div>
</div>
<?php
include 'footer.php'
?>
<script>
function hitung()
{
var isi = document.getElementById("id_pros").value;
document.location.href = "bahanBaku.php?produk="+isi;
}
</script>

```

PO.php

```

<?php
include 'header.php';
$Sidpo = "";
$stampil= "select * from po";
    $sql=mysql_query($stampil);
    while($data=mysql_fetch_array($sql))
    {
        $Sidpo = $data['ID'];
    }
    if($Sidpo == "")
    {
        $Sidpo = "PO01";
    }
    else
    {
        $sang = strlen($Sidpo);
        $Sidpos = substr($Sidpo,0,2);
        $Sidpo = substr($Sidpo,2,$sang-2);
        $Sidpo = $Sidpos . ($Sidpo + 1);
    }

```

```

    }
?>
<!-- SLIDER SECTION -->
    <div class="container">
    <div class="col-md-12 col-sm-12">
    <h3 class="text-center">PURCHASE ORDER (PO)</h3>
    <hr>
    <form role="form" method="post"
action="../function/F_POInsert.php">
    <div class="row">
    <div class="col-md-4 col-sm-4">
    <div class="form-group">
    <label>ID PO</label>
    <input type="text" class="form-control" required="required"
name="id" value="<?php echo $idpo;?>" >
    </div>
    </div>
    <div class="form-group col-lg-4">
    <label for="sel1">ID Bahan Baku</label>
    <select class="form-control" name = "id_pros"
onchange="klikon()" id="id_pros">
    <option>----</option>
    <?php
    $stampil= "select * from bahan";
    $sql=mysql_query($stampil);
    while($data=mysql_fetch_array($sql))
    {
echo'
<option value="',$data['ID'],'-',$data['namabahan'],'-
',$data['suplier'],'">',$data['ID'],'</option> ';
    }
?>
    </select>
    </div>
    <div class="col-md-4 col-sm-4">
    <label>Nama Produk</label>
    <div class="form-group">
    <input type="text" class="form-control" required="required" name="nama"
id="nama" >
    </div>

```

```

        </div>
<div class="col-md-4 col-sm-4">
<label>Nama Suplier</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="sup"
id="sup" >
        </div>
        </div>
        <div class="col-md-4 col-sm-4">
<label>Banyak</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="qty">
        </div>
        </div>
<div class="col-md-4 col-sm-4">
<label>Harga</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="harga">
        </div>
        </div>
<!--<div class="col-md-4 col-sm-4">
<label>Jumlah</label>
        <div class="form-group">
<input type="text" class="form-control" required="required" name="jumlah">
        </div>
        </div-->
<div class="col-md-4 col-sm-4">
<label>Tanggal</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="tgl"
id='datepicker'>
        </div>
        </div>
<div class="col-md-6 col-sm-6">
        <div class="form-group">
                <input type="hidden" class="form-control"
required="required" name="id_pro" id="temp">
        </div>
</div>
</div>

```

```

<div class="form-group col-lg-12">
    <button class="btn btn-primary btn-lg btn-
block">Save</button>
    </div>
</form>
</div>
<hr>
<div class="row">
    <div class="col-lg-12">
        <div class="table-responsive">
            <table class="table table-bordered table-hover table-striped" id="myTable">
                <thead>
                    <tr>
                        <th>ID PO</th>
                        <th>ID Bahan Baku</th>
                        <th>
                            Nama Bahan Baku</th>
                        <th>Jumlah</th>
                        <th>Satuan</th>
                        <th>Harga Satuan</th>
                    </tr>
                    <tr>
                        <th>Total</th>
                        <th></th>
                    </tr>
                </thead>
            </table>
            <?php
                $stampil= "select * from PO";
                $sql=mysql_query($stampil);
                $kode = 1;
                while($data=mysql_fetch_array($sql))
                {
                    $sidpros = $data['ID_pro'];
                    $satuan = "";
                    $harga = number_format($data['harga']);
                    $stampils= "select * from bahan where ID='$sidpros'";
                    $sqls=mysql_query($stampils);
                    while($datas=mysql_fetch_array($sqls))
                    {
                        $satuan = $datas['satuan'];
                    }
                }
            echo'

```

```

<tbody>
    <tr>
        <td>'. $data['ID']. '</td>
        <td>'. $data['ID_pro']. '</td>
        <td>'. $data['nama']. '</td>
        <td>'. $data['qty']. '</td>
        <td>'. $satuan. '</td>
        <td>Rp. '$harga. '</td>
        <td>Rp. '$data['jumlah']. '</td>
        <td><a href=" ../function/F_PODelete.php?kode='. $data['no']. '"
class="btn btn-warning btn-sm" role="button" > Delete </a> ';
        echo "<a onClick=myFunction($kode)"; echo ' class="btn btn-primary
btn-sm" role="button" id="btEdit" > Edit
</a></td>
</tr>
</tbody>
';
    $kode = $kode+1;
}
?>
        </table>
    </div>
</div>
</div>
<?php
include 'footer.php'
?>
<script language="JavaScript" type="text/javascript">
    var isi = 0;
function klikon()
{
    var isi = document.getElementById("id_pros").value;
    var splits = isi.split("-");
    var id = splits[0];
    var nama = splits[1];
    var sup = splits[2];
    document.getElementById("nama").value = nama;
    document.getElementById("temp").value = id;
    document.getElementById("sup").value = sup;
}

```



```

        //document.location.href = "../function/function
partial/F_getPemesananProduk.php?id="+isi;
    }

    function myFunction(a)
    {
    var tabLines = document.getElementById("myTable");
    //document.getElementById("btnSave").className = "btn btn-primary btn-xs";
    //document.getElementById("btnCancel").className = "btn btn-primary btn-
    xs";

        var subs = tabLines.rows[a].cells[0].innerHTML;
        var subs1 = tabLines.rows[a].cells[1].innerHTML;
        var subs2 = tabLines.rows[a].cells[2].innerHTML;
        var subs3 = tabLines.rows[a].cells[3].innerHTML;
        var subs4 = tabLines.rows[a].cells[4].innerHTML;
        var ab = subs4.substring(4);
        var cd = bc.length;
        var txtval = "";
        for(var tt=0;tt<cd;tt++)
        {
            var txtval = txtval+bc[tt];
        }
        var tabLinesRow = tabLines.insertRow(a);
//var col11 = "<input type=checkbox name=case style=opacity:0
id=checkbox/>";
var col1html = '<input type="text" class="form-control" name="kode"
value="'+subs+"' id="ids">';
var col2html = '<input type="text" class="form-control" name="kode"
value="'+subs1+"' id="idbahans">';
var col3html = '<input type="text" class="form-control" name="kode"
value="'+subs2+"' id="namas">';
var col4html = '<input type="text" class="form-control" name="kode"
value="'+subs3+"' id="jumlahs">';
var col5html = '<input type="text" class="form-control" name="kode"
value="'+txtval+"' id="satuan">';
var col6html = '<label></label>';
var col7html = '<button onClick="editData()" class="btn btn-primary btn-sm"
role="button" id="buttons">Save</button> <button onClick="cancel()"
class="btn btn-warning btn-sm" role="button" id="buttons">Cancel</button>';
//var colno = tabLinesRow.insertCell(0); colno.innerHTML = col11;
var col1 = tabLinesRow.insertCell(0); col1.innerHTML = col1html;

```

```

var col2 = tabLinesRow.insertCell(1); col2.innerHTML = col2html;
var col3 = tabLinesRow.insertCell(2); col3.innerHTML = col3html;
var col4 = tabLinesRow.insertCell(3); col4.innerHTML = col4html;
var col5 = tabLinesRow.insertCell(4); col5.innerHTML = col5html;
var col6 = tabLinesRow.insertCell(5); col6.innerHTML = col6html;
var col7 = tabLinesRow.insertCell(6); col7.innerHTML = col7html;
    tabLines.rows[a+1].cells[0].style.display = 'none';
    tabLines.rows[a+1].cells[1].style.display = 'none';
    tabLines.rows[a+1].cells[2].style.display = 'none';
    tabLines.rows[a+1].cells[3].style.display = 'none';
    tabLines.rows[a+1].cells[4].style.display = 'none';
    tabLines.rows[a+1].cells[5].style.display = 'none';
    tabLines.rows[a+1].cells[6].style.display = 'none';
    isi = a;
    //tabLines.deleteRow(a+1);
    }
function cancel() {
var tabLines = document.getElementById("myTable");
tabLines.rows[isi+1].cells[0].style.display = "";
tabLines.rows[isi+1].cells[1].style.display = "";
tabLines.rows[isi+1].cells[2].style.display = "";
tabLines.rows[isi+1].cells[3].style.display = "";
tabLines.rows[isi+1].cells[4].style.display = "";
tabLines.rows[isi+1].cells[5].style.display = "";
tabLines.rows[isi+1].cells[6].style.display = "";
tabLines.deleteRow(isi);
}
function editData() {
var ids = document.getElementById("ids").value;
var idbahans = document.getElementById("idbahans").value;
var namas = document.getElementById("namas").value;
var jumlahs = document.getElementById("jumlahs").value;
var satuaans = document.getElementById("satuaans").value;
document.location.href =
"./function/F_POUpdate.php?ids="+ids+"&&idbahans="+idbahans+"&&namas
="+namas+"&&jumlahs="+jumlahs+"&&satuaans="+satuaans;
}
</script>

```

dataBill.php

```

<?php
include 'header.php'
?>
<!-- SLIDER SECTION -->
  <div class="container">
    <div class="col-md-12 col-sm-12">
      <h3 class="text-center">DATA BILL OF MATERIAL</h3>
      <hr>
      <div class="row">
        <h4 class="text-center">Produk</h4>
        <div class="col-md-6 col-sm-6">
          <div class="form-group">
            <label>ID BOM</label>
            <?php
            $idss = "";
            $stampil= "select * from tmp limit 1";
            $nilai = 0;
            $sql=mysql_query($stampil);
            while($data=mysql_fetch_array($sql))
            {
              echo'
              <input type="text" class="form-control" required="required" name="id"
id="idbom" value="'.$data['idbom'].'">
              </div>
            </div>
            <div class="form-group col-lg-6">
              <label for="sel1">ID Produk</label>
              <select class="form-control" name = "id_pro" id="idpro">
              <option>'.$data['idpro'].'</option> ';
              $idss = $data['idbom'];
              $nilai = $nilai+1;
            }
            if($nilai=="0")
            {
              echo'
              <input type="text" class="form-control" required="required"
name="id" id="idbom">
              </div>
            </div>
            <div class="form-group col-lg-6">

```

```

        <label for="sel1">ID Produk</label>
        <select class="form-control" name = "id_pro" id="idpro">
        <option>----</option> ';
        } ?>
<?php
    $stampil= "select * from produk";
    $sql=mysql_query($stampil);
    while($data=mysql_fetch_array($sql)) }
    echo'
    <option value=".'.$data['ID'].'">'.$data['ID'].'</option> ';
    }
    ?>
        </select>
    </div>
</div>
    <div class="row">
    <div class="col-lg-12">
    <hr>
    <h4 class="text-center">Komposisi</h4>
    </div>
    <div class="form-group col-lg-6">
    <label for="sel1">ID Stok</label>
    <select class="form-control" name = "id_stoks"
onchange="klikon()" id="id_stok">
    <option>----</option>
    <?php
        $stampil= "select * from stok";
        $sql=mysql_query($stampil);
        while($data=mysql_fetch_array($sql))
        {
        echo'
        <option value=".'.$data['ID'].-'.'.$data['nama'].'">'.$data['ID'].'</option> ';
        }
        ?>
            </select>
        </div>
    <div class="col-md-6 col-sm-6">
    <label>Nama Bahan Baku</label>
    <div class="form-group">

```

```

<input type="text" class="form-control" required="required" name="nama"
id="nama">
    </div>
</div>
<div class="col-md-6 col-sm-6">
<label>Ukuran</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="ukuran"
id="ukuran">
    </div>
</div>
<div class="col-md-6 col-sm-6">
<label>Satuan</label>
<div class="form-group">
<input type="text" class="form-control" required="required" name="satuan"
id="satuan">
    </div>
</div>
<div class="col-md-6 col-sm-6">
    <div class="form-group">
        <input type="hidden" class="form-control"
required="required" name="id_stok" id="temp">
    </div>
</div>
    <div class="col-lg-12">
<button id="addRow" onclick="xxx()" class="btn btn-primary btn-lg btn-
block">Add To List</button>
    </div>
</div>
<hr>
    <div class="row">
<div class="col-lg-12">
    <div class="table-responsive">
    <table class="table table-bordered table-hover table-striped"
id="mt">
        <thead>
            <tr>
<th>ID Stock</th>
                <th>Nama Bahan Baku</th>
            </tr>
            <tr>
<th>Ukuran</th>

```

```

        <th>Satuan</th>
    </tr>
</thead>

<?php
$stampil= "select * from tmp where idbom='$idss'";
$sql=mysql_query($stampil);
while($data=mysql_fetch_array($sql))
{
    echo '
    <tbody>
        <tr>
            <td>'.$data['idstok'].'</td>
            <td>'.$data['nama'].'</td>
            <td>'.$data['ukuran'].'</td>
            <td>'.$data['satuan'].'</td>
        </tr>
    </tbody> ';
} ?>
        </table>
    </div>
</div>
</div>
<div class="form-group col-lg
12">
<button onclick="save()" class="btn btn-primary btn-lg btn-
block">Save</button>
    </div>
</div>
<?php
include 'footer.php';
function arsava() {
require 'connect.php';
//header
$id = $_GET['id'];
$id_pro = $_GET['id_pro'];
$id_stok = $_GET['id_stok'];
$nama = $_GET['nama'];
if(empty($id)) {
echo 'File or Name or Code must be fill in!!!';
}

```

```

else {
$query = mysql_query("insert into bill
values(null,'$id','$id_pro','$id_stok','$nama','$null')");
if($query)
{
                header('Location:../Produksi/dataBill.php');
} else {
        echo 'File has been Failed to upload!!';
        //header('Location:uploadfailed.php');
}
}
} ?>
<script language="JavaScript" type="text/javascript">
        var isi = 0;
        var rowcount = 0;
        function tests()
        {
                var depan = document.getElementById('temp').value;
                var blkng = document.getElementById('nama').value;;
                var isi = document.getElementById('mt');
                var row = isi.insertRow(1);
                var cell1 = row.insertCell(0);
                var cell2 = row.insertCell(1);
                cell1.innerHTML=depan;
                cell2.innerHTML=blkng;
                //var row =
                $("<tr><td>"+depan+"</td><td>"+blkng+"</td><td>"+plgn+"</td></tr>");
                //$("#mt > tbody").append(row);
                //document.getElementById('dpn').value = "";
                //document.getElementById('blk').value = "";
                //document.getElementById('pgl').value = "";
        }

function xxx()
{
var idbom = document.getElementById('idbom').value;
var idpro = document.getElementById('idpro').value;
var idstok = document.getElementById('temp').value;
var nama = document.getElementById('nama').value;
var ukuran = document.getElementById('ukuran').value;

```

```

var satuan = document.getElementById('satuan').value;
document.location.href =
"../function/F_billInsert.php?id="+idbom+"&id_pro="+idpro+"&id_stok="+idst
ok+"&nama="+nama+"&ukuran="+ukuran+"&satuan="+satuan;
}

        function klikon()
{
    var isi = document.getElementById("id_stok").value;
    var splits = isi.split("-");
    var id = splits[0];
    var nama = splits[1];
    document.getElementById("nama").value = nama;
    document.getElementById("temp").value = id;
    //document.location.href = "../function/F_billInsert.php?id="+isi;
}
function save()
{
    document.location.href = "../function/F_copyTable.php";
}

        function myFunction(a)
{
    var tabLines = document.getElementById("myTable");
        var zz = $("#myTable tr").length;
        //alert(zz);
        if(zz == rowcount || rowcount == 0)
        {
            var subs = tabLines.rows[a].cells[0].innerHTML;
            var subs1 = tabLines.rows[a].cells[1].innerHTML;
            var subs2 = tabLines.rows[a].cells[2].innerHTML;
            var subs3 = tabLines.rows[a].cells[3].innerHTML;
            var subs4 = tabLines.rows[a].cells[4].innerHTML;
            var tabLinesRow = tabLines.insertRow(a);
//var col1 = "<input type=checkbox name=case style=opacity:0
id=checkbox/>";
var col1html = '<input type="text" class="form-control" name="kode"
value="'+subs+'"' id="ids">';
var col2html = '<input type="text" class="form-control" name="kode"
value="'+subs1+'"' id="id_pros">';
var col3html = '<input type="text" class="form-control" name="kode"
value="'+subs2+'"' id="id_stoks">';

```



```

var col4html = '<input type="text" class="form-control" name="kode"
value="'+subs3+'" id="namas">';
var col5html = '<input type="text" class="form-control" name="kode"
value="'+subs4+'" id="komposisi">';
var col6html = '<button onClick="editData()" class="btn btn-primary btn-sm"
role="button" id="buttons">Save</button> <button onClick="cancel()"
class="btn btn-warning btn-sm" role="button" id="buttons">Cancel</button>';
//var colno = tabLinesRow.insertCell(0); colno.innerHTML = col11;
var col1 = tabLinesRow.insertCell(0); col1.innerHTML = col1html;
var col2 = tabLinesRow.insertCell(1); col2.innerHTML = col2html;
var col3 = tabLinesRow.insertCell(2); col3.innerHTML = col3html;
var col4 = tabLinesRow.insertCell(3); col4.innerHTML = col4html;
var col5 = tabLinesRow.insertCell(4); col5.innerHTML = col5html;
var col6 = tabLinesRow.insertCell(5); col6.innerHTML = col6html;
        tabLines.rows[a+1].cells[0].style.display = 'none';
        tabLines.rows[a+1].cells[1].style.display = 'none';
        tabLines.rows[a+1].cells[2].style.display = 'none';
        tabLines.rows[a+1].cells[3].style.display = 'none';
        tabLines.rows[a+1].cells[4].style.display = 'none';
        tabLines.rows[a+1].cells[5].style.display = 'none';
        isi = a;
rowcount = zz;
} else
{
alert("Selesaikan Dahulu Proses Edit");
}
        //tabLines.deleteRow(a+1);
}
function cancel() {
var tabLines = document.getElementById("myTable");
tabLines.rows[isi+1].cells[0].style.display = "";
tabLines.rows[isi+1].cells[1].style.display = "";
tabLines.rows[isi+1].cells[2].style.display = "";
tabLines.rows[isi+1].cells[3].style.display = "";
tabLines.rows[isi+1].cells[4].style.display = "";
tabLines.rows[isi+1].cells[5].style.display = "";
tabLines.deleteRow(isi);
}
function editData() {
var tabLines = document.getElementById("ids").value;

```

```

var tabLines1 = document.getElementById("id_pros").value;
var tabLines2 = document.getElementById("id_stoks").value;
var tabLines3 = document.getElementById("namas").value;
var tabLines4 = document.getElementById("komposisis").value;
document.location.href =
"../function/F_billUpdate.php?ids="+tabLines+"&&id_pros="+tabLines1+"&&i
d_stoks="+tabLines2+"&&namas="+tabLines3+"&&komposisis="+tabLines4;
}
</script>

```

dataMPS.php

```

<?php
include 'header.php';
    $idpros = $_GET['idpros'];
    $idmps = $_GET['idmps'];
?>
<!-- SLIDER SECTION -->
    <div class="container">
        <div class="col-md-12 col-sm-12">
            <h3 class="text-center">DATA MPS & MRP</h3>
            <hr>
            <div class="row">
                <div class="col-md-6 col-sm-6">
                    <div class="form-group">
                        <label>ID MPS</label>
                        <input type="text" class="form-control" required="required"
name="idmps" id="idmps">
                    </div>
                </div>
            </div>
            <div class="form-group col-lg-6">
                <label for="sel1">ID Produk</label>
                <select class="form-control" name = "id_pro" id="idpros">
                <option>----</option>
            </select>
        </div>
    </div>

    $stampil= "select * from produk";

    $sql=mysql_query($stampil);
    while($data=mysql_fetch_array($sql))

```

```

    {
echo'
<option value="".$data['ID'].'">'.$data['ID'].'</option> ';
} ?>
        </select>
    </div>
</div>
    <div class="form-group col-lg-12">
        <button onclick="mrp()" class="btn btn-primary btn-lg btn-
block">Submit</button>
    </div>
</div>
<hr>
    <div class="row">
    <div class="col-lg-12">
        <div class="table-responsive">
            <table class="table table-bordered table-hover table-striped"
id="myTable">
                <?php
                $nama = "";
                $stampilp= "select * from produk where ID='$idpros'";
                $sqlp=mysql_query($stampilp);
                while($datap=mysql_fetch_array($sqlp))
                {
                $nama = $datap['nama'];
                }
                echo '
                <h4>ID MPS   : '.$idmps.'</h4> <h4>Produk : '.$nama.'</h4> ';
                ?>
                <thead>
                    <tr>
                <th>Bahan Baku</th>
                <th>Stok Awal</th>
                <th>Stok Available</th>
                <th>Periode 1</th>
                <th>Periode 2</th>
                <th>Periode 3</th>
                <th>Periode4</th>
                    </tr>
                </thead>

```

```

<?php include 'fungsiMps1.php';?>
        </table>
    </div>
</div>
</div>
<hr>
<div class="col-md-12 col-sm-12">
    <h3 class="text-center">DATA MRP</h3>
    <hr>
    <div class="row">
        <div class="form-group col-lg-6">
            <label for="sel1">ID Produk</label>
            <select class="form-control" name = "id_pros" id="idpro">
                <option>----</option>
                <?php
                    $stampil= "select * from produk";
                    $sql=mysql_query($stampil);
                    while($data=mysql_fetch_array($sql))
                    {
                echo'
                <option value=".'.$data['ID']."'>'.$data['ID'].'</option> ';
                }
                ?>
            </select>
        </div>
    <div class="col-md-6 col-sm-6">
        <div class="form-group">
            <label></label>
            <button onclick="mrp()" class="btn btn-primary btn-lg btn-block">Submit</button>
        </div>
    </div>
</div>
<hr>
    <div class="row">
        <div class="col-lg-12">
            <h3>Komposisi</h3>
            <div class="table-responsive">
                <table class="table table-bordered table-hover table-striped"
                id="myTable">

```

```

                <thead>
                    <tr>
                        <th>ID Stok</th>
                        <th>Nama Bahan Baku</th>
                        <th>Ukuran</th>
                        <th>Satuan</th>
                    </tr>
                </thead>
<?php
    $idp = $_GET['idpro'];
    $stampil= "select * from bill where ID_produk='$idp'";
    $sql=mysql_query($stampil);
    $kode = 1;
    while($data=mysql_fetch_array($sql))
    {
echo'
<tbody>
                <tr>
                    <td>'. $data['ID_stok'].'</td>
                    <td>'. $data['nama'].'</td>
                    <td>'. $data['ukuran'].'</td>
                    <td>'. $data['satuan'].'</td>
                </tr>
            </tbody> ';
        $kode = $kode+1;
    }
?>
                </table>
            </div>
        </div>
    </div>
<?php
include 'footer.php'
?>
<script language="JavaScript" type="text/javascript">
    var isi = 0;
    function mrp()
    {
var idpro = document.getElementById("idpro").value;

```

```

var idpros = document.getElementById("idpros").value;
var idmps = document.getElementById("idmps").value;
document.location.href =
"dataMps.php?idpro="+idpro+"&idpros="+idpros+"&idmps="+idmps;
}

function myFunction(a)
{
var tabLines = document.getElementById("myTable");
//document.getElementById("btnSave").className = "btn btn-primary btn-xs";
//document.getElementById("btnCancel").className = "btn btn-primary btn-
xs";

var subs = tabLines.rows[a].cells[0].innerHTML;
var subs1 = tabLines.rows[a].cells[1].innerHTML;
var subs2 = tabLines.rows[a].cells[2].innerHTML;
var subs3 = tabLines.rows[a].cells[3].innerHTML;
var subs4 = tabLines.rows[a].cells[4].innerHTML;
var tabLinesRow = tabLines.insertRow(a);
//var col11 = '<input type=checkbox name=case style=opacity:0
id=checkbox/>';
var col1html = '<input type="text" class="form-control" name="kode"
value="'+subs+'"' id="kodes">';
var col2html = '<input type="text" class="form-control" name="kode"
value="'+subs1+'"' id="namas">';
var col3html = '<input type="text" class="form-control" name="kode"
value="'+subs2+'"' id="supliers">';
var col4html = '<input type="text" class="form-control" name="kode"
value="'+subs3+'"' id="supliers">';
var col5html = '<input type="text" class="form-control" name="kode"
value="'+subs4+'"' id="supliers">';
var col6html = '<button onClick="editData()" class="btn btn-primary btn-sm"
role="button" id="buttons">Save</button> <button onClick="cancel()"
class="btn btn-warning btn-sm" role="button" id="buttons">Cancel</button>';
//var colno = tabLinesRow.insertCell(0); colno.innerHTML = col11;
var col1 = tabLinesRow.insertCell(0); col1.innerHTML = col1html;
var col2 = tabLinesRow.insertCell(1); col2.innerHTML = col2html;
var col3 = tabLinesRow.insertCell(2); col3.innerHTML = col3html;
var col4 = tabLinesRow.insertCell(3); col4.innerHTML = col4html;
var col5 = tabLinesRow.insertCell(4); col5.innerHTML = col5html;
var col6 = tabLinesRow.insertCell(5); col6.innerHTML = col6html;
tabLines.rows[a+1].cells[0].style.display = 'none';

```

```
        tabLines.rows[a+1].cells[1].style.display = 'none';
        tabLines.rows[a+1].cells[2].style.display = 'none';
        tabLines.rows[a+1].cells[3].style.display = 'none';
        tabLines.rows[a+1].cells[4].style.display = 'none';
        tabLines.rows[a+1].cells[5].style.display = 'none';
        isi = a;
        //tabLines.deleteRow(a+1);
    }
function cancel() {
var tabLines = document.getElementById("myTable");
tabLines.rows[isi+1].cells[0].style.display = "";
tabLines.rows[isi+1].cells[1].style.display = "";
tabLines.rows[isi+1].cells[2].style.display = "";
tabLines.rows[isi+1].cells[3].style.display = "";
tabLines.rows[isi+1].cells[4].style.display = "";
tabLines.rows[isi+1].cells[5].style.display = "";
tabLines.deleteRow(isi);
}
function editData() {
var tabLines = document.getElementById("kodes").value;
var tabLines1 = document.getElementById("namas").value;
var tabLines2 = document.getElementById("supliers").value;
var tabLines3 = document.getElementById("keteranganans").value;
document.location.href =
"function/F_barangUpdate.php?kodes="+tabLines+"&&namas="+tabLines1+"
&&supliers="+tabLines2+"&&keteranganans="+tabLines3+"";
}
</script>
```