



LAMPIRAN

Daftar inventarisasi

The screenshot shows the 'Daftar inventarisasi' page. The header includes the title 'Inventarisasi' and the user 'Hello Administrator - 10 August 2015'. A sidebar on the left contains navigation options: Dashboard, Barang, Pegawai, and Inventarisasi. The main content area has a 'Tambah Data inventaris' button and a table titled 'Data inventaris'.

The table 'Data inventaris' has the following columns: No, Kode inventarisasi, Pegawai, Barang, Kondisi barang, Tgl Awal Pakai, Tgl Akhir Pakai, Keterangan, and Action. It contains one row of data:

No	Kode inventarisasi	Pegawai	Barang	Kondisi barang	Tgl Awal Pakai	Tgl Akhir Pakai	Keterangan	Action
1	IPC-001	torgator	PC-6N/001	Baik	06 May 2014	04 June 2015	Masih dipakai	 

Below the table, it says 'Showing 1 to 1 of 1 entries' and includes 'Previous' and 'Next' navigation buttons.

Form tambah data inventarisasi

The screenshot shows the 'Form tambah data inventarisasi' page. The header includes the title 'Inventarisasi' and the user 'Hello torgator - 17 September 2015'. A sidebar on the left contains navigation options: Dashboard, Asumsi Utangan, Kondisi Barang, Barang, Pegawai, Inventarisasi, and Laporan. The main content area has a 'Tambah Data inventaris' button and a form titled 'Form Input Data Inventaris'.

The form 'Form Input Data Inventaris' contains the following fields:

- Kode inventarisasi:** Input field with value 'IPC-001'.
- Nama Pegawai:** Input field with value 'Eudh Mardani'.
- Nama Barang:** Input field with value 'Printer Label CD'.
- Tanggal Awal Pakai:** Date picker with value '2015-07-07'.
- Tanggal Akhir Pakai:** Date picker with value '2015-09-16'.
- Kondisi barang:** Input field with value 'Masih dipakai'.
- Keterangan inventaris:** Input field with value 'Sedang service'.

At the bottom of the form, there are 'Submit' and 'Batal' buttons.

Form qrcode scanner pada android

admin Logout

INPC-001

Submit

Kode Inventarisasi
- INPC-001

NIP
- 12345

Nama Pegawai
- tongatori

Nama Komputer
- PC-INV001

Tempat Tanggal Lahir
- jakarta - 04 June 1980

Alamat
- jl. kemandoran

Spesifikasi Komputer
- Code2Duo, RAM 2Gb, HDD 500Gb, LCD 14", VGA 1Gb NVidia

Tanggal pembelian barang
- 04 June 2015

Tanggal Awal Pakai
- 06 May 2014

Tanggal Akhir Pakai
- 04 June 2015

Kondisi Terakhir
- Baik

Keterangan Pakai
- Masih dipakai

Scan

koneksi.php

```

<?PHP
    $db_host = "localhost";
    $db_user = "root";
    $db_pass = "";
    $db_name      = "db_inventaris";

    $koneksi = mysql_connect($db_host, $db_user, $db_pass) or
die("Koneksi ke database gagal!");
    $pilih_db = mysql_select_db($db_name, $koneksi);
?>

```

login.php

```

<?php
    include "koneksi.php";
    if (isset($_POST["submit"]))
    {
        $username      =
mysql_real_escape_string($_POST["username"]);
        $password      =
mysql_real_escape_string($_POST["password"]);
        $sql2          = "SELECT * FROM tbl_login WHERE
username='".$username.'";
        $hasil2       = mysql_query($sql2);
        $data2        = mysql_fetch_array($hasil2);
        if($data2){
            $sq         = "SELECT * FROM tbl_login WHERE
username='".$username.'" AND password='".md5($password).";
            $ha         = mysql_query($sq);
            $data       = mysql_fetch_array($ha);
            if($data){
                if (md5($password) ==
$data['password']){
                    session_start();
                    $_SESSION['username'] =
$username;
                    $_SESSION['password'] =
md5($password);
                    $_SESSION['id_login'] =
$data['id_login'];
                    if($data['status_login'] ==
'admin'){

```

```

        echo"<script>>window.location = '../admin/home.php'</script>";
        }elseif($data['status_login'] ==
'finance'){
        echo"<script>>window.location = '../finance/home.php'</script>";
        }elseif($data['status_login'] ==
'manajer'){
        echo"<script>>window.location = '../manager/home.php'</script>";
        }else{
        echo"<script>>window.location = '../pegawai/home.php'</script>";
        }
        }else{
        echo"<script>>window.location = '../index.php'</script>";
        }
        }else{
        echo "Password
salah<br/>";
        echo
header('Location:../index.php');
        }
        }else {
        die("Masukan dengan benar
username anda <a href=\"javascript:history.back()\">kembali</a>");
        }
        }
        else header("Location:../index.php");
?>

```

logout.php

```

<?PHP
    session_start();
    session_destroy();
    header("Location: ../index.php");
?>

```

tambah.php

```

<?php
    if(isset($_SESSION["username"])){
        ?><div class="row">

```

```

<div class="col-md-12">
  <!-- Form Elements -->
  <a
href="home.php?control=listinventaris" class="btn btn-success">Daftar Data
inventaris</a><br/><br/>
  <div class="panel panel-default">
    <div class="panel-heading">
      Form Input Data inventaris
    </div>
    <div class="panel-body">
      <div class="row">
        <div class="col-md-6">

          <form method="post" action="home.php?control=prosesinventaris"
enctype="multipart/form-data">
            <div class="form-group">
              <label>Kode inventaris</label>
              <input class="form-control" name="kd_inventaris"
placeholder="Masukan kode inventarisasi" />
            </div>

            <div class="form-group">
              <label>Nama Pegawai</label>

              <?php
tbl_pegawai ";
                $p      = "SELECT * FROM
                $h      = mysql_query($p);
                if($h){
                $dt     = mysql_fetch_array($h);
                if($dt){
                ?>
                <select name="id_pegawai" class="form-control"
>
                <?php

```

```

do{
?>
    <option value="<?php echo $dt['id_pegawai'];
?>"><?php echo $dt['nm_pegawai']; ?></option>

    <?php
    }while($dt = mysql_fetch_array($h));
    }else echo "Tidak ada data";
    }else echo "Perintah error!";
?>

    </select>
</div>

<div class="form-group">
    <label>Nama Barang</label>

    <?php

tbl_barang";

        $p      = "SELECT * FROM

        $h      = mysql_query($p);

        if($h){

            $dt  = mysql_fetch_array($h);

            if($dt){

?>

        <select name="kd_barang" class="form-control" >

        <?php

do{

```

```

?>
    <option value="<?php echo $dt['kd_barang'];
?>"><?php echo $dt['nm_barang']; ?></option>
    <?php
        }while($dt = mysql_fetch_array($h));
    }else echo "Tidak ada data";
    }else echo "Perintah error!";
?>
</select>
</div>
<div class="form-group">
    <label >Tanggal Awal Pakai</label>
    <div class="input-group date form_date col-md-5"
data-date="" data-date-format="yyyy-mm-dd" data-link-field="dtp_input2" data-
link-format="yyyy-mm-dd">
        <input class="form-control" size="10" type="text"
name="tgl_awal_pakai">
        <span class="input-group-addon"><span
class="glyphicon glyphicon-calendar"></span></span>
    </div>
    <input type="hidden" id="dtp_input2" value="">
</div>
<div class="form-group">
    <label >Tanggal Akhir Pakai</label>
    <div class="input-group date form_date col-md-5"

```

```
data-date="" data-date-format="yyyy-mm-dd" data-link-field="dtp_input2" data-link-format="yyyy-mm-dd">
```

```
name="tgl_akhir_pakai"> <input class="form-control" size="10" type="text">
```

```
class="glyphicon glyphicon-calendar"></span></span>
```

```
</div>
```

```
<input type="hidden" id="dtp_input2" value=""/>
```

```
</div>
```

```
<div class="form-group">
```

```
<label>Kondisi barang</label>
```

```
<textarea class="form-control" name="kondisi_barang" rows="4"></textarea>
```

```
</div>
```

```
<div class="form-group">
```

```
<label>Keterangan inventaris</label>
```

```
<textarea class="form-control" name="ket_inventaris" rows="4"></textarea>
```

```
</div>
```

```
<button type="submit" name="submit" class="btn btn-primary">Submit</button>
```

```
<a href="home.php?control=listinventaris" class="btn btn-success">Data</a>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php
```

```
}
```

```
else header("Location:../index.php");
```

```
?>
```

```
proses_tambah.php
```



```

<?php
    if (isset($_POST["submit"]))
        {
            $kd_inventaris           =
mysql_real_escape_string($_POST['kd_inventaris']);
            $sid_pegawai             =
mysql_real_escape_string($_POST['id_pegawai']);
            $kd_barang               =
mysql_real_escape_string($_POST['kd_barang']);
            $tgl_awal_pakai          =
mysql_real_escape_string($_POST['tgl_awal_pakai']);
            $tgl_akhir_pakai        =
mysql_real_escape_string($_POST['tgl_akhir_pakai']);
            $kondisi_barang          =
mysql_real_escape_string($_POST['kondisi_barang']);
            $sket_inventaris         =
mysql_real_escape_string($_POST['ket_inventaris']);

            $perintah4 =
            INSERT INTO
tbl_inventaris(kd_inventaris,id_pegawai,kd_barang,kondisi_barang,ket_inventari
s,tgl_awal_pakai,tgl_akhir_pakai, tgl_inventaris)

            VALUES(".$kd_inventaris.", ".$sid_pegawai.", ".$kd_barang.",
".$kondisi_barang.", ".$sket_inventaris.", ".$tgl_awal_pakai.", ".$tgl_akhir_paka
i.",now());

            $hasil4 =
mysql_query($perintah4);

            echo "<script>alert('Data telah tersimpan.');"
            window.location =
'home.php?control=listinventaris'</script>";

        }
?>

```

delete_data.php

```

<?php
    if (isset($_SESSION["username"])) {
        $kd_inventaris =
mysql_real_escape_string($_GET["id"]);

```

```

        $drag2 = "DELETE FROM tbl_inventaris WHERE
kd_inventaris='".$$kd_inventaris.'";
        mysql_query($drag2);
        ?>
        <script language="JavaScript">

        document.location='home.php?control=listinventaris';
        </script>
        <?php
        }
        else header("Location:../index.php");
?>

```

index.php

```

<?php
session_start();
?>
<?php
    include "../akses/koneksi.php";
    include "fungsi/function.php";
if (isset($_SESSION["username"])){
    $query = "SELECT * FROM tbl_login where username =
'".$_SESSION['username']."'";
    $kueri = mysql_query($query);
    $q = mysql_fetch_object($kueri);
    $name = $q->nama;
?>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>INVENTARISASI</title>
    <link href="../assets/css/bootstrap.css" rel="stylesheet" />
    <link href="../assets/css/font-awesome.css" rel="stylesheet" />
    <link href="../assets/js/morris/morris-0.4.3.min.css" rel="stylesheet" />
    <link href="../assets/css/custom.css" rel="stylesheet" />
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'
type='text/css' />
    <!--start datetime bootstrap-->
    <link href="../datetime/css/bootstrap.min.css" rel="stylesheet"
media="screen">
    <link href="../datetime/css/bootstrap-datetimepicker.min.css" rel="stylesheet"
media="screen">

```

```

        <!--end datetime bootstrap-->
</head>
<body>
    <div id="wrapper">
        <nav class="navbar navbar-default navbar-cls-top " role="navigation"
style="margin-bottom: 0">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-toggle="collapse"
data-target=".sidebar-collapse">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <a class="navbar-brand"
href="home.php?controll=home">Inventarisasi</a>
            </div>
            <div style="color:#fff; padding: 15px 50px 5px 50px; float: right; font-size:
16px;">Hello <?php echo $name;?> - <?php echo date2Ind(date('Y-m-d'));?>
&nbsp; <a href="../akses/logout.php" class="btn btn-danger square-btn-
adjust">Logout</a> </div>
        </nav>
        <!-- /. NAV TOP -->
        <nav class="navbar-default navbar-side" role="navigation">
            <div class="sidebar-collapse">
                <ul class="nav" id="main-menu">
                    <li class="text-center"></li>
                    <li><a class="active-menu"
href="home.php?controll=home"><i class="fa fa-dashboard fa-
3x"></i>Dashboard</a></li>
                    <li><a
href="home.php?controll=listbarang"><i class="fa fa-table fa-
3x"></i>Barang</a></li>
                    <li><a
href="home.php?controll=listpegawai"><i class="fa fa-edit fa-
3x"></i>Pegawai</a></li>
                    <li><a
href="home.php?controll=listinventaris"><i class="fa fa-desktop fa-
3x"></i>Inventarisasi</a></li>
                    <li><a
href="home.php?controll=laporan_inventaris"><i class="fa fa-bar-chart-o fa-
3x"></i>Laporan</a></li>
                </ul>

```

```

    </div>
</nav>
<!-- /. NAV SIDE -->
<div id="page-wrapper" >
    <div id="page-inner">
        <?php include("controll.php");?>
    </div>
</div>
<!-- /. PAGE WRAPPER -->
</div>

    <!--start datetime bootstrap-->
    <script type="text/javascript" src="../../datetime/jquery/jquery-
1.8.3.min.js" charset="UTF-8"></script>
    <script type="text/javascript"
src="../../datetime/js/bootstrap.min.js"></script>
    <script type="text/javascript" src="../../datetime/js/bootstrap-
datetimepicker.js" charset="UTF-8"></script>
    <script type="text/javascript"
src="../../datetime/js/locales/bootstrap-datetimepicker.id.js" charset="UTF-
8"></script>

    <script type="text/javascript">
    $('#form_date').datetimepicker({
        language: 'id',
        weekStart: 1,
        todayBtn: 1,

        autoclose: 1,
        todayHighlight: 1,
        startView: 2,
        minView: 2,
        forceParse: 0
    });
</script>
<!--end datetime bootstrap-->
<!-- /. WRAPPER -->
<script src="../../assets/js/jquery-1.10.2.js"></script>
<script src="../../assets/js/bootstrap.min.js"></script>
<script src="../../assets/js/jquery.metisMenu.js"></script>
<script src="../../assets/js/dataTables/jquery.dataTables.js"></script>
<script src="../../assets/js/dataTables/dataTables.bootstrap.js"></script>
<script>
    $(document).ready(function () {
        $('#dataTables-example').dataTable();
    });
</script>

```

```
<?php } ?>  
</body>  
</html>
```