

LAMPIRAN

Login.php

```
<?php

include "db/koneksi.php";

session_start();

if(isset($_SESSION['no_induk']) && isset($_SESSION['password']))

{

    header("location:index.php");

}

if (isset($_POST['submit']))

{

    $no_induk = $_POST['no_induk'];

    $password = $_POST['password'];

    $check = mysql_num_rows(mysql_query("SELECT * FROM users
WHERE no_induk='$no_induk' AND password='$password'"));

    //echo var_dump(mysql_query("SELECT * FROM test"));

    //echo mysql_error();

    //die("SELECT * FROM users WHERE no_induk='$no_induk' AND
password='$password'");

    if($check!=0)

    {

        $get = mysql_fetch_array(mysql_query("SELECT role from
```

```

$get = mysql_fetch_array(mysql_query("SELECT role from users where
no_induk='$no_induk' AND password='$password'"));

        $_SESSION['no_induk'] = $no_induk;

        $_SESSION['password'] = $password;

        $_SESSION['role'] = $get['role'];

        if($_SESSION['role']=="Pelajar" ||
$_SESSION['role']=="Orang Tua")

                {

                        header("location:laporansiswa.php?
param=$no_induk");

                }

                else

                {

                        header("location:index.php");

                }

        }

        else

        {

                echo "<script>alert(\"Nomor Induk Tidak
Berlaku!\");</script>";

        }

}

?> <!DOCTYPE html>

<!--[if IE 8]> <html lang="en" class="ie8"> <![endif]-->

<!--[if IE 9]> <html lang="en" class="ie9"> <![endif]-->

```

```
<head>

  <meta charset="UTF-8" />

  <title>Login</title>

  <meta content="width=device-width, initial-scale=1.0" name="viewport" />

    <meta content="" name="description" />

    <meta content="" name="author" />

  <!--[if IE]>

    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">

  <![endif]-->

  <!-- GLOBAL STYLES -->

  <!-- PAGE LEVEL STYLES -->

  <link rel="stylesheet" href="assets/plugins/bootstrap/css/bootstrap.css" />

  <link rel="stylesheet" href="assets/css/login.css" />

  <link rel="stylesheet" href="assets/plugins/magic/magic.css" />

  <!-- END PAGE LEVEL STYLES -->

  <!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media
queries -->

  <!--[if lt IE 9]>

    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>

    <script
src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respond.min.js"></script>

  <![endif]-->

</head>

<!-- END HEAD -->
```

```

<!-- PAGE CONTENT -->

<div class="container">

<div class="text-center">

  <!---->

</div>

<div class="tab-content">

  <div id="login" class="tab-pane active">

    <img src='iscent.jpg' alt=" height='250' width='250'
style="margin:auto;display:block;">

    <form action="" method="post" class="form-signin">

      <input type="text" placeholder="Nomor Induk" name="no_induk"
class="form-control" required />

      <input type="password" placeholder="Password" name="password"
class="form-control" required />

      <button class="btn text-muted text-center btn-success" name="submit"
type="submit">Masuk</button>

    </form>

  </div>

</div>

</div>

<!--END PAGE CONTENT -->

<!-- PAGE LEVEL SCRIPTS -->

<script src="assets/plugins/jquery-2.0.3.min.js"></script>

```

```
</body>
```

```
<!-- END BODY -->
```

```
</html>
```

basis.php

```
<?php
include "db/koneksi.php";
session_start();
if(empty($_SESSION['no_induk']) AND empty($_SESSION['password']))
{
    header("location:login.php");
}
else
{
    $readonly="";
    $val1="";
    $val2="";

    $qry_account = mysql_fetch_array(mysql_query("select * from users where
no_induk = '$_SESSION[no_induk]'"));

    $qry_pelajar = mysql_query("select * from pelajar");

    $qry_basis = mysql_query("select * from basis");

    $qry_kelas = mysql_query("select * from kelas");

    $count_pelajar = mysql_num_rows($qry_pelajar);

    $count_kelas = mysql_num_rows($qry_kelas);

    if(empty($_GET['mode']))
    {
        $save='post';

        if(isset($_POST['post']))
```

```

{
    if($_GET['mode']=='hapus')
    {
        mysql_query("delete from basis where
kode_basis=$_GET[param]");
        echo "<script>alert(\"Basis
terhapus!\");window.location.href='basis.php';</script>";
    }
    if($_GET['mode']=='ubah')
    {
        if(isset($_POST['update']))
        {
            mysql_query("update basis set
deskripsi=$_POST[deskripsi] where kode_basis=$_POST[kode_basis]");
            echo "<script>alert(\"Basis
diperbarui!\");window.location.href='basis.php';</script>";
        }

        $GetBasis=mysql_fetch_array(mysql_query("select*from basis where
kode_basis=$_GET[param]"));

        $val1=$GetBasis['kode_basis'];
        $val2=$GetBasis['deskripsi'];

        $readonly='readonly';$save='update';

    }
}
}
~

```

```
<meta charset="UTF-8" />

<title> Basis </title>

<meta content="width=device-width, initial-scale=1.0" name="viewport" />
    <meta content="" name="description" />
    <meta content="" name="author" />

<!--[if IE]>

    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">

<![endif]-->

<!-- GLOBAL STYLES -->

<link rel="stylesheet" href="assets/plugins/bootstrap/css/bootstrap.css" />

<link rel="stylesheet" href="assets/css/main.css" />

<link rel="stylesheet" href="assets/css/theme.css" />

<link rel="stylesheet" href="assets/css/MoneAdmin.css" />

<link rel="stylesheet" href="assets/plugins/Font-Awesome/css/font-
awesome.css" />

<!--END GLOBAL STYLES -->

    <link href="assets/plugins/dataTables/dataTables.bootstrap.css"
rel="stylesheet" />

<!-- PAGE LEVEL STYLES -->

<link href="assets/css/layout2.css" rel="stylesheet" />

    <link href="assets/plugins/flot/examples/examples.css" rel="stylesheet" />

    <link rel="stylesheet" href="assets/plugins/timeline/timeline.css" />

<!-- END PAGE LEVEL STYLES -->

<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media
queries -->
```



```

<!-- END HEAD -->

<!-- BEGIN BODY -->
<body class="padTop53 " >

<!-- MAIN WRAPPER -->

<div id="wrap" >

  <!-- HEADER SECTION -->

  <div id="top">

    <nav class="navbar navbar-inverse navbar-fixed-top " style="padding-top:
10px;">

      <a data-original-title="Show/Hide Menu" data-placement="bottom" data-
tooltip="tooltip" class="accordion-toggle btn btn-primary btn-sm visible-xs" data-
toggle="collapse" href="#menu" id="menu-toggle">

        <i class="icon-align-justify"></i>

      </a>

      <ul class="nav navbar-top-links navbar-right">

        <!--ADMIN SETTINGS SECTIONS -->

        <li class="dropdown">

          <a class="dropdown-toggle" data-toggle="dropdown" href="#">

            <i class="icon-user "></i>&nbsp;<i class="icon-chevron-down
"></i>

          </a>

          <ul class="dropdown-menu dropdown-user">

            <li><a href="index.php?mode=logout"><i class="icon-
signout"></i> Logout </a></li>

            </ul>

```

```

<ul id="menu" class="collapse">
  <li class="panel ">
    <a href="index.php" >
      <i class="icon-table"></i> Home
    </a>
  </li>
  <li class="panel active">
    <a href="#" data-parent="#menu" data-toggle="collapse"
class="accordion-toggle" data-target="#component-nav">
      <i class="icon-tasks"> </i> Master Data
      <span class="pull-right">
        <i class="icon-angle-left"></i>
      </span>
      &nbsp; <span class="label label-default">5</span>&nbsp;
    </a>
    <ul class="collapse" id="component-nav">
      <li class=""><a href="basis.php"><i class="icon-angle-right"></i>
Basis </a></li>
      <li class=""><a href="kelas.php"><i class="icon-angle-right"></i>
Kelas </a></li>
      <li class=""><a href="pelajar.php"><i class="icon-angle-right"></i> Pelajar </a></li>
      <li class=""><a href="point.php"><i class="icon-angle-right"></i>
Point </a></li>
      <li class=""><a href="users.php"><i class="icon-angle-right"></i> Users </a></li>

```

```

</div>

<!--END MENU SECTION -->

<!--PAGE CONTENT -->

<div id="content">

    <div class="inner">

        <div class="row">

            <div class="col-lg-12">

                <h1 > Basis </h1>

            </div>

        </div>

        <hr />

        <div class='row'>

            <div class='col-lg-12'>

                <div class='box'>

                    <header>

                        <div class='icons'><i class='icon-th-large'></i></div>

                        <h5>Tambah Data</h5>

                        <div class='toolbar'>

                            <ul class='nav'>

                                <li>

                                    <div class="btn-group">

                                        <a class='accordion-toggle btn btn-xs minimize-box'
data-toggle='collapse'

                                            href='#collapseOne'>

```

```

</form>

        </div>

    </div>

</div>

<div class="row">

<div class="col-lg-12">

    <div class="panel panel-default">

        <div class="panel-heading">

            Daftar Basis

        </div>

        <div class="panel-body">

            <div class="table-responsive">

                <table class="table table-striped table-bordered table-hover"
id="dataTables-example">

                    <thead>

                        <tr>

                            <th>Kode Basis</th>

                            <th>Deskripsi</th>

                            <th>Aksi</th>

                        </tr>

                    </thead>

                    <tbody>

```

```

<!--END PAGE CONTENT -->

</div>

<!--END MAIN WRAPPER -->

<!-- FOOTER -->

<div id='footer'>

</div>

<!--END FOOTER -->

<!-- GLOBAL SCRIPTS -->

<script src='assets/plugins/jquery-2.0.3.min.js'></script>

<script src='assets/plugins/bootstrap/js/bootstrap.min.js'></script>

<script src='assets/plugins/modernizr-2.6.2-respond-1.1.0.min.js'></script>

<!-- END GLOBAL SCRIPTS -->

<!-- PAGE LEVEL SCRIPTS -->

<script
src='assets/plugins/validationengine/js/jquery.validationEngine.js'></script>

<script src='assets/plugins/validationengine/js/languages/jquery.validationEngine-
en.js'></script>

<script src='assets/plugins/jquery-validation-
1.11.1/dist/jquery.validate.min.js'></script>

<script src='assets/js/validationInit.js'></script>

<script>

$(function () { formValidation(); });

</script>

<!--END PAGE LEVEL SCRIPTS -->

<script src='assets/plugins/dataTables/jquery.dataTables.js'></script>

```

Getpelajar.php

```
<?php
```

```
include "db/koneksi.php";
```

```
$idkelas = $_POST['idkelas'];
```

```
$qry_pelajar = mysql_query("select * from pelajar where kelas='$idkelas'");
```

```
while($r=mysql_fetch_array($qry_pelajar))
```

```
{
```

```
    $json[] = array(
```

```
        'nis' => $r['nis'],
```

```
        'nama' => $r['nama']
```

```
    );
```

```
}
```

```
echo json_encode($json);
```

```
?>
```

Index.php

```
<?php
```

```
include "db/koneksi.php";
```

```
session_start();
```

```
if(empty($_SESSION['no_induk']) AND empty($_SESSION['password']))
```

```
{
```

```
    header("location:login.php");
```

```
}
```

```
else
```

```
{
```

```
    if(empty($_GET['mode']))
```

```
    {
```

```
    }
```

```
    else
```

```
    {
```

```
        if($_GET['mode']=='logout')
```

```
        {
```

```
            session_destroy();
```

```
            header("location:login.php");
```

```
        }
```

```
    }
```

```
    $qry_account = mysql_fetch_array(mysql_query("select * from users where  
no_induk = '$_SESSION[no_induk]'"));
```

```
    $qry_pelajar = mysql_query("select * from pelajar");
```

```
<!DOCTYPE html>

<!--[if IE 8]> <html lang="en" class="ie8"> <![endif]-->
<!--[if IE 9]> <html lang="en" class="ie9"> <![endif]-->
<!--[if !IE]><!--> <html lang="en"> <!--<![endif]-->

<!-- BEGIN HEAD -->

<head>

  <meta charset="UTF-8" />

  <title> Beranda </title>

  <meta content="width=device-width, initial-scale=1.0" name="viewport" />

    <meta content="" name="description" />

    <meta content="" name="author" />

    <link href="assets/plugins/flot/examples/examples.css" rel="stylesheet" />

  <!--[if IE]>

    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">

  <![endif]-->

  <!-- GLOBAL STYLES -->

  <link rel="stylesheet" href="assets/plugins/bootstrap/css/bootstrap.css" />

  <link rel="stylesheet" href="assets/css/main.css" />

  <link rel="stylesheet" href="assets/css/theme.css" />

  <link rel="stylesheet" href="assets/css/MoneAdmin.css" />

  <link rel="stylesheet" href="assets/plugins/Font-Awesome/css/font-
awesome.css" />

  <!--END GLOBAL STYLES -->
```



```

<link href="assets/css/layout2.css" rel="stylesheet" />

    <link rel="stylesheet" href="assets/plugins/timeline/timeline.css" />

<!-- END PAGE LEVEL STYLES -->

<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media
queries -->

<!--[if lt IE 9]>

    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>

    <script
src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respond.min.js"></script>

<![endif]-->
</head>

<!-- END HEAD -->

<!-- BEGIN BODY -->
<body class="padTop53 " >

<!-- MAIN WRAPPER -->

<div id="wrap" >

    <!-- HEADER SECTION -->

    <div id="top">

        <nav class="navbar navbar-inverse navbar-fixed-top " style="padding-top:
10px;">

            <a data-original-title="Show/Hide Menu" data-placement="bottom" data-
tooltip="tooltip" class="accordion-toggle btn btn-primary btn-sm visible-xs" data-
toggle="collapse" href="#menu" id="menu-toggle">

                <i class="icon-align-justify"></i>

            </a>

            <ul class="nav navbar-top-links navbar-right">

```

```

</li>

        <!--END ADMIN SETTINGS -->

    </ul>

</nav>

</div>

<!-- END HEADER SECTION -->

<!-- MENU SECTION -->

<div id="left" >

    <div class="media user-media well-small">

        <div class="media-body">

            <h5 class="media-heading" align="center" style="margin-left:-
20px;">SMA Islamic Centre Tangerang</h5>

            <ul class="list-unstyled user-info">

                <li>

                    <a class="btn btn-success btn-xs btn-circle" style="width:
10px;height: 12px;"></a><?php echo $qry_account['no_induk'];?>

                </li>

            </ul>

        </div>

        <br />

    </div>

    <ul id="menu" class="collapse">

        <li class="panel active">

            <a href="index.php" >

```

```

</li><a href="index.php?mode=logout"><i class="icon-signin"></i> Logout </a></li>

    </ul>

</div>

<!--END MENU SECTION -->

<!--PAGE CONTENT -->

<div id="content">

    <div class="inner" style="min-height: 700px;">

<div class="row">

    <div class="col-lg-12">

        <h1> Home </h1>

    </div>

</div>

<hr />

<!--BLOCK SECTION -->

<div class="row">

    <div class="col-lg-12">

        <div style="text-align: center;">

                <?php
if($qry_account['role']=="Pelajar" || $qry_account['role']=="Orang Tua" ||
$qry_account['role']=="Guru"){

                ?>

                <a class="quick-btn"
href="pelanggaran.php">

                <i class="icon-legal icon-2x"></i>

                <span>Pelanggaran</span>

```

```

<?php }else{?>
                                                                 <a
class="quick-btn" href="basis.php">
    <i class="icon-flag icon-2x"></i>
    <span>Basis</span>
    <span class="label label-danger"><?php echo $count_basis; ?
</span>
    </a>
                                                                 <a
class="quick-btn" href="kelas.php">
    <i class="icon-superscript icon-2x"></i>
    <span>Kelas</span>
    <span class="label label-success"><?php echo $count_kelas; ?
</span>
    </a>
    <a class="quick-btn" href="pelajar.php">
    <i class="icon-group icon-2x"></i>
    <span>Pelajar</span>
    <span class="label label-danger"><?php echo $count_pelajar; ?
</span>
    </a>
    <a class="quick-btn" href="point.php">
    <i class="icon-exclamation icon-2x"></i>
    <span>Point</span>
    <span class="label label-warning"><?php echo $count_point; ?
</span>

```

```
<!--END BLOCK SECTION -->
```

```
<hr />
```

```
</div>
```

```
</div>
```

```
<!--END PAGE CONTENT -->
```

```
<!-- RIGHT STRIP SECTION -->
```

```
<div id="right">
```

```
<div class="well well-small">
```

```
<?php
```

```
while($read=mysql_fetch_array($qry_topten))
```

```
{
```

```
if($read['total']>0 && $read['total']<26)
```

```
{$peringatan = "progress-bar progress-bar-success";}
```

```
else if($read['total']>25 && $read['total']<51)
```

```
{$peringatan = "progress-bar progress-bar-info";}
```

```
else if($read['total']>50 && $read['total']<76)
```

```
{$peringatan = "progress-bar";}
```

```
else if($read['total']>75 &&
```

```
$read['total']<101){$peringatan = "progress-bar progress-bar-warning";}
```

```
else if($read['total']>100){$peringatan =
```

```
"progress-bar progress-bar-danger";}
```

```
echo "
```

```
<span>$read[nama]</span><span class='pull-  
right'><small>$read[total]</small></span>
```

```
<div class='progress
```

```
mini'>
```

```
<!-- END RIGHT STRIP SECTION -->

</div>

<!--END MAIN WRAPPER -->

<!-- FOOTER -->

<div id="footer">

    <p>&copy; binarytheme &nbsp;2014 &nbsp;</p>

</div>

<!--END FOOTER -->

<!-- GLOBAL SCRIPTS -->

<script src="assets/plugins/jquery-2.0.3.min.js"></script>

<script src="assets/plugins/bootstrap/js/bootstrap.min.js"></script>

<script src="assets/plugins/modernizr-2.6.2-respond-1.1.0.min.js"></script>

<!-- END GLOBAL SCRIPTS -->

<!-- PAGE LEVEL SCRIPTS -->

<script src="assets/plugins/flot/jquery.flot.js"></script>

<script src="assets/plugins/flot/jquery.flot.resize.js"></script>

<script src="assets/plugins/flot/jquery.flot.time.js"></script>

<script src="assets/plugins/flot/jquery.flot.symbol.js"></script>

<script src="assets/plugins/flot/jquery.flot.crosshair.js"></script>

<script src="assets/js/line_chart.js"></script>

<!-- END PAGE LEVEL SCRIPTS -->
```

Kelas.php

```
<?php
```

```
include "db/koneksi.php";
```

```
session_start();
```

```
if(empty($_SESSION['no_induk']) AND empty($_SESSION['password']))
```

```
{
```

```
    header("location:login.php");
```

```
}
```

```
else
```

```
{
```

```
    $readonly="";
```

```
    $val1=";$val2=";$val3=";$val4=";
```

```
    $qry_account = mysql_fetch_array(mysql_query("select * from users where  
no_induk = '$_SESSION[no_induk]'"));
```

```
    $qry_pelajar = mysql_query("select * from pelajar");
```

```
    $qry_basis = mysql_query("select * from basis");
```

```
    $qry_kelas = mysql_query("select * from kelas");
```

```
    $count_pelajar = mysql_num_rows($qry_pelajar);
```

```
    $count_kelas = mysql_num_rows($qry_kelas);
```

```
    if(empty($_GET['mode']))
```

```
    {
```

```
        $save='post';
```

```
        if(isset($_POST['post']))
```

```
        {
```

```

if($_GET['mode']=='hapus')
    {
        mysql_query("delete from kelas where
kelas='$_GET[param]");
        echo "<script>alert(\"Kelas
terhapus!\");window.location.href='kelas.php';</script>";
    }
if($_GET['mode']=='ubah')
    {
        if(isset($_POST['update']))
            {
                mysql_query("update kelas set
nama_kelas='$_POST[nama_kelas]',basis='$_POST[basis]',kapasitas='$_POST[kapas
itas]' where kelas='$_POST[kelas]");
                echo "<script>alert(\"Kelas
diperbarui!\");window.location.href='kelas.php';</script>";
            }

        $GetKelas=mysql_fetch_array(mysql_query("select*from kelas where
kelas='$_GET[param]"));

        $val1=$GetKelas['kelas'];
$val2=$GetKelas['nama_kelas'];$val3=$GetKelas['basis'];
$val4=$GetKelas['kapasitas'];

        $readonly='readonly';$save='update';
    }
}
}

```



```
<link href="assets/plugins/dataTables/dataTables.bootstrap.css" rel="stylesheet" />

<!-- PAGE LEVEL STYLES -->

<link href="assets/css/layout2.css" rel="stylesheet" />

<link href="assets/plugins/flot/examples/examples.css" rel="stylesheet" />

<link rel="stylesheet" href="assets/plugins/timeline/timeline.css" />

    <link href="assets/css/jquery-ui.css" rel="stylesheet" />

<link rel="stylesheet"
href="assets/plugins/uniform/themes/default/css/uniform.default.css" />

<link rel="stylesheet" href="assets/plugins/inputlimiter/jquery.inputlimiter.1.0.css" />

<link rel="stylesheet" href="assets/plugins/chosen/chosen.min.css" />

<link rel="stylesheet" href="assets/plugins/colorpicker/css/colorpicker.css" />

<link rel="stylesheet" href="assets/plugins/tagsinput/jquery.tagsinput.css" />

<link rel="stylesheet" href="assets/plugins/daterangepicker/daterangepicker-
bs3.css" />

<link rel="stylesheet" href="assets/plugins/datepicker/css/datepicker.css" />

<link rel="stylesheet" href="assets/plugins/timepicker/css/bootstrap-
timepicker.min.css" />

<link rel="stylesheet" href="assets/plugins/switch/static/stylesheets/bootstrap-
switch.css" />

<!-- END PAGE LEVEL STYLES -->

<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media
queries -->

<!--[if lt IE 9]>

    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>

    <script
src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respond.min.js"></script>
```

```

<!-- END HEAD -->

<!-- BEGIN BODY -->

<body class="padTop53 " >

<!-- MAIN WRAPPER -->

<div id="wrap" >

    <!-- HEADER SECTION -->

    <div id="top">

        <nav class="navbar navbar-inverse navbar-fixed-top " style="padding-top:
10px;">

            <a data-original-title="Show/Hide Menu" data-placement="bottom" data-
tooltip="tooltip" class="accordion-toggle btn btn-primary btn-sm visible-xs" data-
toggle="collapse" href="#menu" id="menu-toggle">

                <i class="icon-align-justify"></i>

            </a>

            <ul class="nav navbar-top-links navbar-right">

                <!--ADMIN SETTINGS SECTIONS -->

                <li class="dropdown">

                    <a class="dropdown-toggle" data-toggle="dropdown" href="#">

                        <i class="icon-user "></i>&nbsp;<i class="icon-chevron-down
"></i>

                    </a>

                    <ul class="dropdown-menu dropdown-user">

                        <li><a href="index.php?mode=logout"><i class="icon-
signinout"></i> Logout </a></li>

                    </ul>

```

User.php

```
<?php
```

```
include "db/koneksi.php";
```

```
session_start();
```

```
if(empty($_SESSION['no_induk']) AND empty($_SESSION['password']))
```

```
{
```

```
    header("location:login.php");
```

```
}
```

```
else
```

```
{
```

```
    $readonly="";
```

```
    $val1=";$val2=";$val3=";$val4=";
```

```
    $val5=";$val6=";$val7=";$val8='0';$valpass=";
```

```
    $qry_account = mysql_fetch_array(mysql_query("select * from users where  
no_induk = '$_SESSION[no_induk]'"));
```

```
    $qry_pelajar = mysql_query("select * from users");
```

```
    $qry_basis = mysql_query("select * from basis");
```

```
    $qry_kelas = mysql_query("select * from kelas");
```

```
    $qry_kelas_kosong = mysql_query("select a.kode_basis, a.deskripsi from  
basis a, kelas b where a.kode_basis=b.basis and (select count(nis) as ctr from pelajar  
where kelas=b.kelas) < b.kapasitas");
```

```
    $count_pelajar = mysql_num_rows($qry_pelajar);
```

```
    $count_kelas = mysql_num_rows($qry_kelas);
```

```
    if(empty($_GET['mode']))
```

```
{
```

```

<div id='collapseOne' class='accordion-body collapse in body'>

    <form action="" method='post' class='form-horizontal'
id='block-validate'>

        <div class='form-group'>

            <label class='control-label col-lg-4'>Kode Kelas</label>

            <div class='col-lg-4'>

                <input type='text' id='kelas' name='kelas' value='<?php
echo $val1; ?>' class='form-control' <?php echo $readonly; ?>/>

                </div>

            </div>

            <div class='form-group'>

                <label class='control-label col-lg-4'>Nama Kelas</label>

                <div class='col-lg-4'>

                    <input type='text' name='nama_kelas' value='<?php
echo $val2; ?>' class='form-control' />

                    </div>

                </div>

            <div class="form-group">

                <label class="control-label col-lg-4">Basis</label>

                <div class="col-lg-4">

                    <select data-placeholder="Pilih Basis" name="basis"
class="form-control chzn-select" tabindex="2">

```

```

<div class='form-group'>

        <label class='control-label col-lg-4'>Kapasitas</label>

        <div class='col-lg-4'>

                <input type="text" id="kapasitas" name="kapasitas"
value='<?php echo $val4; ?>' class="form-control" />

                </div>

        </div>

        <div class='form-actions no-margin-bottom' style='text-align:center;'>

                <input type='submit' value='Simpan' name='<?php echo
$save; ?>' class='btn btn-primary btn-lg ' />

        </div><div class="row">

<div class="col-lg-12">

        <div class="panel panel-default">

                <div class="panel-heading">

                        Daftar Kelas

                </div>

                <div class="panel-body">

                        <div class="table-responsive">

                                <table class="table table-striped table-bordered table-hover"
id="dataTables-example">

                                        <thead>

                                                <tr>

                                                        <th>Kelas</th>

                                                        <th>Nama Kelas</th>

```

Laporankelas.php

```
$(function () { formValidation(); });
```

```
</script>
```

```
<!--END PAGE LEVEL SCRIPTS -->
```

```
<script src='assets/plugins/dataTables/jquery.dataTables.js'></script>
```

```
<script src='assets/plugins/dataTables/dataTables.bootstrap.js'></script>
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#dataTables-example').dataTable();
```

```
});
```

```
</script>
```

```
<script src="assets/js/jquery-ui.min.js"></script>
```

```
<script src="assets/plugins/uniform/jquery.uniform.min.js"></script>
```

```
<script src="assets/plugins/inputlimiter/jquery.inputlimiter.1.3.1.min.js"></script>
```

```
<script src="assets/plugins/chosen/chosen.jquery.min.js"></script>
```

```
<script src="assets/plugins/colorpicker/js/bootstrap-colorpicker.js"></script>
```

```
<script src="assets/plugins/tagsinput/jquery.tagsinput.min.js"></script>
```

```
<script src="assets/plugins/validVal/js/jquery.validVal.min.js"></script>
```

```
<script src="assets/plugins/daterangepicker/daterangepicker.js"></script>
```

```
<script src="assets/plugins/daterangepicker/moment.min.js"></script>
```

```
<script src="assets/plugins/datepicker/js/bootstrap-datepicker.js"></script>
```

```
<script src="assets/plugins/timepicker/js/bootstrap-timepicker.min.js"></script>
```

```
<script src="assets/plugins/switch/static/js/bootstrap-switch.min.js"></script>
```

Laporanpelajar.php

```
<?php
```

```
include "db/koneksi.php";
```

```
session_start();
```

```
if(empty($_SESSION['no_induk']) AND empty($_SESSION['password']))
```

```
{
```

```
    header("location:login.php");
```

```
}
```

```
else
```

```
{
```

```
    $readonly="";
```

```
    $val1="";$val2="";$val3="";$val4="";
```

```
    $val5="";$val6="";$val7="";$val8='0';
```

```
    $qry_account = mysql_fetch_array(mysql_query("select * from users where  
no_induk = '$_SESSION[no_induk]'"));
```

```
    $qry_pelajar = mysql_query("select * from pelajar");
```

```
    $qry_basis = mysql_query("select * from basis");
```

```
    $qry_kelas = mysql_query("select * from kelas");
```

```
    $qry_kelas_kosong = mysql_query("select a.kode_basis, a.deskripsi from  
basis a, kelas b where a.kode_basis=b.basis and (select count(nis) as ctr from pelajar  
where kelas=b.kelas) < b.kapasitas");
```

```
    $count_pelajar = mysql_num_rows($qry_pelajar);
```

```
    $count_kelas = mysql_num_rows($qry_kelas);
```

```
}
```

```
?>
```

Laporansiswa.php

```
<?php
```

```
include "db/koneksi.php";
```

```
session_start();
```

```
if(empty($_SESSION['no_induk']) AND empty($_SESSION['password']))
```

```
{
```

```
    header("location:login.php");
```

```
}
```

```
else
```

```
{
```

```
    $readonly="";
```

```
    $val1=";$val2=";$val3=";$val4=";
```

```
    $qry_account = mysql_fetch_array(mysql_query("select * from users where  
no_induk = '$_SESSION[no_induk]' and password='$_SESSION[password]'"));
```

```
    $qry_pelajar = mysql_query("select * from pelajar");
```

```
    $qry_basis = mysql_query("select * from basis");
```

```
    $qry_kelas = mysql_query("select * from kelas");
```

```
    $qry_point = mysql_query("select * from point");
```

```
    $count_pelajar = mysql_num_rows($qry_pelajar);
```

```
    $count_kelas = mysql_num_rows($qry_kelas);
```

```
    if(empty($_GET['mode']))
```

```
{
```

```
        $getprofil = mysql_fetch_array(mysql_query("select a.*, b.*, c.*  
from pelajar a, kelas b, basis c where a.kelas=b.kelas and b.basis=c.kode_basis and  
a.nic='$_GET[params]'"));
```


Pelajar.php

```
<?php
```

```
include "db/koneksi.php";
```

```
session_start();
```

```
if(empty($_SESSION['no_induk']) AND empty($_SESSION['password']))
```

```
{
```

```
    header("location:login.php");
```

```
}
```

```
else
```

```
{
```

```
    $readonly="";
```

```
    $val1=";$val2=";$val3=";$val4=";
```

```
    $val5=";$val6=";$val7=";$val8='0';
```

```
    $qry_account = mysql_fetch_array(mysql_query("select * from users where  
no_induk = '$_SESSION[no_induk]'"));
```

```
    $qry_pelajar = mysql_query("select * from pelajar");
```

```
    $qry_basis = mysql_query("select * from basis");
```

```
    $qry_kelas = mysql_query("select * from kelas");
```

```
    $qry_kelas_kosong = mysql_query("select a.kode_basis, a.deskripsi from  
basis a, kelas b where a.kode_basis=b.basis and (select count(nis) as ctr from pelajar  
where kelas=b.kelas) < b.kapasitas");
```

```
    $count_pelajar = mysql_num_rows($qry_pelajar);
```

```
    $count_kelas = mysql_num_rows($qry_kelas);
```

```
    if(empty($_GET['mode']))
```

```
    {
```

Pelanggaran.php

```
<?php
include "db/koneksi.php";

session_start();

if(empty($_SESSION['no_induk']) AND empty($_SESSION['password']))
{
    header("location:login.php");
}
else
{
    $readonly="";

    $val1=";$val2=";$val3=";$val4=";

    $qry_account = mysql_fetch_array(mysql_query("select * from users where
no_induk = '$_SESSION[no_induk]'"));

    $qry_pelajar = mysql_query("select * from pelajar");

    $qry_basis = mysql_query("select a.* from basis a, kelas b where
a.kode_basis=b.basis");

    $qry_kelas = mysql_query("select * from kelas");

    $qry_point = mysql_query("select * from point");

    $count_pelajar = mysql_num_rows($qry_pelajar);

    $count_kelas = mysql_num_rows($qry_kelas);

    if(empty($_GET['mode']))
    {
        $save='post';
```

Poin.php

```
$(function () { formValidation(); });
```

```
</script>
```

```
<!--END PAGE LEVEL SCRIPTS -->
```

```
<script src='assets/plugins/dataTables/jquery.dataTables.js'></script>
```

```
<script src='assets/plugins/dataTables/dataTables.bootstrap.js'></script>
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#dataTables-example').dataTable();
```

```
});
```

```
</script>
```

```
<script src="assets/js/jquery-ui.min.js"></script>
```

```
<script src="assets/plugins/uniform/jquery.uniform.min.js"></script>
```

```
<script src="assets/plugins/inputlimiter/jquery.inputlimiter.1.3.1.min.js"></script>
```

```
<script src="assets/plugins/chosen/chosen.jquery.min.js"></script>
```

```
<script src="assets/plugins/colorpicker/js/bootstrap-colorpicker.js"></script>
```

```
<script src="assets/plugins/tagsinput/jquery.tagsinput.min.js"></script>
```

```
<script src="assets/plugins/validVal/jquery.validVal.min.js"></script>
```

```
<script src="assets/plugins/daterangepicker/daterangepicker.js"></script>
```

```
<script src="assets/plugins/daterangepicker/moment.min.js"></script>
```

```
<script src="assets/plugins/datepicker/js/bootstrap-datepicker.js"></script>
```

```
<script src="assets/plugins/timepicker/js/bootstrap-timepicker.min.js"></script>
```

```
<script src="assets/plugins/switch/static/js/bootstrap-switch.min.js"></script>
```

Printlaporankelas.php

```
<?php //25-9-2015
```

```
    //Get All Variable
```

```
    include "db/koneksi.php";
```

```
        $getkelas = mysql_fetch_array(mysql_query("select b.*, c.* from kelas b, basis c where b.basis=c.kode_basis and b.kelas=$_GET[param]"));
```

```
        $getlist = mysql_query("select sum(a.point) as total, c.* from pelanggaran a, pelajar c where a.kelas='$_GET[param]' and a.nis=c.nis group by(a.nis)");
```

```
        /**/
```

```
?>
```

```
<!DOCTYPE html>
```

```
<!--[if IE 8]> <html lang="en" class="ie8" no-js> <![endif]-->
```

```
<!--[if IE 9]> <html lang="en" class="ie9" no-js> <![endif]-->
```

```
<!--[if !IE]><!--> <html lang="en" class="no-js"> <!--<![endif]-->
```

```
<!-- BEGIN HEAD -->
```

```
<head>
```

```
    <meta charset="utf-8" />
```

```
    <title>LAPORAN PELANGGARAN KELAS</title>
```

```
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
    <meta content="width=device-width, initial-scale=1.0" name="viewport" />
```

```
    <meta content="" name="description" />
```