

Lampiran

A. Script Register

```
<?php

// array for JSON response

$response = array();

// include db connect class

require_once __DIR__ . '/db_connect.php';

$tgl_skrng = date("Y-m-d");

// connecting to db

$db = new DB_CONNECT();

$nim = $_POST['user_id'];

$nama = $_POST['name'];

$email = $_POST['email'];

$hp = $_POST['phone'];

$minat = $_POST['division'];

$password = $_POST['enc_pass'];

$encrypt_pass = md5($password);
```

```
$result = mysql_query("SELECT user_id FROM users WHERE  
user_id='$nim");
```

```
if (!empty($result)) {
```

```
    // check for empty result
```

```
    if (mysql_num_rows($result) > 0) {
```

```
        $result = mysql_fetch_array($result);
```

```
        $product = array();
```

```
        $product["user_id"] = $result["user_id"];
```

```
        $response["success"] = 0;
```

```
        $response["product"] = array();
```

```
        array_push($response["product"], $product);
```

```
    // echoing JSON response
```

```

echo json_encode($response);

} else {

$response["success"] = 1;

$result2 = mysql_query("INSERT INTO users
(user_id,name,email,phone,division,enc_pass,created_at,updated_at)

VALUES
('$nim','$nama','$email','$hp','$minat','$encrypt_pass','$tgl_skrng','$tgl_skrng')
");

echo json_encode($response);

}

} else {

// no product found

$response["success"] = 1;

$response["message"] = "New Updated";

```

```
// echo no users JSON

    echo json_encode($response);

}

?>
```

B. Script home

```
<link href="css/reset.css" rel="stylesheet" type="text/css" media="screen">

<link href="css/layout.css" rel="stylesheet" type="text/css"
media="screen">

<link href="css/themes.css" rel="stylesheet" type="text/css"
media="screen">

<link href="css/typography.css" rel="stylesheet" type="text/css"
media="screen">

<link href="css/styles.css" rel="stylesheet" type="text/css"
media="screen">

<link href="css/shCore.css" rel="stylesheet" type="text/css"
media="screen">

<link href="css/bootstrap.css" rel="stylesheet" type="text/css"
media="screen">

<link href="css/jquery.jqplot.css" rel="stylesheet" type="text/css"
media="screen">
```

```
<link href="css/jquery-ui-1.8.18.custom.css" rel="stylesheet" type="text/css" media="screen">

<link href="css/data-table.css" rel="stylesheet" type="text/css" media="screen">

<link href="css/form.css" rel="stylesheet" type="text/css" media="screen">

<link href="css/ui-elements.css" rel="stylesheet" type="text/css" media="screen">

<link href="css/wizard.css" rel="stylesheet" type="text/css" media="screen">

<link href="css/sprite.css" rel="stylesheet" type="text/css" media="screen">

<link href="css/gradient.css" rel="stylesheet" type="text/css" media="screen">

<!--[if IE 7]>

<link rel="stylesheet" type="text/css" href="css/ie/ie7.css" />

<![endif]-->

<!--[if IE 8]>

<link rel="stylesheet" type="text/css" href="css/ie/ie8.css" />

<![endif]-->

<!--[if IE 9]>
```

```
<link rel="stylesheet" type="text/css" href="css/ie/ie9.css" />
```

```
<![endif]->
```

```
<!-- JQuery -->
```

```
<script src="js/jquery-1.7.1.min.js"></script>
```

```
<script src="js/jquery-ui-1.8.18.custom.min.js"></script>
```

```
<script src="js/jquery.ui.touch-punch.js"></script>
```

```
<script src="js/chosen.jquery.js"></script>
```

```
<script src="js/uniform.jquery.js"></script>
```

```
<script src="js/bootstrap-dropdown.js"></script>
```

```
<script src="js/bootstrap-colorpicker.js"></script>
```

```
<script src="js/sticky.full.js"></script>
```

```
<script src="js/jquery.noty.js"></script>
```

```
<script src="js/selectToUISlider.jQuery.js"></script>
```

```
<script src="js/fg.menu.js"></script>
```

```
<script src="js/jquery.tagsinput.js"></script>
```

```
<script src="js/jquery.cleditor.js"></script>
```

```
<script src="js/jquery.tipsy.js"></script>
```

```
<script src="js/jquery.peity.js"></script>
```

```
<script src="js/jquery.simplemodal.js"></script>

<script src="js/jquery.jBreadCrumb.1.1.js"></script>

<script src="js/jquery.colorbox-min.js"></script>

<script src="js/jquery.idTabs.min.js"></script>

<script src="js/jquery.multiFieldExtender.min.js"></script>

<script src="js/jquery.confirm.js"></script>

<script src="js/elfinder.min.js"></script>

<script src="js/accordion.jquery.js"></script>

<script src="js/autogrow.jquery.js"></script>

<script src="js/check-all.jquery.js"></script>

<script src="js/data-table.jquery.js"></script>

<script src="js/ZeroClipboard.js"></script>

<script src="js/TableTools.min.js"></script>

<script src="js/jeditable.jquery.js"></script>

<script src="js/duallist.jquery.js"></script>

<script src="js/easing.jquery.js"></script>

<script src="js/full-calendar.jquery.js"></script>

<script src="js/input-limiter.jquery.js"></script>
```

```
<script src="js/inputmask.jquery.js"></script>

<script src="js/iphone-style-checkbox.jquery.js"></script>

<script src="js/meta-data.jquery.js"></script>

<script src="js/quicksand.jquery.js"></script>

<script src="js/raty.jquery.js"></script>

<script src="js/smart-wizard.jquery.js"></script>

<script src="js/stepy.jquery.js"></script>

<script src="js/treeview.jquery.js"></script>

<script src="js/ui-accordion.jquery.js"></script>

<script src="js/vaidation.jquery.js"></script>

<script src="js/mosaic.1.0.1.min.js"></script>

<script src="js/jquery.collapse.js"></script>

<script src="js/jquery.cookie.js"></script>

<script src="js/jquery.autocomplete.min.js"></script>

<script src="js/localdata.js"></script>

<script src="js/excanvas.min.js"></script>

<script src="js/jquery.jqplot.min.js"></script>

<script src="js/chart-plugins/jqplot.dateAxisRenderer.min.js"></script>
```



```

<script src="js/chart-plugins/jqplot.cursor.min.js"></script>

<script src="js/chart-plugins/jqplot.logAxisRenderer.min.js"></script>

<script src="js/chart-plugins/jqplot.canvasTextRenderer.min.js"></script>

<script src="js/chart-plugins/jqplot.canvasAxisTickRenderer.min.js"></script>

<script src="js/chart-plugins/jqplot.highlighter.min.js"></script>

<script src="js/chart-plugins/jqplot.pieRenderer.min.js"></script>

<script src="js/chart-plugins/jqplot.barRenderer.min.js"></script>

<script src="js/chart-plugins/jqplot.categoryAxisRenderer.min.js"></script>

<script src="js/chart-plugins/jqplot.pointLabels.min.js"></script>

<script src="js/chart-plugins/jqplot.meterGaugeRenderer.min.js"></script>

<script src="js/custom-scripts.js"></script>

<script>

    $(function () {

        $.jqplot._noToImageButton = true;

        var prevYear = [{"2011-08-01",398}, {"2011-08-02",255.25}, {"2011-08-03",263.9}, {"2011-08-04",154.24},

            {"2011-08-05",210.18}, {"2011-08-06",109.73}, {"2011-08-07",166.91}, {"2011-08-08",330.27}, {"2011-08-09",546.6},

```

["2011-08-10",260.5], ["2011-08-11",330.34], ["2011-08-12",464.32],
["2011-08-13",432.13], ["2011-08-14",197.78],

["2011-08-15",311.93], ["2011-08-16",650.02], ["2011-08-17",486.13],
["2011-08-18",330.99], ["2011-08-19",504.33],

["2011-08-20",773.12], ["2011-08-21",296.5], ["2011-08-22",280.13],
["2011-08-23",428.9], ["2011-08-24",469.75],

["2011-08-25",628.07], ["2011-08-26",516.5], ["2011-08-27",405.81],
["2011-08-28",367.5], ["2011-08-29",492.68],

["2011-08-30",700.79], ["2011-08-31",588.5], ["2011-09-01",511.83],
["2011-09-02",721.15], ["2011-09-03",649.62],

["2011-09-04",653.14], ["2011-09-06",900.31], ["2011-09-07",803.59],
["2011-09-08",851.19], ["2011-09-09",2059.24],

["2011-09-10",994.05], ["2011-09-11",742.95], ["2011-09-12",1340.98],
["2011-09-13",839.78], ["2011-09-14",1769.21],

["2011-09-15",1559.01], ["2011-09-16",2099.49], ["2011-09-17",1510.22],
["2011-09-18",1691.72],

["2011-09-19",1074.45], ["2011-09-20",1529.41], ["2011-09-21",1876.44],
["2011-09-22",1986.02],

["2011-09-23",1461.91], ["2011-09-24",1460.3], ["2011-09-25",1392.96],
["2011-09-26",2164.85],

["2011-09-27",1746.86], ["2011-09-28",2220.28], ["2011-09-29",2617.91],
["2011-09-30",3236.63];

```

var currYear = ["2011-08-01",796.01], ["2011-08-02",510.5], ["2011-
08-03",527.8], ["2011-08-04",308.48],

["2011-08-05",420.36], ["2011-08-06",219.47], ["2011-08-07",333.82],
["2011-08-08",660.55], ["2011-08-09",1093.19],

["2011-08-10",521], ["2011-08-11",660.68], ["2011-08-12",928.65],
["2011-08-13",864.26], ["2011-08-14",395.55],

["2011-08-15",623.86], ["2011-08-16",1300.05], ["2011-08-17",972.25],
["2011-08-18",661.98], ["2011-08-19",1008.67],

["2011-08-20",1546.23], ["2011-08-21",593], ["2011-08-22",560.25],
["2011-08-23",857.8], ["2011-08-24",939.5],

["2011-08-25",1256.14], ["2011-08-26",1033.01], ["2011-08-
27",811.63], ["2011-08-28",735.01], ["2011-08-29",985.35],

["2011-08-30",1401.58], ["2011-08-31",1177], ["2011-09-01",1023.66],
["2011-09-02",1442.31], ["2011-09-03",1299.24],

["2011-09-04",1306.29], ["2011-09-06",1800.62], ["2011-09-
07",1607.18], ["2011-09-08",1702.38],

["2011-09-09",4118.48], ["2011-09-10",1988.11], ["2011-09-
11",1485.89], ["2011-09-12",2681.97],

["2011-09-13",1679.56], ["2011-09-14",3538.43], ["2011-09-
15",3118.01], ["2011-09-16",4198.97],

["2011-09-17",3020.44], ["2011-09-18",3383.45], ["2011-09-
19",2148.91], ["2011-09-20",3058.82],

```

```

["2011-09-21",3752.88],      ["2011-09-22",3972.03],      ["2011-09-
23",2923.82], ["2011-09-24",2920.59],

["2011-09-25",2785.93],      ["2011-09-26",4329.7],      ["2011-09-
27",3493.72], ["2011-09-28",4440.55],

["2011-09-29",5235.81], ["2011-09-30",6473.25];

var plot1 = $.jqplot("chart1", [prevYear, currYear], {

    seriesColors: ["rgba(78, 135, 194, 0.7)", "rgb(211, 235, 59)"],

    title: 'Monthly Revenue',

    highlighter: {

        show: true,

        sizeAdjust: 1,

        tooltipOffset: 9

    },

    grid: {

        background: 'rgba(57,57,57,0.0)',

        drawBorder: false,

        shadow: false,

        gridLineColor: '#666666',

        gridLineWidth: 2

```

```
},  
  
legend: {  
  
  show: true,  
  
  placement: 'outside'  
  
},  
  
seriesDefaults: {  
  
  rendererOptions: {  
  
    smooth: true,  
  
    animation: {  
  
      show: true  
  
    }  
  
  },  
  
  showMarker: false  
  
},  
  
series: [  
  
  {  
  
    fill: true,  
  
    label: '2010'
```

```
    },  
  
    {  
      label: '2011'  
    }  
  ],  
  
  axesDefaults: {  
    rendererOptions: {  
      baselineWidth: 1.5,  
      baselineColor: '#444444',  
      drawBaseline: false  
    }  
  },  
  
  axes: {  
    xaxis: {  
      renderer: $.jqplot.DateAxisRenderer,  
      tickRenderer: $.jqplot.CanvasAxisTickRenderer,  
      tickOptions: {  
        formatString: "%b %e",
```

```
    angle: -30,

    textColor: '#ddddd'

  },

  min: "2011-08-01",

  max: "2011-09-30",

  tickInterval: "7 days",

  drawMajorGridlines: false

},

yaxis: {

  renderer: $.jqplot.LogAxisRenderer,

  pad: 0,

  rendererOptions: {

    minorTicks: 1

  },

  tickOptions: {

    formatString: "$% d",

    showMark: false

  }

}
```

```

    }

    }

});

});

/*=====

CHART 8

=====*/

$(function(){

    var plot2 = $.jqplot ('chart8', [[3,7,9,1,5,3,8,2,5]], {

        // Give the plot a title.

        title: 'Plot With Options',

        // You can specify options for all axes on the plot at once with

        // the axesDefaults object. Here, we're using a canvas renderer

        // to draw the axis label which allows rotated text.

        axesDefaults: {

            labelRenderer: $.jqplot.CanvasAxisLabelRenderer

        },

        // Likewise, seriesDefaults specifies default options for all

```



```

// series in a plot. Options specified in seriesDefaults or
// axesDefaults can be overridden by individual series or
// axes options.
// Here we turn on smoothing for the line.

seriesDefaults: {

shadow: false, // show shadow or not.

  rendererOptions: {

    smooth: true

  }

},

// An axes object holds options for all axes.

// Allowable axes are xaxis, x2axis, yaxis, y2axis, y3axis, ...

// Up to 9 y axes are supported.

axes: {

  // options for each axis are specified in seperate option objects.

  xaxis: {

    label: "X Axis",

```

```

// Turn off "padding". This will allow data point to lie on the
// edges of the grid. Default padding is 1.2 and will keep all
// points inside the bounds of the grid.

    pad: 0

  },

  yaxis: {

    label: "Y Axis"

  }

},

                                grid: {

borderColor: '#ccc', // CSS color spec for border around grid.

borderWidth: 2.0,    // pixel width of border around grid.

shadow: false        // draw a shadow for grid.

}

});

});
</script>

```

C. Script Layout

```
<?php
session_start();

include('db_config.php');

$message=isset($message);

if(!isset($_SESSION['user']) && !isset($_SESSION['userpass'])){

header("location:index.php");

}

$user = $_SESSION['user'];

$ccek_1="select * from tbl_user where kode_user = '$user' and
status='admin'";

$hasil_1=mysql_query($cek_1);

$row_1 = mysql_fetch_row($hasil_1);

?>

<!DOCTYPE HTML>

<html>

<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">

<meta name="viewport" content="width=device-width"/>

<title>E-Learnig</title>

<?php include($script);?>

</head>

<body id="theme-default" class="full_block">

<div id="left_bar">

                                <div id="sidebar">

                                <div id="secondary_nav">

                                <?php include("include/template/leftmenu.php");?>

                                </div>

                                </div>

</div>

<div id="container">

    <div id="header" class="orange_block">

        <div class="header_left">
```

```
<div class="logo">

  

</div>

</div>

<div class="header_right">

  <div id="user_nav">

    <ul>

<li class="user_thumb"><span class="icon"></span></li>

<li class="user_info"><span
```

```
class="user_name">Administrator</span><span><a href="#">Profile</a>
&#124; </span></li>
```

```
<li><a href="logout.php"><span class="icon" ></span></a></li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div id="content">
```

```
<?php include($content);?>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

D. Script db_connect

```
<?php
```

```
session_start();
```

```
include('db_config.php');
```

```
$message=isset($message);
```

```
if(!isset($_SESSION['user']) && !isset($_SESSION['userpass'])){
```

```
header("location:index.php");
```

```
}
```

```
$user = $_SESSION['user'];
```

```
$cek_1="select * from tbl_user where kode_user = '$user' and  
status='admin'";
```

```
$hasil_1=mysql_query($cek_1);
```

```
$row_1 = mysql_fetch_row($hasil_1);
```

```
?>
```

```
<!DOCTYPE HTML>
```

```
<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8">

<meta name="viewport" content="width=device-width"/>

<title>E-Learnig</title>

<?php include($script);?>

</head>

<body id="theme-default" class="full_block">

<div id="left_bar">

                                <div id="sidebar">

                                <div id="secondary_nav">

                                <?php include("include/template/leftmenu.php");?>

                                </div>

                                </div>

</div>

<div id="container">
```



```
<div id="header" class="orange_block">

  <div class="header_left">

    <div class="logo">

      

    </div>

  </div>

  <div class="header_right">

    <div id="user_nav">

      <ul>

        <li class="user_thumb"><span class="icon"></span></li>

      </ul>

    </div>

  </div>

</div>
```

```
<li class="user_info"><span class="user_name">Administrator</span><span><a href="#">Profile</a>
&#124; </span></li>
```

```
<li><a href="logout.php"><span class="icon" ></span></a></li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div id="content">
```

```
<?php include($content);?>
```

```
</div>
```

```
</div>  
  
</body>  
  
</html>
```

E. Script Log Out

```
<?php  
  
session_start();  
  
if(isset($_SESSION['user']) && isset($_SESSION['userpass'])){  
  
    session_unset();  
  
    session_destroy();  
  
}  
  
header ("Location: index.php");  
  
?>
```