

BAHAN BANGUNAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
bahanbangunan * ISPA	70	100.0%	0	0.0%	70	100.0%

bahanbangunan * ISPA Crosstabulation

			ISPA		Total
			tidak	ya	
bahanbangunan	TMS	Count	13	48	61
		% within bahanbangunan	21.3%	78.7%	100.0%
		% of Total	18.6%	68.6%	87.1%
	MMS	Count	2	7	9
		% within bahanbangunan	22.2%	77.8%	100.0%
		% of Total	2.9%	10.0%	12.9%
Total	Count		15	55	70
	% within bahanbangunan		21.4%	78.6%	100.0%
	% of Total		21.4%	78.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.004 ^a	1	.950	1.000	.621
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.004	1	.951		
Fisher's Exact Test					
Linear-by-Linear Association	.004	1	.951		
N of Valid Cases	70				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.93.

b. Computed only for a 2x2 table

VENTILASI

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.004 ^a	1	.950	1.000	.621
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.004	1	.951		
Fisher's Exact Test					
Linear-by-Linear Association	.004	1	.951		
N of Valid Cases	70				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.93.

b. Computed only for a 2x2 table

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
ventilasi * ISPA	70	100.0%	0	0.0%	70	100.0%

ventilasi * ISPA Crosstabulation

		ISPA		Total
		tidak	ya	
ventilasi	Count	9	37	46
	TMS % within ventilasi	19.6%	80.4%	100.0%
	% of Total	12.9%	52.9%	65.7%
	Count	6	18	24
	MMS % within ventilasi	25.0%	75.0%	100.0%
	% of Total	8.6%	25.7%	34.3%
Total	Count	15	55	70
	% within ventilasi	21.4%	78.6%	100.0%
	% of Total	21.4%	78.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.277 ^a	1	.599		
Continuity Correction ^b	.048	1	.827		

Kepadatanhunian

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kepadatanhunian * ISPA	70	100.0%	0	0.0%	70	100.0%

kepadatanhunian * ISPA Crosstabulation

			ISPA		Total
			TIDAK	YA	
kepadatanhunian	TMS	Count	6	21	27
		% within kepadatanhunian	22.2%	77.8%	100.0%
		% of Total	8.6%	30.0%	38.6%
	MMS	Count	9	34	43
		% within kepadatanhunian	20.9%	79.1%	100.0%
		% of Total	12.9%	48.6%	61.4%
Total	Count		15	55	70
	% within kepadatanhunian		21.4%	78.6%	100.0%
	% of Total		21.4%	78.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.016 ^a	1	.898	1.000	.562
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.016	1	.898		
Fisher's Exact Test					
Linear-by-Linear Association	.016	1	.899		
N of Valid Cases	70				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.79.

b. Computed only for a 2x2 table

Bahanbakarmemasak

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BAHAN BAKAR * ISPA	70	100.0%	0	0.0%	70	100.0%

BAHAN BAKAR * ISPA Crosstabulation

			ISPA		Total
			TIDAK	YA	
BAHAN BAKAR	TMS	Count	10	49	59
		% within BAHAN BAKAR	16.9%	83.1%	100.0%
		% of Total	14.3%	70.0%	84.3%
	MMS	Count	5	6	11
		% within BAHAN BAKAR	45.5%	54.5%	100.0%
		% of Total	7.1%	8.6%	15.7%
Total	Count		15	55	70
	% within BAHAN BAKAR		21.4%	78.6%	100.0%
	% of Total		21.4%	78.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.075 ^a	1	.008	.049	.049
Continuity Correction ^b	2.142	1	.086		
Likelihood Ratio	2.960	1	.049		
Fisher's Exact Test					
Linear-by-Linear Association	3.031	1	.036		
N of Valid Cases	70				

a. 0 cells (0%) have expected count less than 5. The minimum expected count is 2.36.

b. Computed only for a 2x2 table