

LAMPIRAN

Source Code Transaksi

```
<style type="text/css">

.Masuk {

        font-family: "Book Antiqua";

}

</style>

<h1 class="Transaksi">Transaksi</h1>

<a href="index.php?p=input"> Input Transaksi</a>

<?php if(isset($_GET['nama_barang']) && $_GET['nama_barang']){ ?>

<a          href="cetak-beli.php?nama_barang=<?php          echo
$_GET['nama_barang'];?>&p=beli" target="_blank"> Cetak Transaksi</a>

<?php }else{ ?>

<a href="cetak-beli.php" target="_blank"> Cetak Transaksi</a>

<?php }?>

<tr><form name="form1" method="get" action="">

Search : <input type="text" name="nama_barang" id="nama_barang"/>

<input type="hidden" name="p" id="beli" value="beli"/> <input
type="submit" value="Search"/>
```

```

</form>

<form name="form2" method="get" action="">

Tanggal awal : <input type="date" name="tgl_awal" id="tgl_awal"/>

Tanggal akhir : <input type="date" name="tgl_akhir" id="tgl_akhir"/>

<input type="hidden" name="p" id="beli" value="beli"/> <input
type="submit" value="Search"/>

</tr>

<?php

if(isset($_GET['nama_barang']) && $_GET['nama_barang']){

$conn = mysql_connect("localhost", "root", "");

mysql_select_db("ptcgp");

$q = $_GET['q'];

$namabarang=$_GET['nama_barang'];

$sql = "select * from transaksi,barang where kode_barang like
'%$namabarang%'";

$result = mysql_query($sql);

if(mysql_num_rows($result) > 0){

?>

<?php

```

```

while($beli = mysql_fetch_array($result)){ ?>

<tr>

<td><?php echo $beli['nama_barang'];?></td>

</tr>

<?php }?>

</table>

<?php

}else{

//echo 'Data not found!';

}

}

?>

<div style="overflow:scroll; height:300px; font-family: 'Book Antiqua';" >

<table class="table" width="100%" border="0" cellspacing="0" cellpadding="0">

<tr>

<th>No</th>

<th>Tgl Transaksi</th>

```

```

<th>Kode_Barang</th>

<th>Keterangan</th>

<th>PO</th>

<th>Retur</th>

<th>In</th>

<th>Out</th>

<th>Total</th>

<th>Aksi</th>

</tr>

<?php

$query="select      *      from      transaksi,barang      where
transaksi.kode_barang=barang.kode_barang order by tgl_trans asc" ;

if(isset($_GET['nama_barang'])) {

    $namabarang=$_GET['nama_barang'];

    //$query=$query. " and nama_barang like '%$namabarang%'";

}

if(isset($_GET['tgl_awal']) && $_GET['tgl_akhir']){

    $tgl_awal=$_GET['tgl_awal'];

```

```

        $tgk_akhir=$_GET['tgl_akhir'];

        $query=$query." and (tgl_trans BETWEEN '$tgl_awal' AND
        '$tgk_akhir')";

    }

    $beli=mysql_query($query);

    $no=1;

    while($data=mysql_fetch_array($beli)){

    ?>

    <tr>

        <td><?php echo $no;?></td>

        <td><?=tgl_indo($data['tgl_trans']);?>

        <td><?=$data['nama_barang'];?>

        <td><?=$data['ket'];?>

        <td><?=$data['jumlah_po'];?>

        <td><?=$data['jumlah_retur'];?>

        <td><?=$data['jumlah_do'];?>

        <td><?=$data['jumlah_so'];?>

```

```
<td><?=$data['jumlah_do']-$data['jumlah_so'];?>

<td><a          href="hapus-beli.php?id=<?=$data['kode_trans'];?>"
onclick="return confirm('apakah anda yakin menghapus
<?=$data['kode_barang'];?>')"/a>delete</a></td>

</tr>

<?php $sno++; } ?>

</table>

</div>
```

LAMPIRAN 2

TRANSAKSI

No.	Barang	Tanggal	QTY	Tipe Transaksi
1	Indomilk Cokelat	28-Feb	10	Stok Awal
2	Indomilk Cokelat	1-Mar	50	Receipt
3	Indomilk Cokelat	1-Mar	25	Keluar
4	Indomilk Cokelat	3-Mar	35	Receipt
5	Indomilk Cokelat	4-Mar	50	Keluar
6	Indomilk Cokelat	5-Mar	15	Receipt
7	Indomilk Cokelat	8-Mar	25	Retur
8	Indomilk Cokelat	10-Mar	50	Receipt
9	Indomilk Cokelat	15-Mar	5	Receipt
10	Indomilk Cokelat	20-Mar	50	Keluar

STOK AWAL TGL 1-Mar

No.	Kode_Barang	Kode_Transtype	Stok Awal
1	001SS001	Keluar	10

STOK TGL 1-Mar

No.	Kode_Barang	Stok_Awal	Receipt	Keluar	Stok_Akhir	Tgl Req
1	001SS001	10	50	25	$10+50-25=35$	1-Mar

STOK AWAL TGL 4-Mar

No.	Kode_Barang	Kode_Transtype	Stok Awal
1	001SS001	Keluar	70

STOK TGL 4-Mar

No.	Kode_Barang	Stok_Awal	Receipt	Keluar	Stok_Akhir	Tgl Req
1	001SS001	70	0	50	$70-50=20$	4-Mar