

LAMPIRAN

Lampiran 1 Source Code

Index.php

```
<?php  
header("Location: home");  
?>
```

Home.php

```
<!--<script type="text/javascript" src="js/vsmenu.js"></script>-->  
<link rel="stylesheet" type="text/css" href="css/vsmenu.css">  
<table>  
    <tr>  
        <td colspan="2">  
            <table>  
                <tr>  
                    <?php  
                        $sql_ads = $db-  
>database_prepare("SELECT * FROM as_middle_ads WHERE active = 'Y'  
ORDER BY rand() LIMIT 2")->execute();  
                    while ($data_ads = $db-  
>database_fetch_array($sql_ads)){
```

```

$created_date =
md5(date('Ymdhis'));

echo "<td><a
href='modul/mod_home/c.php?u=$data_ads[url]&id=$data_ads[middle_ads
_id]&MA_$created_date' title='$data_ads[title]' target='_blank'>

<img src='images/middle_adv/$data_ads[image]'
width='450' height='90'>

</a>

</td>";

}

?>

</tr>

</table>

</td>

</tr>

<tr valign="top">

<td width='420' align="justify" style="padding-right:
30px;">

<p style='font-weight: bold; font-size: 18px;
padding-top: 10px;'>ACARA</p>

<?php

```

```

        $dt_event = $db->database_fetch_array($db-
>database_prepare("SELECT * FROM as_events WHERE status = 'Y'
ORDER BY created_date, event_id DESC LIMIT 0,1")->execute());

        if ($dt_event['image'] != ""){

                $image = "<img
src='images/photo_events/thumb/small_{$dt_event[image]}' width='50'
height='50'>";

                }

        else{

                $image = "<img
src='images/no_image2.jpg' width='50' height='50'>";

                }

        $description = substr($dt_event['description'],
0, 150);

        echo "<p style='font-weight: bold; font-size:
16px;'><a href='event-detail-{$dt_event[event_id]}-{$dt_event[title_seo].html'
class='black'>{$dt_event[title]}</a></p>

                <div class='image'>{$image}</div>

                {$description ...

                ";

        $sql_event2 = $db-
>database_prepare("SELECT * FROM as_events WHERE status = 'Y'
ORDER BY created_date, event_id DESC LIMIT 1,5")->execute();

        while ($dt_event2 = $db-
>database_fetch_array($sql_event2)){

```

```

echo "<p style='border-bottom: 1px
solid #999999;'><a href='event-detail-$_dt_event2[event_id]-
$_dt_event2[title_seo].html' class='black'>$_dt_event2[title]</a></p>";

    }

    ?>

</td>

<td width='420' align="justify">

    <p style='font-weight: bold; font-size:
18px;'>INFO DISCOUNT & SALE</p>

    <?php

        $_dt_discount = $db-
>database_fetch_array($db->database_prepare("SELECT * FROM
as_discounts WHERE active = 'Y' ORDER BY created_date, discount_id
DESC LIMIT 0,1")->execute());

        if ($_dt_discount['image'] != ""){

            $_image = "<img
src='images/photo_discount/thumb/small_$_dt_discount[image]' width='50'
height='50'>";

        }

        else{

            $_image = "<img
src='images/no_image2.jpg' width='50' height='50'>";

        }

        $_description =
substr($_dt_discount['description'], 0, 150);

```

```

        echo "<p style='font-weight: bold; font-size:
16px;'><a href='discount-info-\$dt_discount[discount_id]-
\$dt_discount[title_seo].html' class='black'>\$dt_discount[title]</a></p>

                <div class='image'>\$image</div>

                \$description ...

        ";

        \$sql_discount2 = \$db-
>database_prepare("SELECT * FROM as_discounts WHERE active = 'Y'
ORDER BY created_date, discount_id DESC LIMIT 1,5")->execute();

        while (\$dt_discount2 = \$db-
>database_fetch_array(\$sql_discount2)){

                echo "<p style='border-bottom: 1px
solid #999999;'><a href='discount-info-\$dt_discount2[discount_id]-
\$dt_discount2[title_seo].html' class='black'>\$dt_discount2[title]</a></p>";

                }

        ?>

        <p style='font-weight: bold; font-size: 18px;
padding-top: 10px;'>IKLAN BARU</p>

        <?php

                \$dt_item = \$db->database_fetch_array(\$db-
>database_prepare("SELECT * FROM as_advertising WHERE active = 'Y'
ORDER BY created_date, advertising_id DESC LIMIT 0,1")->execute());

                if (\$dt_item['image1'] != ""){

```

```

                                $image = "<img
src='images/photo_adv/thumb/small_$.dt_item[image1]' width='50'
height='50'>";

                                }

                                else{

                                        $image = "<img
src='images/no_image2.jpg' width='50' height='50'>";

                                        }

                                $description = substr($.dt_item['description'],
0, 150);

                                echo "<p style='font-weight: bold; font-size:
16px;'><a href='ads-$.dt_item[advertising_id]-
$.dt_advertising[title_seo].html' class='black'>$.dt_item[title]</a></p>

                                <div class='image'>$.image</div>

                                $.description ...

                                ";

                                $sql_item2 = $db->database_prepare("SELECT *
FROM as_advertising WHERE active = 'Y' ORDER BY created_date,
advertising_id DESC LIMIT 1,5")->execute();

                                while ($.dt_item2 = $db-
>database_fetch_array($sql_item2)){

                                        echo "<p style='border-bottom: 1px
solid #999999;'><a href='ads-$.dt_item2[advertising_id]-
$.dt_item2[title_seo].html' class='black'>$.dt_item2[title]</a></p>";

                                        }

                                ?>

```

```
</td>
</tr>
</table>
```

Koneksi.php

```
<?php
$server = "localhost";
$username = "root";
$password = "";
$databse = "dbiklan4";

// Koneksi dan memilih database di server
mysql_connect($server,$username,$password) or die("Koneksi gagal");
mysql_select_db($databse) or die("Database tidak bisa dibuka");
?>
```

Oreder Trcaking.php

```
<form action="" method="post" name="pencarian" id="pencarian">
  <input type="text" name="search" id="search">
  <input type="submit" name="submit" id="submit" value="Lihat">
</form>
```

```
<?php
include "config/koneksi.php";

if ((isset($_POST['submit'])) AND ($_POST['search'] <> "")) {
    $search = $_POST['search'];

    $sql = mysql_query("SELECT * FROM orders WHERE
id_orders LIKE '%$search%' ") or die(mysql_error());

    //menampilkan jumlah hasil pencarian

    $jml = mysql_num_rows($sql);

    if ($jml>0){
        echo "<table border='1'\>

                <tr>

                    <th>No Order</th>

                    <th>Nama</th>

                    <th>Alamat Penerima</th>

                    <th>Tanggal Order</th>

                    <th>Jam Order</th>

                    <th>Status Order</th>

                </tr>";
```



```
while ($r = mysql_fetch_array($sql)) {  
    echo "</br><tr>  
        <td>${r[id_orders]}</td>  
        <td>${r[nama_kustomer]}</td>  
        <td>${r[alamat]}</td>  
        <td>${r[tgl_order]}</td>  
        <td>${r[jam_order]}</td>  
        <td>${r[status_order]}</td>  
    </tr>";  
    }  
    echo "</table>";  
} else {  
    echo "Anda Belum Melakukan Transaksi";  
}  
}  
?>
```

Add_free_ads.php

```
<script type="text/javascript" src="js/ajaxupload.3.5.js"; ?></script>
<link rel="stylesheet" type="text/css" href="css/Ajaxfile-upload.css"; ?>
<script type='text/javascript' src='js/jquery.validate.js'></script>
```

```
<script>
```

```
    var htmlobjek;
```

```
    function validateEmail(email) {
```

```
        var re = /^[S+@\S+\.\S+]/
```

```
        return re.test(email);
```

```
    }
```

```
    function Count(){
```

```
        var karakter,maksimum;
```

```
        maksimum = 2000
```

```
        karakter = maksimum-
(document.frm_ads.description.value.length);
```

```
        if (karakter < 0) {
```

```
            alert("Max. characters: " + maksimum + "");
```

```
            document.frm_ads.description.value =
document.frm_ads.description.value.substring(0,maksimum);
```

```
            karakter = maksimum-
(document.frm_ads.description.value.length);
```

```
        document.frm_ads.counter.value = karakter;

    }

    else {

        document.frm_ads.counter.value =
maksimum-(document.frm_ads.description.value.length);

    }

}

jQuery(document).ready(function(){

    $('#frm_ads').validate({

        rules:{

            title: true,

            classified: true,

            category: true,

            merk: true,

            price: true,

            province: true,

            city: true,

            description: true,

            syarat: true

        },
```

```
messages: {
    title: {
        required: "This is a
required field."
    },
    classified: {
        required: "This is a
required field."
    },
    category: {
        required: "This is a
required field."
    },
    merk: {
        required: "This is a
required field."
    },
    price: {
        required: "This is a
required field, if price is null, please type 0 in price textbox."
    },
    province: {
```

```
required field."                                required: "This is a
                                                },
                                                city:{
                                                required: "This is a
required field."
                                                },
                                                description:{
                                                required: "This is a
required field."
                                                },
                                                syarat:{
                                                required: "Please check it
to save your ads."
                                                }
    }
});

$("#province").change(function(){
    var province = $("#province").val();
    $.ajax({
        url: "get_city.php",
```

```
        data: "province="+province,
        cache: false,
        success: function(msg){
            $("#city").html(msg);
        }
    });
});

$("#classified").change(function(){
    var classified = $("#classified").val();
    $.ajax({
        url: "get_category.php",
        data: "classified="+classified,
        cache: false,
        success: function(msg){
            $("#category").html(msg);
        }
    });
});
```



```

// extension is not allowed

mestatus.text('Only JPG
file are allowed');

return false;

}

mestatus.html("");

},

onComplete: function(file, response){

//On completion clear the status

mestatus.text("");

//On completion clear the status

files.html("");

//Add uploaded file to list

if(response!="error"){

$( '<li></li>' ).appendTo('#files').html('<br />').addClass('success');

$( '<li></li>' ).appendTo('#adv').html('<input type="hidden"
name="filename" value="'+response+' ">').addClass('nameupload');

} else{

```



```

        $('<li></li>').appendTo('#files').text(file).addClass('error');
    }
}
});

// Image 2
var btnUpload2=$('#me2');
var mestatus2=$('#mestatus2');
var files2=$('#files2');
new AjaxUpload(btnUpload2, {
    action: 'upload_image2.php',
    name: 'uploadfile2',
    onSubmit: function(file, ext){
        if (! (ext &&
/^(\jpg|jpeg)$/.test(ext)){
            // extension is not allowed
            mestatus.text('Only JPG
file are allowed');
            return false;
        }
    }
});

```

```

//mestatus.html('');

mestatus.html("");

},

onComplete: function(file, response){

//On completion clear the status
mestatus2.text("");

//On completion clear the status
files2.html("");

//Add uploaded file to list

if(response!=="error"){

$( '<li></li>' ).appendTo('#files2').html('<br />').addClass('success2');

$( '<li></li>' ).appendTo('#adv2').html('<input type="hidden"
name="filename2" value="'+response+'">').addClass('nameupload2');

} else{

$( '<li></li>' ).appendTo('#files2').text(file).addClass('error');

}

```

```

    }

    });

    // Image 3
    var btnUpload3=$('#me3');
    var mestatus3=$('#mestatus3');
    var files3=$('#files3');
    new AjaxUpload(btnUpload3, {
        action: 'upload_image3.php',
        name: 'uploadfile3',
        onSubmit: function(file, ext){
            if (!(ext &&
/^(jpg|jpeg)$/.test(ext))){
                // extension is not allowed
                mestatus.text('Only JPG
file are allowed');
                return false;
            }
            mestatus.html("");
        },
        onComplete: function(file, response){

```

```

//On completion clear the status
mestatus3.text("");

//On completion clear the status
files3.html("");

//Add uploaded file to list
if(response!="error"){

    $('<li></li>').appendTo('#files3').html('<br />').addClass('success3');

    $('<li></li>').appendTo('#adv3').html('<input type="hidden"
name="filename3" value="'+response+'">').addClass('nameupload3');

    } else{

    $('<li></li>').appendTo('#files3').text(file).addClass('error');

    }

    }

});

// Image 4
var btnUpload4=$('#me4');

```

```

var mestatus4=$('#mestatus4');

var files4=$('#files4');

new AjaxUpload(btnUpload4, {
    action: 'upload_image4.php',
    name: 'uploadfile4',
    onSubmit: function(file, ext){
        if (!(ext &&
/^(jpg|jpeg)$/.test(ext))){
            // extension is not allowed
            mestatus4.text('Only JPG
file are allowed');
            return false;
        }
        mestatus4.html("");
    },
    onComplete: function(file, response){
        //On completion clear the status
        mestatus4.text("");
        //On completion clear the status
        files4.html("");
        //Add uploaded file to list

```

```
        if(response!="error"){

            $('<li></li>').appendTo('#files4').html('<br />').addClass('success4');

            $('<li></li>').appendTo('#adv4').html('<input type="hidden"
name="filename4" value="'+response+'"/>').addClass('nameupload4');

                } else{

                    $('<li></li>').appendTo('#files4').text(file).addClass('error');

                        }

                    }

                });

                // Image 5

                var btnUpload5=$('#me5');

                var mestatus5=$('#mestatus5');

                var files5=$('#files5');

                new AjaxUpload(btnUpload5, {

                    action: 'upload_image5.php',

                    name: 'uploadfile5',
```

```

onSubmit: function(file, ext){
    if (!(ext &&
/^(jpg|jpeg)$/.test(ext))) {
        // extension is not allowed
        mestatus.text('Only JPG
file are allowed');
        return false;
    }
    mestatus.html("");
},
onComplete: function(file, response){
    //On completion clear the status
    mestatus5.text("");
    //On completion clear the status
    files5.html("");
    //Add uploaded file to list
    if(response!="error"){
        $('<li></li>').appendTo('#files5').html('<br />').addClass('success5');

```

```
$(`<li></li>`).appendTo('#adv5').html('<input type="hidden"
name="filename5" value="'+response+'">').addClass('nameupload5');
```

```
    } else{
```

```
$(`<li></li>`).appendTo('#files5').text(file).addClass('error');
```

```
    }
```

```
  }
```

```
});
```

```
// Image 6
```

```
var btnUpload6=$('#me6');
```

```
var mestatus6=$('#mestatus6');
```

```
var files6=$('#files6');
```

```
new AjaxUpload(btnUpload6, {
```

```
    action: 'upload_image6.php',
```

```
    name: 'uploadfile6',
```

```
    onSubmit: function(file, ext){
```

```
        if (! (ext &&
```

```
        /^(jpg|jpeg)$/.test(ext))) {
```

```
            // extension is not allowed
```



```
file are allowed');
                                mestatus.text('Only JPG

                                return false;

                                }

                                mestatus.html("");

                                },

                                onComplete: function(file, response){

                                    //On completion clear the status

                                    mestatus6.text("");

                                    //On completion clear the status

                                    files6.html("");

                                    //Add uploaded file to list

                                    if(response!="error"){

                                        $('<li></li>').appendTo('#files6').html('<br />').addClass('success6');

                                        $('<li></li>').appendTo('#adv6').html('<input type="hidden"
name="filename6" value="'+response+'">').addClass('nameupload6');

                                        } else{
```

```
        $('<li></li>').appendTo('#files6').text(file).addClass('error');
    }
}
});

});
</script>

<?php
$data_profile = $db->database_fetch_array($db-
>database_prepare("SELECT * FROM as_member A WHERE A.email =
?")->execute($_SESSION['email_login']));
?>

<div class='main-column-wrapper'>
    <div class='main-column-left2'>
        <div class='blog-style-2'>
            <p style="font-size: 18px; font-weight:
bold;">Post Iklan Anda secara Gratis</p>
            <form method="POST" id="frm_ads"
action="modul/mod_myads/action_add_ads.php" name="frm_ads">
                <table width="100%">
                    <tr>
```



```

        </tr>

        <tr>

            <td style="padding-
bottom: 5px; padding-top: 5px; padding-left: 5px;"><b>Group</b></td>

            <td style="padding-
bottom: 5px; padding-top: 5px; padding-right: 5px;">

                <select
name="classified" class="required" id="classified" style="background:
#FFF; border: 1px solid #DDD; border-radius: 5px; box-shadow: 0 0 5px
#DDD inset; color:#666; outline: none; width: 266px; margin-right: 10px;
padding: 5px;">

                    <option value="">- Pilih Group </option>

                </select>

            </td>

        </tr>

    </table>

    <?php

        $sql_classified = $db->database_prepare("SELECT * FROM
as_groups WHERE status = 'Y' ORDER BY group_name ASC")-
>execute();

        while
($data_classified = $db->database_fetch_array($sql_classified)){

            echo "<option
value='$data_classified[group_id]'">$data_classified[group_name]</option>
";

        }

    <?>

    </select>

```

```

        </td>

    </tr>

    <tr>

        <td style="padding-
bottom: 5px; padding-top: 5px; padding-left: 5px;"><b>Kategori</b></td>

        <td style="padding-
bottom: 5px; padding-top: 5px; padding-right: 5px;">

            <select
name="category" id="category" class="required" style="background: #FFF;
border: 1px solid #DDD; border-radius: 5px; box-shadow: 0 0 5px #DDD
inset; color:#666; outline: none; width: 266px; margin-right: 10px; padding:
5px;">

                <option value="">- Pilih Kategori -</option>

            </select>

        </td>

    </tr>

    <tr>

        <td style="padding-
bottom: 5px; padding-top: 5px; padding-left: 5px;"><b>Merk</b></td>

        <td style="padding-
bottom: 5px; padding-top: 5px; padding-right: 5px;">

            <select
name="merk" id="merk" class="required" style="background: #FFF;
border: 1px solid #DDD; border-radius: 5px; box-shadow: 0 0 5px #DDD
inset; color:#666; outline: none; width: 266px; margin-right: 10px; padding:
5px;">

```

```
<option value="">- Pilih Merk -</option>
                                </select>
                                </td>
                                </tr>
                                <tr>
                                <td style="padding-
bottom: 5px; padding-top: 5px; padding-left: 5px;"><b>Harga</b></td>
                                <td style="padding-
bottom: 5px; padding-top: 5px; padding-right: 5px;">
                                <input
type="text" id="price" class="required" placeholder="Harga, hanya angka"
name="price" style="background: #FFF; border: 1px solid #DDD; border-
radius: 5px; box-shadow: 0 0 5px #DDD inset; color:#666; outline: none;
height: 20px; width: 266px; margin-right: 10px; padding: 5px;">
                                </td>
                                </tr>
                                <tr>
                                <td style="padding-
bottom: 5px; padding-top: 5px; padding-bottom: 10px; padding-left:
5px;"><b>Negosiasi</b></td>
                                <td style="padding-
bottom: 5px; padding-top: 5px; padding-right: 5px;">
                                <input
type="checkbox" id="negotiation" name="negotiation" value="1">
                                </td>
```



```

                                echo "<option
value='$data_city[city_id]>$data_city[city_name]</option>";

                                }

                                }

                                }
                                else{

                                echo "<option value=""></option>";

                                }

                                ?>

                                </select>

                                </td>

                                </tr>

                                <tr valign="top">

                                <td style="padding-
bottom: 5px; padding-top: 5px; padding-left: 5px;"><b>Deskripsi
Iklan</b></td>

                                <td style="padding-
bottom: 5px; padding-top: 5px; padding-right: 5px;">

                                <textarea
rows="10" id="description" class="required" placeholder="Description"
name="description" style="background: #FFF; border: 1px solid #DDD;

```

```
border-radius: 5px; box-shadow: 0 0 5px #DDD inset; color:#666; outline: none; width: 750px; margin-right: 10px; padding: 5px;"
```

```
OnFocus="Count();" OnClick="Count();"
onKeyDown="Count();" OnChange="Count();"
onKeyUp="Count();"></textarea>
```

```
<br>
```

```
<input
name="counter" type="text" size="5" value="2000" style="background:
#FFF; border: 1px solid #DDD; border-radius: 5px; box-shadow: 0 0 5px
#DDD inset; color:#666; outline: none; width: 40px; margin-left: 650px;
margin-top: 5px; padding: 5px;" DISABLED> <b>Remain</b>
```

```
</td>
```

```
</tr>
```

```
<tr valign="top">
```

```
<td style="padding-
bottom: 5px; padding-top: 5px; padding-left: 5px;"
width="130"><b>Upload Gambar</b></td>
```

```
<td style="padding-
bottom: 5px; padding-top: 5px; padding-right: 5px;">
```

```
<table>
```

```
<tr>
```

```
<td width="280">
```

```
<table>
```

```
<tr>

      <td height="90">

          <div id="me"
style="cursor:pointer; height: 70px; width: 75px;">

              <button
class="button_profile"></button>

          <div id="adv">

              <li
class="nameupload"></li>

          </div>

          <div id="files">

              <li
class="success"></li>

          </div>

      </div>

  </div>
```

```
</span>
<span id="mestatus"
></span>
</td>
<td>
<div id="me2"
style="cursor:pointer; height: 70px; width: 75px; margin-left: 10px;">
<button
class="button_profile"></button>
<div
id="adv2">
<li
class="nameupload2"></li>
</div>
<div
id="files2">
<li
class="success2"></li>
```

```
                                </div>

                                </div>

                                <span
id="mestatus2"></span>

                                </td>

                                <td>

                                <div id="me3"
style="cursor:pointer; height: 70px; width: 75px; margin-left: 10px;">

                                <button
class="button_profile"></button>

                                </div

id="adv3">

                                <li

class="nameupload2"></li>

                                </div>
```

```
id="files3">
class="success3"></li>
id="mestatus3"></span>
style="cursor:pointer; height: 70px; width: 75px;">
class="button_profile"></button>
</div>
</div>
<span
</td>
</tr>
<tr>
<td>
<div id="me4"
</button>
```

```
id="adv4">
                                <div
class="nameupload4"></li>
                                <li
                                </div>
id="files4">
                                <div
class="success4"></li>
                                <li
                                </div>
                                </div>
                                </div>
                                <span id="mestatus4"
></span>
                                </td>
                                <td>
```



```

                                <div id="me5"
style="cursor:pointer; height: 70px; width: 75px; margin-left: 10px;">

                                <button
class="button_profile"></button>

                                <div
id="adv5">

                                <li
class="nameupload5"></li>

                                </div>

                                <div
id="files5">

                                <li
class="success5"></li>

                                </div>

                                </div>

                                </div>

                                <span
id="mestatus5"></span>

```

```
</td>
```

```
<td>
```

```
<div id="me6"  
style="cursor:pointer; height: 70px; width: 75px; margin-left: 10px;">
```

```
<button  
class="button_profile"></button>
```

```
<div  
id="adv6">
```

```
<li  
class="nameupload6"></li>
```

```
</div>
```

```
<div  
id="files6">
```

```
<li  
class="success6"></li>
```

```
</div>
```

</div>

<span

id="mestatus6">

</td>

</tr>

</table>

</td>

<td align="left">

<div class="alert">

• Iklan dengan banyak foto, lebih
direspon oleh pembeli.

• Iklan dengan foto mampu
meningkatkan respon hingga 3x lipat.

</div>

</td>

```
</tr>
</table>
</td>
</tr>
<tr>
<td></td>
<td><br>
<input
type="checkbox" name="syarat" value="1" CHECKED DISABLED> Saya
sudah membaca dan menerima semua syarat dan ketentuan
tempatkerajinan.com
</td>
</tr>
<tr valign="top">
<td style="padding-
bottom: 5px; padding-top: 5px; padding-left: 5px;"></td>
<td style="padding-
bottom: 5px; padding-top: 5px; padding-right: 5px;"><br>
<input
type="submit" class="button_profile" value="SAVE">
</td>
</tr>
</table>
```

```
        </form>
    </div>
</div>
```

Register.php

```
<script src="js/jquery.validate.js" type="text/javascript" charset="utf-8"></script>

<script>

    function validateEmail(email) {

        var re = /\S+@\S+\.\S+/

        return re.test(email);

    }

    jQuery(document).ready(function(){

        $('#frm_sign_up').validate({

            rules:{

                username: true,

                email: true,

                password: true,
```

```
        retype_password: true
    },
    messages: {
        username: {
            required: "This is a
required field."
        },
        email: {
            required: "This is a
required field."
        },
        password: {
            required: "This is a
required field."
        },
        retype_password: {
            required: "This is a
required field."
        }
    }
});
```

```

$("#username").change(function()

    { //if theres a change in the username textbox

        var username = $("#username").val();//Get
the value in the username textbox

        $("#availability_username").html('&nbsp;Checking
availability...');

        //Add a loading image in the span
id="availability_status"

        $.ajax({ //Make the Ajax Request

            type: "POST",

            url:
"modul/mod_sign_up/check_username.php", //file name

            data: "username="+ username,
//data

            success: function(server_response){

                $("#availability_username").ajaxComplete(function(event,
request){

                    if(server_response == '0')//if ajax_check_username.php return
value "0"

                        {

                            $("#availability_username").html('<div class="available">
Username is Available </div> ');

```



```

        });

    });

    $("#email").change(function()

    { //if theres a change in the username textbox

        var email = $("#email").val();//Get the value
in the username textbox

        $("#availability_status").html('&nbsp;Checking availability...');

        //Add a loading image in the span
id="availability_status"

        $.ajax({ //Make the Ajax Request

            type: "POST",

            url:
"modul/mod_sign_up/check_email.php", //file name

            data: "email="+ email, //data

            success: function(server_response){

                $("#availability_status").ajaxComplete(function(event, request){

                    if(server_response == '0')//if ajax_check_username.php return
value "0"

                    {

```



```
        });
    }
    });
});
});
</script>

<p style='font-size: 18px; font-weight: bold;'>Sign Up</p>
<table border="0" width="100%" bgcolor="#eae7e7" height="450">
    <tr>
        <td style="padding-left: 20px;" width="45%"
align="center">
            It's Free, easy, and fast<br><br>
            <a href="#" onclick="connect_fb();"></a>
        </td>
        <td align="center"><font color="#666">or</font>
<br><div style="border-left: 1px solid rgba(0, 0, 0, 0.1); border-right: 1px
solid rgba(255, 255, 255, 0.8); display: inline;"></div></td>
        <td valign="middle" style="padding-left: 40px;
padding-top: 50px;">
            <?php
```

```
$full_url = full_url();

if (strpos($full_url, "error=Error") ==
TRUE){

    echo "<div
class='messageerror'><p>Your sign up is failed, maybe your password did
not match with your retype password. please try agian</p></div>";

    }

?>

<form method="POST" id="frm_sign_up"
action="action_sign_up.php">

    <table>

        <tr>

            <td>

                <input
type="text" id="username" class="required" placeholder="Username, Only
Contain Letters and Numbers" name="username" style="background:
#FFF; border: 1px solid #DDD; border-radius: 5px; box-shadow: 0 0 5px
#DDD inset; color:#666; outline: none; height: 25px; width: 300px; margin-
right: 10px; padding: 5px; margin-bottom: 10px;">

                <span
id="availability_username"></span>

            </td>

        </tr>

        <tr>

            <td>
```



```
</tr>
<tr>
<td><input type="image"
class="simplebtn" id="buttonSignup" src='images/signup-button.png'></td>
</tr>
<tr>
<td><br>
<font
color="#666">
<ul>
<li>
The verification link will be sent to your email <br>
<li>
If the email is not sent, please check your Spam folder first or contact our
<br>team support.
</font>
</td>
</tr>
</table>
</form>
<br>
</td>
</tr>
</table>
```