

Statistics


kej_hipertensi

N	Valid	76
	Missing	0
Mean		1.70
Median		2.00
Mode		2
Std. Deviation		.462

kej_hipertensi

	Frequency	Percent	Valid Percent	Cumulative Percent	
Valid	tidaknormal	23	30.3	30.3	30.3
	normal	53	69.7	69.7	100.0
Total	76	100.0	100.0		

kej_hipertensi



Statistics

tot_pengetahuan

N	Valid	76
	Missing	0
Mean		33.3816
Median		34.0000
Mode		34.00 ^a
Std. Deviation		2.45475

a. Multiple modes exist. The smallest value is shown

tot_pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
26.00	1	1.3	1.3	1.3
27.00	1	1.3	1.3	2.6
29.00	2	2.6	2.6	5.3
30.00	3	3.9	3.9	9.2
31.00	8	10.5	10.5	19.7
32.00	11	14.5	14.5	34.2
Valid 33.00	11	14.5	14.5	48.7
34.00	15	19.7	19.7	68.4
35.00	15	19.7	19.7	88.2
36.00	3	3.9	3.9	92.1
37.00	1	1.3	1.3	93.4
38.00	2	2.6	2.6	96.1
39.00	3	3.9	3.9	100.0
Total	76	100.0	100.0	

Statistics


kat_pengetahuan

N	Valid	76
	Missing	0
Mean		1.51
Median		2.00
Mode		2
Std. Deviation		.503

kat_pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid kurang	37	48.7	48.7	48.7
Valid baik	39	51.3	51.3	100.0
Total	76	100.0	100.0	

kat_pengetahuan



Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kat_pengetahuan * kej_hipertensi	76	100.0%	0	0.0%	76	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.756 ^a	1	.016		
Continuity Correction ^b	4.620	1	.032		
Likelihood Ratio	5.865	1	.015		
Fisher's Exact Test				.024	.015
Linear-by-Linear Association	5.680	1	.017		
N of Valid Cases	76				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.20.

b. Computed only for a 2x2 table