

Universitas Esa Unggul
Fakultas Ilmu-Ilmu Kesehatan
Program Studi Kesehatan Masyarakat
Skripsi, Februari 2017

GINA PUSPITA DEWI

**FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN PERILAKU
PEMBERIAN ASI EKSKLUSIF PADA BAYI USIA 7-12 BULAN DI
BADAN LAYANAN UMUM DAERAH (BLUD) PUSKESMAS
KECAMATAN MENTENG JAKARTA PUSAT TAHUN 2016**

(6 BAB, 85 Halaman, 18 Tabel, 5 Gambar)

ABSTRAK

Latar Belakang : Perilaku pemberian ASI eksklusif adalah pemberian ASI saja tanpa tambahan makanan dan cairan lain kecuali vitamin, mineral dan obat. ASI bermanfaat untuk kesehatan ibu dan bayi tetapi cakupan pemberian ASI eksklusif belum memenuhi target. Berdasarkan data Profil Kesehatan Provinsi DKI Jakarta Tahun 2012 menunjukkan bahwa bayi yang diberikan ASI eksklusif di wilayah Kota Administrasi Jakarta Pusat hanya sekitar 1169 orang (8,4%) dari total 13.907 bayi. Oleh karena itu penelitian ini dilakukan untuk mengetahui faktor yang berhubungan dengan perilaku pemberian ASI eksklusif di badan layanan umum daerah (BLUD) Puskesmas Kecamatan Menteng Jakarta Pusat 2016

Tujuan : Mengetahui factor-faktor yang berhubungan dengan perilaku pemberian ASI eksklusif pada bayi usia 7-12 bulan di Badan Layanan Umum Daerah (BULD) Puskesmas Kecamatan Menteng Jakarta Pusat tahun 2016

Metode Penelitian : Jenis penelitian kuantitatif dengan desain cross-sectional (potong melintang). Jumlah sampel 80 ditentukan dengan metode *purposive sampling*. Jenis data yaitu primer diperoleh dengan kuesioner dan observasi. Analisis data univariat, bivariat menggunakan uji *Chi-Square* dan multivariat menggunakan regresi logistik ganda.

Hasil : Proporsi tertinggi ibu berusia <32 tahun (91%), berpendidikan tinggi (80%), bekerja (71,3%), pengetahuan baik (71,3%), sikap baik (61,3%), dukungan petugas kesehatan baik (73,8%), dukungan keluarga (73,8%) dengan perilaku pemberian ASI eksklusif (55%). Berdasarkan hasil uji *Chi-Square*, tidak ada hubungan pendidikan, dan pekerjaan. Ada hubungan pengetahuan, sikap, dukungan petugas kesehatan, dukungan keluarga dengan perilaku pemberian ASI eksklusif. Berdasarkan hasil uji multivariat variabel yang paling berhubungan dengan perilaku pemberian ASI eksklusif adalah dukungan keluarga.

$Y = -2,207 + 2,854 (\text{Pengetahuan}) + 4,003 (\text{Petugas}) + 4,040 (\text{Keluarga})$

Kesimpulan : Diperlukannya upaya promosi kesehatan dalam bentuk penyuluhan terutama tentang pemberian ASI eksklusif terhadap ibu-ibu menyusui.

Kata Kunci : ASI eksklusif.

Daftar Pustaka : 65 (1993-2016)

University of Esa Unggul
Faculty of Health Sciences
Public Health Study Program
Essay, February 2017

GINA PUSPITA DEWI

**FACTORS ASSOCIATED WITH THE BEHAVIOR OF EXCLUSIVE
BREAST FEEDING IN INFANT 7-12 MONTHS OF AGE IN REGIONAL
PUBLIC SERVICE AGENCY (BLUD) HEALTH DISTRICT MENTENG
JAKARTA YEAR 2016**

(6 Chapter, 85 Page, 18 Table, 5 Picture)

ABSTRACT

Background: The behavior of exclusive breastfeeding is breastfeeding without supplemental foods and liquids other than vitamins, minerals and medicines. Breastfeeding is beneficial to maternal and child health but the scope of exclusive breastfeeding has not met the target. Based on data from Jakarta Health Profile in 2012 showed that babies who breastfed exclusively in the area of Central Jakarta City Administration is only about 1169 people (8.4%) of the total 13 907 babies. Therefore, this study was conducted to determine the factors associated with exclusive breastfeeding behavior in local public service agencies (BLUD) Menteng, Central Jakarta District Health Clinics in 2016

Objective: To determine the factors related to the behavior of exclusive breastfeeding in infants aged 7-12 months in the Public Service Board (BLUD) Menteng Jakarta Pusat 2016

Method: Quantitative research with cross-sectional design (cross section). Number of samples 80 were determined by accidental sampling method. The primary types of data are obtained by questionnaire and observation. The data analysis of univariate, bivariate using Chi-square test and multivariate logistic regression.

Results: The highest proportion of mothers aged <32 years (91%), highly educated (80%), work (71.3%), good knowledge (71.3%), good attitude (61.3%), support both health workers (73.8%), family support (73.8%) with exclusive breastfeeding behavior (55%). Based on the results of Chi-Square test, there is no relation between education and employment. There is a correlation between knowledge, attitude, support health care workers, family support exclusive breastfeeding behavior. Based on the results of multivariate analysis of variables most associated with exclusive breastfeeding behavior is family support
$$Y = -2.207 + 2.854 (\text{Knowledge}) + 4.003 (\text{Officer}) + 4.040 (\text{Family})$$

Conclusion: The need for health promotion efforts in the form of counseling, especially about exclusive breastfeeding to breastfeeding mothers.

Key Words : ASI eksklusif.

Bibliography : 65 (1993-2016)