

Tabel r Product Moment

**TABEL r PRODUCT -MOMENT (two-tailed test)**

<b>df</b>	<b>Alpha 5%</b>	<b>df</b>	<b>Alpha 5%</b>	<b>df</b>	<b>Alpha 5%</b>	<b>df</b>	<b>Alpha 5%</b>
1	0,997	26	0,374	51	0,271	76	0,223
2	0,950	27	0,367	52	0,268	77	0,221
3	0,878	28	0,361	53	0,266	78	0,220
4	0,811	29	0,355	54	0,263	79	0,219
5	0,775	30	0,349	55	0,261	80	0,217
6	0,707	31	0,344	56	0,257	81	0,216
7	0,666	32	0,339	57	0,256	82	0,215
8	0,632	33	0,334	58	0,254	83	0,213
9	0,602	34	0,329	59	0,252	84	0,212
10	0,576	35	0,325	60	0,250	85	0,211
11	0,553	36	0,320	61	0,248	86	0,210
12	0,532	37	0,316	62	0,246	87	0,208
13	0,514	38	0,312	63	0,244	88	0,207
14	0,497	39	0,308	64	0,242	89	0,206
15	0,482	40	0,304	65	0,240	90	0,205
16	0,468	41	0,301	66	0,239	91	0,204
17	0,456	42	0,297	67	0,237	92	0,203
18	0,444	43	0,294	68	0,235	93	0,202
19	0,433	44	0,291	69	0,234	94	0,201
20	0,423	45	0,288	70	0,232	95	0,200
21	0,413	46	0,285	71	0,230	96	0,199
22	0,404	47	0,282	72	0,229	97	0,198
23	0,396	48	0,279	73	0,227	98	0,197
24	0,388	49	0,276	74	0,226	99	0,196
25	0,381	50	0,273	75	0,224	100	0,195

**Statistics**

		usia	jenis_kelamin	pendidikan	penghasilan	status_pernikahan
N	Valid	100	100	100	100	100
	Missing	0	0	0	0	0

**Usia**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	17-20 th	5	5.0	5.0	5.0
	21-30 th	66	66.0	66.0	71.0
	31-40 th	27	27.0	27.0	98.0
	>40 th	2	2.0	2.0	100.0
	Total	100	100.0	100.0	

**Pendidikan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SMA	6	6.0	6.0	6.0
	D3	76	76.0	76.0	82.0
	S1	16	16.0	16.0	98.0
	S2	2	2.0	2.0	100.0
	Total	100	100.0	100.0	

**penghasilan**



## Frequency Table

**P1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	1	1.0	1.0	1.0
TS	11	11.0	11.0	12.0
RR	39	39.0	39.0	51.0
S	34	34.0	34.0	85.0
SS	15	15.0	15.0	100.0
Total	100	100.0	100.0	

**P2**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	2	2.0	2.0	2.0
TS	8	8.0	8.0	10.0
RR	29	29.0	29.0	39.0
S	43	43.0	43.0	82.0
SS	18	18.0	18.0	100.0
Total	100	100.0	100.0	

**P3**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TS	14	14.0	14.0	14.0
RR	31	31.0	31.0	45.0
S	42	42.0	42.0	87.0
SS	13	13.0	13.0	100.0
Total	100	100.0	100.0	

**P4**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TS	13	13.0	13.0	13.0
RR	21	21.0	21.0	34.0
S	43	43.0	43.0	77.0
SS	23	23.0	23.0	100.0
Total	100	100.0	100.0	

**P5**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	2	2.0	2.0	2.0
TS	14	14.0	14.0	16.0
RR	31	31.0	31.0	47.0
S	33	33.0	33.0	80.0
SS	20	20.0	20.0	100.0
Total	100	100.0	100.0	

**P6**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TS	6	6.0	6.0	6.0
RR	24	24.0	24.0	30.0
S	59	59.0	59.0	89.0
SS	11	11.0	11.0	100.0
Total	100	100.0	100.0	

**P7**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	2	2.0	2.0	2.0
TS	20	20.0	20.0	22.0

	RR	34	34.0	34.0	56.0
	S	35	35.0	35.0	91.0
	SS	9	9.0	9.0	100.0
	Total	100	100.0	100.0	

**P8**

		Frequency	Percent	Valid Percent	Cumulative Percent
	TS	24	24.0	24.0	24.0
	RR	38	38.0	38.0	62.0
Valid	S	29	29.0	29.0	91.0
	SS	9	9.0	9.0	100.0
	Total	100	100.0	100.0	

**P9**

		Frequency	Percent	Valid Percent	Cumulative Percent
	TS	14	14.0	14.0	14.0
	RR	23	23.0	23.0	37.0
Valid	S	44	44.0	44.0	81.0
	SS	19	19.0	19.0	100.0
	Total	100	100.0	100.0	

**P10**

		Frequency	Percent	Valid Percent	Cumulative Percent
	TS	6	6.0	6.0	6.0
	RR	38	38.0	38.0	44.0
Valid	S	35	35.0	35.0	79.0
	SS	21	21.0	21.0	100.0
	Total	100	100.0	100.0	

**P11**

	Frequency	Percent	Valid Percent	Cumulative Percent
TS	10	10.0	10.0	10.0
RR	27	27.0	27.0	37.0
Valid S	46	46.0	46.0	83.0
SS	17	17.0	17.0	100.0
Total	100	100.0	100.0	

**P12**

	Frequency	Percent	Valid Percent	Cumulative Percent
TS	10	10.0	10.0	10.0
RR	33	33.0	33.0	43.0
Valid S	44	44.0	44.0	87.0
SS	13	13.0	13.0	100.0
Total	100	100.0	100.0	

**Y1**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	4	4.0	4.0	4.0
TS	8	8.0	8.0	12.0
Valid RR	29	29.0	29.0	41.0
S	44	44.0	44.0	85.0
SS	15	15.0	15.0	100.0
Total	100	100.0	100.0	

**Y2**

	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	--------------------

Valid	STS	4	4.0	4.0	4.0
	TS	8	8.0	8.0	12.0
	RR	30	30.0	30.0	42.0
	S	47	47.0	47.0	89.0
	SS	11	11.0	11.0	100.0
	Total	100	100.0	100.0	

### Y3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	4	4.0	4.0
	TS	6	6.0	10.0
	RR	31	31.0	41.0
	S	46	46.0	87.0
	SS	13	13.0	100.0
	Total	100	100.0	

### Y4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	2	2.0	2.0
	TS	8	8.0	10.0
	RR	28	28.0	38.0
	S	48	48.0	86.0
	SS	14	14.0	100.0
	Total	100	100.0	

## Frequencies

### Statistics

Budaya


N	Valid	100
---	-------	-----



Missing	0
Mean	10.72
Median	11.00
Mode	10
Std. Deviation	2.113
Minimum	6
Maximum	15
Sum	1072

**budaya**

	Frequency	Percent	Valid Percent	Cumulative Percent
6	2	2.0	2.0	2.0
7	4	4.0	4.0	6.0
8	10	10.0	10.0	16.0
9	14	14.0	14.0	30.0
10	18	18.0	18.0	48.0
Valid 11	13	13.0	13.0	61.0
12	16	16.0	16.0	77.0
13	13	13.0	13.0	90.0
14	8	8.0	8.0	98.0
15	2	2.0	2.0	100.0
Total	100	100.0	100.0	




#### Statistics

Sosial

N	Valid	100
	Missing	0
Mean		10.20
Median		10.00
Mode		12
Std. Deviation		2.207
Minimum		6
Maximum		15
Sum		1020

**social**

	Frequency	Percent	Valid Percent	Cumulative Percent
6	3	3.0	3.0	3.0
7	7	7.0	7.0	10.0
8	15	15.0	15.0	25.0
9	17	17.0	17.0	42.0
10	17	17.0	17.0	59.0
Valid 11	7	7.0	7.0	66.0
12	20	20.0	20.0	86.0
13	7	7.0	7.0	93.0
14	3	3.0	3.0	96.0
15	4	4.0	4.0	100.0
Total	100	100.0	100.0	



### Statistics


Pribadi

N	Valid	100
	Missing	0
Mean		11.06
Median		11.50
Mode		12
Std. Deviation		1.953
Minimum		7
Maximum		15

Sum	1106
-----	------

**pribadi**

	Frequency	Percent	Valid Percent	Cumulative Percent
7	2	2.0	2.0	2.0
8	8	8.0	8.0	10.0
9	16	16.0	16.0	26.0
10	17	17.0	17.0	43.0
Valid 11	7	7.0	7.0	50.0
12	26	26.0	26.0	76.0
13	14	14.0	14.0	90.0
14	7	7.0	7.0	97.0
15	3	3.0	3.0	100.0
Total	100	100.0	100.0	




### Statistics

Psikologis

N	Valid	100
	Missing	0
Mean		10.63
Median		10.00
Mode		10
Std. Deviation		1.973
Minimum		7
Maximum		15
Sum		1063

**psikologis**

	Frequency	Percent	Valid Percent	Cumulative Percent
7	3	3.0	3.0	3.0
8	8	8.0	8.0	11.0
9	19	19.0	19.0	30.0
10	31	31.0	31.0	61.0
Valid 11	8	8.0	8.0	69.0
12	6	6.0	6.0	75.0
13	16	16.0	16.0	91.0
14	6	6.0	6.0	97.0
15	3	3.0	3.0	100.0
Total	100	100.0	100.0	



### Statistics


#### KEPUTUSAN

N	Valid	100
	Missing	0
Mean		14.33
Median		15.00
Mode		16
Std. Deviation		3.244
Minimum		4
Maximum		20
Sum		1433



**KEPUTUSAN**

	Frequency	Percent	Valid Percent	Cumulative Percent
4	1	1.0	1.0	1.0
5	1	1.0	1.0	2.0
7	2	2.0	2.0	4.0
8	5	5.0	5.0	9.0
10	3	3.0	3.0	12.0
11	2	2.0	2.0	14.0
12	9	9.0	9.0	23.0
13	8	8.0	8.0	31.0
Valid 14	14	14.0	14.0	45.0
15	14	14.0	14.0	59.0
16	21	21.0	21.0	80.0
17	9	9.0	9.0	89.0
18	4	4.0	4.0	93.0
19	1	1.0	1.0	94.0
20	6	6.0	6.0	100.0
Total	100	100.0	100.0	



## NPar Tests

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters <sup>a,b</sup>	Mean	0E-7
	Std. Deviation	3.21031003
	Absolute	.102
Most Extreme Differences	Positive	.084
	Negative	-.102
Kolmogorov-Smirnov Z		1.024
Asymp. Sig. (2-tailed)		.245

a. Test distribution is Normal.

b. Calculated from data.

## Crosstabs

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
budaya1 * KEPUTUSAN1	100	100.0%	0	0.0%	100	100.0%

### budaya1 \* KEPUTUSAN1 Crosstabulation

Count

		KEPUTUSAN1		Total
		Ya	Tidak	
budaya1	baik	31	21	52
	kurang	26	22	48
Total		57	43	100

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.302 <sup>a</sup>	1	.582		
Continuity Correction <sup>b</sup>	.121	1	.728		
Likelihood Ratio	.302	1	.582		
Fisher's Exact Test				.687	.364
Linear-by-Linear Association	.299	1	.584		
N of Valid Cases	100				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 20.64.

b. Computed only for a 2x2 table

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sosial1 * KEPUTUSAN1	100	100.0%	0	0.0%	100	100.0%

#### sosial1 \* KEPUTUSAN1 Crosstabulation

Count

		KEPUTUSAN1		Total
		Ya	Tidak	
sosial1	baik	24	17	41
	kurang	33	26	59
Total		57	43	100

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.067 <sup>a</sup>	1	.796		
Continuity Correction <sup>b</sup>	.003	1	.957		
Likelihood Ratio	.067	1	.796		
Fisher's Exact Test				.839	.479
Linear-by-Linear Association	.066	1	.797		
N of Valid Cases	100				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 17.63.

b. Computed only for a 2x2 table

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pribadi1 * KEPUTUSAN1	100	100.0%	0	0.0%	100	100.0%

### pribadi1 \* KEPUTUSAN1 Crosstabulation

Count

	KEPUTUSAN1		Total
	Ya	Tidak	
pribadi1 baik	30	20	50
kurang	27	23	50
Total	57	43	100

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.367 <sup>a</sup>	1	.545		
Continuity Correction <sup>b</sup>	.163	1	.686		

Likelihood Ratio	.367	1	.544		
Fisher's Exact Test				.686	.343
Linear-by-Linear Association	.364	1	.547		
N of Valid Cases	100				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 21.50.

b. Computed only for a 2x2 table

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
psikologis1 * KEPUTUSAN1	100	100.0%	0	0.0%	100	100.0%

#### psikologis1 \* KEPUTUSAN1 Crosstabulation

Count

	KEPUTUSAN1	Total
--	------------	-------

	Ya	Tidak	
baik	26	13	39
psikologis1 kurang	31	30	61
Total	57	43	100

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.438 <sup>a</sup>	1	.118		
Continuity Correction <sup>b</sup>	1.834	1	.176		
Likelihood Ratio	2.467	1	.116		
Fisher's Exact Test				.149	.087
Linear-by-Linear Association	2.413	1	.120		
N of Valid Cases	100				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 16.77.

b. Computed only for a 2x2 table





