

LAMPIRAN IV

1. Uji Univariat

FREQUENCIES VARIABLES=CAT_MSDS
/STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN MODE
/ORDER=ANALYSIS.

Frequencies

Notes

31-MAY-2017 20:53:29

Output Created

Comments

Input

Data

Active Dataset

File Label

Filter

Weight

Split File

N of Rows in Working Data

File

35

Missing Value Handling

Definition of Missing

User-defined missing values are treated as missing.

Cases Used

Statistics are based on all cases with valid data.

Weight Handling

Syntax

FREQUENCIES
VARIABLES=CAT_MSDS
/STATISTICS=STDDEV
MINIMUM MAXIMUM MEAN
MEDIAN MODE
/ORDER=ANALYSIS.

Resources

Processor Time

00:00:00.00

Elapsed Time

00:00:00.00

[DataSet5]

Statistics

MSDS

N

Valid 35

Missing 0

Mean

57.17

Median

59.00

Minimum

38

Maximum

68

LAMPIRAN IV

| | | Frequency | MSDS Percent | Valid Percent | Cumulative Percent |
|-------|----|-----------|-----------------|---------------|--------------------|
| Valid | 38 | 2 | 5.7 | 5.7 | 5.7 |
| | 43 | 3 | 8.6 | 8.6 | 14.3 |
| | 45 | 1 | 2.9 | 2.9 | 17.1 |
| | 46 | 1 | 2.9 | 2.9 | 20.0 |
| | 49 | 1 | 2.9 | 2.9 | 22.9 |
| | 53 | 4 | 11.4 | 11.4 | 34.3 |
| | 56 | 1 | 2.9 | 2.9 | 37.1 |
| | 57 | 1 | 2.9 | 2.9 | 40.0 |
| | 58 | 2 | 5.7 | 5.7 | 45.7 |
| | 59 | 2 | 5.7 | 5.7 | 51.4 |
| | 61 | 1 | 2.9 | 2.9 | 54.3 |
| | 62 | 2 | 5.7 | 5.7 | 60.0 |
| | 63 | 4 | 11.4 | 11.4 | 71.4 |
| | 64 | 2 | 5.7 | 5.7 | 77.1 |
| | 65 | 2 | 5.7 | 5.7 | 82.9 |
| | 66 | 2 | 5.7 | 5.7 | 88.6 |
| | 67 | 2 | 5.7 | 5.7 | 94.3 |
| | 68 | 2 | 5.7 | 5.7 | 100.0 |
| Total | | 35 | 100.0 | 100.0 | |

[DataSet1]

| Statistics | | |
|----------------|---------|------|
| KAT_MSDS | | |
| N | Valid | 35 |
| | Missing | 0 |
| Mean | | .23 |
| Median | | .00 |
| Mode | | 0 |
| Std. Deviation | | .426 |
| Minimum | | 0 |
| Maximum | | 1 |

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------------|-----------|---------|---------------|-----------------------|
| Valid | RISIKO TINGGI | 27 | 77.1 | 77.1 | 77.1 |
| | RISIKO RENDAH | 8 | 22.9 | 22.9 | 100.0 |
| Total | | 35 | 100.0 | 100.0 | |

LAMPIRAN IV

```
FREQUENCIES VARIABLES=CAT_PK
/STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN MODE
/ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created 31-MAY-2017 20:56:48

Comments

Input

Data

Active Dataset

DataSet1

File Label

Filter

<none>

Weight

<none>

Split File

<none>

N of Rows in Working Data

35

File

Missing Value Handling

Definition of Missing

User-defined missing values are treated as missing.

Cases Used

Statistics are based on all cases with valid data.

Weight Handling

Syntax

FREQUENCIES

VARIABLES=CAT_PK

/STATISTICS=STDDEV

MINIMUM MAXIMUM MEAN

MEDIAN MODE

/ORDER=ANALYSIS.

Resources

Processor Time

00:00:00.00

Elapsed Time

00:00:00.02

[DataSet1]

Statistics

KAT_PK

N Valid 35

Missing 0

Mean .11

Median .00

Mode 0

Std. Deviation .323

Minimum 0

Maximum 1

LAMPIRAN IV

| | | KAT_PK | | | |
|-------|----------------|-----------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | POSTUR JANGGAL | 31 | 88.6 | 88.6 | 88.6 |
| | POSTUR NETRAL | 4 | 11.4 | 11.4 | 100.0 |
| | Total | 35 | 100.0 | 100.0 | |

[DataSet1]

Statistics

POSTUR KERJA

| | | |
|---------|---------|------|
| N | Valid | 35 |
| | Missing | 0 |
| Mean | | 1.97 |
| Median | | 2.00 |
| Minimum | | 1 |
| Maximum | | 4 |

| | | POSTUR KERJA | | | |
|-------|----------------------|--------------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | Risiko Rendah | 4 | 11.4 | 11.4 | 11.4 |
| | Risiko Sedang | 29 | 82.9 | 82.9 | 94.3 |
| | Risiko Tinggi | 1 | 2.9 | 2.9 | 97.1 |
| | Risiko sangat tinggi | 1 | 2.9 | 2.9 | 100.0 |
| | Total | 35 | 100.0 | 100.0 | |

RECODE USIA (Lowest thru 29=1) (30 thru Highest=0) INTO CAT_USIA.
 VARIABLE LABELS CAT_USIA 'KAT_USIA'.
 EXECUTE.
 FREQUENCIES VARIABLES=CAT_USIA/STATISTICS=STDDEV MINIMUM MAXIMUM MEAN
 MEDIAN MODE/ORDER=ANALYSIS.

Frequencies

Notes

| | | |
|----------------|----------------|----------------------|
| Output Created | | 31-MAY-2017 20:58:41 |
| Comments | | |
| Input | Data | |
| | Active Dataset | DataSet1 |
| | File Label | |

LAMPIRAN IV

| | |
|---------------------------|--|
| Filter | <none> |
| Weight | <none> |
| Split File | <none> |
| N of Rows in Working Data | 35 |
| File | |
| Missing Value Handling | Definition of Missing |
| | User-defined missing values are treated as missing. |
| | Statistics are based on all cases with valid data. |
| Cases Used | |
| Weight Handling | |
| Syntax | |

FREQUENCIES
VARIABLES=CAT_USIA
/STATISTICS=STDDEV
MINIMUM MAXIMUM MEAN
MEDIAN MODE
/ORDER=ANALYSIS.

| | | |
|-----------|----------------|-------------|
| Resources | Processor Time | 00:00:00.02 |
| | Elapsed Time | 00:00:00.02 |

[DataSet1]

| Statistics | | |
|----------------|---------|------|
| KAT_USIA | | |
| N | Valid | 35 |
| | Missing | 0 |
| Mean | | .20 |
| Median | | .00 |
| Mode | | 0 |
| Std. Deviation | | .406 |
| Minimum | | 0 |
| Maximum | | 1 |

KAT_USIA

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | TUA | 28 | 80.0 | 80.0 | 80.0 |
| | MUDA | 7 | 20.0 | 20.0 | 100.0 |
| | Total | 35 | 100.0 | 100.0 | |

LAMPIRAN IV

```
RECODE MASAKERJA (Lowest thru 4=1) (5 thru Highest=0) INTO CAT_MK.
VARIABLE LABELS CAT_MK 'KAT_MK'.
EXECUTE.
FREQUENCIES VARIABLES=CAT_MK
/STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN MODE/ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created 31-MAY-2017 21:00:06
 Comments

Input Data
 Active Dataset DataSet1
 File Label
 Filter <none>
 Weight <none>
 Split File <none>
 N of Rows in Working Data 35
 File

Missing Value Handling Definition of Missing User-defined missing values are treated as missing.
 Cases Used Statistics are based on all cases with valid data.

Weight Handling
 Syntax
 FREQUENCIES
 VARIABLES=CAT_MK
 /STATISTICS=STDDEV
 MINIMUM MAXIMUM MEAN
 MEDIAN MODE
 /ORDER=ANALYSIS.

Resources Processor Time 00:00:00.02
 Elapsed Time 00:00:00.02

[DataSet1]

Statistics

| KAT_MK | | |
|--------|----------------|------|
| N | Valid | 35 |
| | Missing | 0 |
| | Mean | .37 |
| | Median | .00 |
| | Mode | 0 |
| | Std. Deviation | .490 |
| | Minimum | 0 |
| | Maximum | 1 |

LAMPIRAN IV

| | | KAT_MK | | | |
|-------|-------|-----------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | LAMA | 22 | 62.9 | 62.9 | 62.9 |
| | BARU | 13 | 37.1 | 37.1 | 100.0 |
| | Total | 35 | 100.0 | 100.0 | |

RECODE DURASI (Lowest thru 1=1) (2 thru Highest=0) INTO CAT_DK.
 VARIABLE LABELS CAT_DK 'KAT_DK'.
 EXECUTE.
 CROSSTABS
 /TABLES=CAT_PK BY CAT_MSDS/FORMAT=AVALUE TABLES/STATISTICS=CHISQ RISK
 /CELLS=COUNT TOTAL/COUNT ROUND CELL.

Frequencies

Notes

| | | |
|------------------------|---------------------------|--|
| Output Created | | 31-MAY-2017 21:11:01 |
| Comments | | |
| Input | Data | D:\SKRIPSI\SPSS RABU.sav DataSet1 |
| | Active Dataset | DataSet1 |
| | File Label | |
| | Filter | <none> |
| | Weight | <none> |
| | Split File | <none> |
| | N of Rows in Working Data | 35 |
| | File | |
| Missing Value Handling | Definition of Missing | User-defined missing values are treated as missing. |
| | Cases Used | Statistics are based on all cases with valid data. |
| Weight Handling | | |
| Syntax | | FREQUENCIES VARIABLES=CAT_DK /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN MODE /ORDER=ANALYSIS. |
| Resources | Processor Time | 00:00:00.02 |
| | Elapsed Time | 00:00:00.02 |

LAMPIRAN IV

[DataSet1]

Statistics

KAT_DK

| | | |
|----------------|---------|------|
| N | Valid | 35 |
| | Missing | 0 |
| Mean | | .29 |
| Median | | .00 |
| Mode | | 0 |
| Std. Deviation | | .458 |
| Minimum | | 0 |
| Maximum | | 1 |

KAT_DK

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | LAMA | 25 | 71.4 | 71.4 | 71.4 |
| | SINGKAT | 10 | 28.6 | 28.6 | 100.0 |
| | Total | 35 | 100.0 | 100.0 | |

Frequencies

Notes

Output Created

06-JUN-2017 09:40:25

Comments

Input

Data

Active Dataset

DataSet1

File Label

Filter

<none>

Weight

<none>

Split File

<none>

N of Rows in Working Data File

35

Missing Value Handling Definition of Missing

User-defined missing values are treated as missing.

Cases Used

Statistics are based on all cases with valid data.

Weight Handling

LAMPIRAN IV

Syntax

```
FREQUENCIES
VARIABLES=Punggung

/STATISTICS=MINIMUM
MAXIMUM MEAN MEDIAN

/ORDER=ANALYSIS.
```

Resources

Processor Time

00:00:00.00

Elapsed Time

00:00:00.02

[DataSet1]

Statistics

Punggung

N Valid 35

Missing 0

Mean 1.97

Median 2.00

Minimum 1

Maximum 3

Punggung

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------|-----------|---------|---------------|--------------------|
| Valid | LURUS | 11 | 31.4 | 31.4 | 31.4 |
| | MEMBUNGKUK | 14 | 40.0 | 40.0 | 71.4 |
| | MEMUNTIR | 10 | 28.6 | 28.6 | 100.0 |
| | Total | 35 | 100.0 | 100.0 | |

LAMPIRAN IV

[DataSet1]

Statistics

Kaki

| | | |
|---------|---------|-------------|
| N | Valid | 35 |
| | Missing | 0 |
| Mean | | 2.03 |
| Median | | 2.00 |
| Minimum | | 1 |
| Maximum | | 6 |

Universitas
Esa U

Universitas
Esa Unggul

Kaki

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------------------|-----------|--------------|---------------|--------------------|
| Valid | DUDUK | 12 | 34.3 | 34.3 | 34.3 |
| | BERDIRI | 16 | 45.7 | 45.7 | 80.0 |
| | BERDIRI 1 KAKI MENEKUK | 5 | 14.3 | 14.3 | 94.3 |
| | BERLUTUT | 2 | 5.7 | 5.7 | 100.0 |
| | Total | 35 | 100.0 | 100.0 | |

[DataSet1]

Statistics

Lengan

| | | |
|---------|---------|-------------|
| N | Valid | 35 |
| | Missing | 0 |
| Mean | | 1.46 |
| Median | | 1.00 |
| Minimum | | 1 |
| Maximum | | 2 |

Universitas
Esa U

Universitas
Esa Unggul

LAMPIRAN IV

| | | Lengan | | | |
|-------|----------------------|-----------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | LENGAN DI BAWAH BAHU | 19 | 54.3 | 54.3 | 54.3 |
| | 1 LENGAN DIATAS BAHU | 16 | 45.7 | 45.7 | 100.0 |
| | Total | 35 | 100.0 | 100.0 | |

Universitas
Esa Unggul

Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul



2. Uji Normalitas

Explore

Notes

Output Created

Comments

Input

Data

Active Dataset

File Label

Filter

Weight

Split File

N of Rows in Working Data File

Missing Value Handling

Definition of Missing

Cases Used

Weight Handling

Syntax

11-JUL-2017 21:01:33

DataSet2

<none>

<none>

<none>

35

User-defined missing values for dependent variables are treated as missing.

Statistics are based on cases with no missing values for any dependent variable or factor used.

EXAMINE VARIABLES=MK

**/PLOT BOXPLOT STEMLEAF
NPLOT**

/COMPARE GROUPS

/STATISTICS DESCRIPTIVES

/INTERVAL 95

/MISSING LISTWISE

/NOTOTAL.

Resources

Processor Time

00:00:01.72

Elapsed Time

00:00:01.73

LAMPIRAN IV

[DataSet2]

Case Processing Summary

| | Cases | | | | | |
|---------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| MASA KERJA | 35 | 100.0% | 0 | 0.0% | 35 | 100.0% |

Descriptives

| | | Statistic | Std. Error |
|---------------|----------------------------------|-----------|------------|
| MASA KERJA | Mean | 4.43 | .160 |
| | 95% Confidence Interval for Mean | | |
| | Lower Bound | 4.10 | |
| | Upper Bound | 4.75 | |
| | 5% Trimmed Mean | 4.42 | |
| | Median | 5.00 | |
| | Variance | .899 | |
| | Std. Deviation | .948 | |
| | Minimum | 3 | |
| | Maximum | 6 | |
| | Range | 3 | |
| | Interquartile Range | 2 | |
| | Skewness | -.551 | .398 |
| | Kurtosis | -1.029 | .778 |

LAMPIRAN IV

| | Tests of Normality | | | | | |
|------------|---------------------------------|----|------|--------------|----|------|
| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
| | Statistic | df | Sig. | Statistic | df | Sig. |
| MASA KERJA | .355 | 35 | .000 | .765 | 35 | .000 |

a. Lilliefors Significance Correction

Explore

Notes

Output Created

11-JUL-2017 21:02:02

Comments

Input

Data

Active Dataset

DataSet2

File Label

Filter

<none>

Weight

<none>

Split File

<none>

N of Rows in Working Data File

35

Missing Value Handling

Definition of Missing

User-defined missing values for dependent variables are treated as missing.

Cases Used

Statistics are based on cases with no missing values for any dependent variable or factor used.

Weight Handling

LAMPIRAN IV

Syntax

```
EXAMINE VARIABLES=DK  
  
/PLOT BOXPLOT STEMLEAF  
NPLOT  
  
/COMPARE GROUPS  
  
/STATISTICS DESCRIPTIVES  
  
/INTERVAL 95  
  
/MISSING LISTWISE  
  
/NOTOTAL.
```

| | | |
|-----------|----------------|-------------|
| Resources | Processor Time | 00:00:01.75 |
| | Elapsed Time | 00:00:01.79 |

[DataSet2]

Case Processing Summary

| | Cases | | | | | |
|-----------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| DURASI KERJA | 35 | 100.0% | 0 | 0.0% | 35 | 100.0% |

LAMPIRAN IV

| | | Descriptives | |
|--------|----------------------------------|--------------|------------|
| | | Statistic | Std. Error |
| DURASI | Mean | 1.71 | .077 |
| KERJA | 95% Confidence Interval for Mean | | |
| | Lower Bound | 1.56 | |
| | Upper Bound | 1.87 | |
| | 5% Trimmed Mean | 1.74 | |
| | Median | 2.00 | |
| | Variance | .210 | |
| | Std. Deviation | .458 | |
| | Minimum | 1 | |
| | Maximum | 2 | |
| | Range | 1 | |
| | Interquartile Range | 1 | |
| | Skewness | -.992 | .398 |
| | Kurtosis | -1.082 | .778 |

| | | Tests of Normality | | | | | |
|--------|--|---------------------------------|----|------|--------------|----|------|
| | | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
| | | Statistic | df | Sig. | Statistic | df | Sig. |
| DURASI | | | | | | | |
| KERJA | | .448 | 35 | .000 | .567 | 35 | .000 |

a. Lilliefors Significance Correction

3. Analisis Bivariat

```
GET
FILE='D:\SKRIPS\DATA BARU KOMPLIT\SPSS RABU.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
CROSSTABS
/TABLES=CAT_PK BY CAT_MSDS
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ RISK
/CELLS=COUNT ROW
/COUNT ROUND CELL.
```

Crosstabs

Notes

| | | |
|------------------------|--------------------------------|---|
| Output Created | | 05-JUN-2017 22:26:19 |
| Comments | | |
| Input | Data | D:\SKRIPS\DATA BARU KOMPLIT\SPSS RABU.sav |
| | Active Dataset | DataSet1 |
| | File Label | |
| | Filter | <none> |
| | Weight | <none> |
| | Split File | <none> |
| | N of Rows in Working Data File | 35 |
| Missing Value Handling | Definition of Missing | User-defined missing values are treated as missing. Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table. |
| | Cases Used | |
| Weight Handling | | |
| Syntax | | CROSSTABS /TABLES=CAT_PK BY CAT_MSDS /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT ROW /COUNT ROUND CELL. |
| Resources | Processor Time | 00:00:00.02 |
| | Elapsed Time | 00:00:00.02 |
| | Dimensions Requested | 2 |
| | Cells Available | 174762 |

[DataSet1] D:\SKRIPSI\DATA BARU KOMPLIT\SPSS RABU.sav

Case Processing Summary

| | Cases | | | | | |
|-------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| KAT_PK * KAT_MSDS | 35 | 100.0% | 0 | 0.0% | 35 | 100.0% |

KAT_PK * KAT_MSDS Crosstabulation

| KAT_PK | | | KAT_MSDS | | Total |
|----------------|-----------------|--|---------------|---------------|--------|
| | | | RISIKO TINGGI | RISIKO RENDAH | |
| POSTUR JANGGAL | Count | | 26 | 5 | 31 |
| | % within KAT_PK | | 83.9% | 16.1% | 100.0% |
| POSTUR NETRAL | Count | | 1 | 3 | 4 |
| | % within KAT_PK | | 25.0% | 75.0% | 100.0% |
| Total | Count | | 27 | 8 | 35 |
| | % within KAT_PK | | 77.1% | 22.9% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|--------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 6.964 ^a | 1 | .008 | | |
| Continuity Correction ^b | 4.025 | 1 | .045 | | |
| Likelihood Ratio | 5.738 | 1 | .017 | | |
| Fisher's Exact Test | | | | .030 | .030 |
| Linear-by-Linear Association | 6.765 | 1 | .009 | | |
| N of Valid Cases | 35 | | | | |

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .91.

b. Computed only for a 2x2 table

LAMPIRAN IV

| | Risk Estimate | | |
|--|---------------|-------------------------|---------|
| | Value | 95% Confidence Interval | |
| | | Lower | Upper |
| Odds Ratio for KAT_PK (POSTUR JANGGAL / POSTUR NETRAL) | 15.600 | 1.336 | 182.090 |
| For cohort KAT_MSDDS = RISIKO TINGGI | 3.355 | .610 | 18.445 |
| For cohort KAT_MSDDS = RISIKO RENDAH | .215 | .081 | .574 |
| N of Valid Cases | 35 | | |

```

CROSSTABS
  /TABLES=CAT_USIA BY CAT_MSDDS
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ RISK
  /CELLS=COUNT ROW
  /COUNT ROUND CELL.
    
```

Crosstabs

| | | Notes |
|------------------------|--------------------------------|---|
| Output Created | | 05-JUN-2017 22:27:09 |
| Comments | | |
| Input | Data | D:\SKRIPS\DATA BARU KOMPLIT\SPSS RABU.sav |
| | Active Dataset | DataSet1 |
| | File Label | |
| | Filter | <none> |
| | Weight | <none> |
| | Split File | <none> |
| | N of Rows in Working Data File | 35 |
| Missing Value Handling | Definition of Missing | User-defined missing values are treated as missing. |
| | Cases Used | Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table. |
| Weight Handling | | |

LAMPIRAN IV

Syntax

```
CROSSTABS
  /TABLES=CAT_USIA BY
CAT_MSDS
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ RISK
  /CELLS=COUNT ROW
  /COUNT ROUND CELL.
```

| | | |
|-----------|----------------------|-------------|
| Resources | Processor Time | 00:00:00.03 |
| | Elapsed Time | 00:00:00.13 |
| | Dimensions Requested | 2 |
| | Cells Available | 174762 |

[DataSet1] D:\SKRIPSI\DATA BARU KOMPLIT\SPSS RABU.sav

Case Processing Summary

| | Cases | | | | | |
|---------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| KAT_USIA * KAT_MSDS | 35 | 100.0% | 0 | 0.0% | 35 | 100.0% |

KAT_USIA * KAT_MSDS Crosstabulation

| | KAT_USIA | TUA | KAT_MSDS | | Total |
|-------|----------|------|-------------------|---------------|-------|
| | | | RISIKO TINGGI | RISIKO RENDAH | |
| Count | | TUA | 25 | 3 | 28 |
| | | | % within KAT_USIA | 89.3% | 10.7% |
| Count | | MUDA | 2 | 5 | 7 |
| | | | % within KAT_USIA | 28.6% | 71.4% |
| Count | Total | | 27 | 8 | 35 |
| | | | % within KAT_USIA | 77.1% | 22.9% |

LAMPIRAN IV

| | Value | Chi-Square Tests | | | |
|------------------------------------|---------------------------|------------------|-----------------------|----------------------|----------------------|
| | | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
| Pearson Chi-Square | 11.707^a | 1 | .001 | | |
| Continuity Correction ^b | 8.517 | 1 | .004 | | |
| Likelihood Ratio | 10.184 | 1 | .001 | | |
| Fisher's Exact Test | | | | .003 | .003 |
| Linear-by-Linear Association | 11.373 | 1 | .001 | | |
| N of Valid Cases | 35 | | | | |

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.60.

b. Computed only for a 2x2 table

| | Risk Estimate | | |
|--------------------------------------|---------------|-------------------------|----------------|
| | Value | 95% Confidence Interval | |
| | | Lower | Upper |
| Odds Ratio for KAT_USIA (TUA / MUDA) | 20.833 | 2.735 | 158.715 |
| For cohort KAT_MSIDS = RISIKO TINGGI | 3.125 | .962 | 10.153 |
| For cohort KAT_MSIDS = RISIKO RENDAH | .150 | .047 | .482 |
| N of Valid Cases | 35 | | |

```

CROSSTABS
  /TABLES=CAT_MK BY CAT_MSIDS
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ RISK
  /CELLS=COUNT ROW
  /COUNT ROUND CELL.
    
```

Crosstabs

Notes

Output Created

05-JUN-2017 22:27:53

Comments

Input

Data

D:\SKRIPS\DATA BARU

KOMPLIT\SPSS RABU.sav

Active Dataset

DataSet1

File Label

Filter

<none>

Weight

<none>

LAMPIRAN IV

| | | | |
|------------------------|--------------------------------|--|-------------|
| | Split File | <none> | |
| | N of Rows in Working Data File | | 35 |
| Missing Value Handling | Definition of Missing | User-defined missing values are treated as missing. | |
| | Cases Used | Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table. | |
| Weight Handling | | | |
| Syntax | | CROSSTABS /TABLES=CAT_MK BY CAT_MSDS /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT ROW /COUNT ROUND CELL. | |
| Resources | Processor Time | | 00:00:00.03 |
| | Elapsed Time | | 00:00:00.05 |
| | Dimensions Requested | | 2 |
| | Cells Available | | 174762 |

[DataSet1] D:\SKRIPSI\DATA BARU KOMPLIT\SPSS RABU.sav

Case Processing Summary

| | Cases | | | | | |
|-------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| KAT_MK * KAT_MSDS | 35 | 100.0% | 0 | 0.0% | 35 | 100.0% |

KAT_MK * KAT_MSDS Crosstabulation

| KAT_MK | LAMA | Count | KAT_MSDS | | Total |
|--------|------|-------|---------------|---------------|-------|
| | | | RISIKO TINGGI | RISIKO RENDAH | |
| | | 20 | 2 | 22 | |
| | | 90.9% | 9.1% | 100.0% | |
| | BARU | 7 | 6 | 13 | |
| | | 53.8% | 46.2% | 100.0% | |
| Total | | 27 | 8 | 35 | |
| | | 77.1% | 22.9% | 100.0% | |

LAMPIRAN IV

| | Value | Chi-Square Tests | | | |
|------------------------------------|--------------------------|------------------|-----------------------|----------------------|----------------------|
| | | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
| Pearson Chi-Square | 6.366^a | 1 | .012 | | |
| Continuity Correction ^b | 4.437 | 1 | .035 | | |
| Likelihood Ratio | 6.279 | 1 | .012 | | |
| Fisher's Exact Test | | | | .032 | .019 |
| Linear-by-Linear Association | 6.184 | 1 | .013 | | |
| N of Valid Cases | 35 | | | | |

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.97.

b. Computed only for a 2x2 table

| | Risk Estimate | | |
|--------------------------------------|---------------|-------------------------|---------------|
| | Value | 95% Confidence Interval | |
| | | Lower | Upper |
| Odds Ratio for KAT_MK (LAMA / BARU) | 8.571 | 1.393 | 52.748 |
| For cohort KAT_MSDDS = RISIKO TINGGI | 1.688 | 1.003 | 2.841 |
| For cohort KAT_MSDDS = RISIKO RENDAH | .197 | .046 | .836 |
| N of Valid Cases | 35 | | |

```

CROSSTABS
  /TABLES=CAT_DK BY CAT_MSDDS
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ RISK
  /CELLS=COUNT ROW
  /COUNT ROUND CELL.
    
```

Crosstabs

Notes

Output Created

05-JUN-2017 22:28:29

Comments

Input

Data

D:\SKRIPS\DATA BARU
KOMPLIT\SPSS RABU.sav

Active Dataset

DataSet1

File Label

Filter

<none>

Weight

<none>

LAMPIRAN IV

| | | | |
|------------------------|--------------------------------|--|-------------|
| | Split File | <none> | |
| | N of Rows in Working Data File | | 35 |
| Missing Value Handling | Definition of Missing | User-defined missing values are treated as missing. | |
| | Cases Used | Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table. | |
| Weight Handling | | | |
| Syntax | | CROSSTABS /TABLES=CAT_DK BY CAT_MSDS /FORMAT=AVALUE TABLES /STATISTICS=CHISQ RISK /CELLS=COUNT ROW /COUNT ROUND CELL. | |
| Resources | Processor Time | | 00:00:00.02 |
| | Elapsed Time | | 00:00:00.09 |
| | Dimensions Requested | | 2 |
| | Cells Available | | 174762 |

[DataSet1] D:\SKRIPSI\DATA BARU KOMPLIT\SPSS RABU.sav

Case Processing Summary

| | Cases | | | | | |
|-------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| KAT_DK * KAT_MSDS | 35 | 100.0% | 0 | 0.0% | 35 | 100.0% |

KAT_DK * KAT_MSDS Crosstabulation

| | KAT_DK | LAMA | Count | KAT_MSDS | | Total |
|-------|---------|------|-----------------|---------------|---------------|--------|
| | | | | RISIKO TINGGI | RISIKO RENDAH | |
| | LAMA | | Count | 23 | 2 | 25 |
| | LAMA | | % within KAT_DK | 92.0% | 8.0% | 100.0% |
| | SINGKAT | | Count | 4 | 6 | 10 |
| | SINGKAT | | % within KAT_DK | 40.0% | 60.0% | 100.0% |
| Total | | | Count | 27 | 8 | 35 |
| Total | | | % within KAT_DK | 77.1% | 22.9% | 100.0% |

LAMPIRAN IV

| | Value | Chi-Square Tests | | | |
|------------------------------------|---------------------------|------------------|-----------------------|----------------------|----------------------|
| | | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
| Pearson Chi-Square | 10.954^a | 1 | .001 | | |
| Continuity Correction ^b | 8.203 | 1 | .004 | | |
| Likelihood Ratio | 10.229 | 1 | .001 | | |
| Fisher's Exact Test | | | | .003 | .003 |
| Linear-by-Linear Association | 10.641 | 1 | .001 | | |
| N of Valid Cases | 35 | | | | |

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.29.

b. Computed only for a 2x2 table

| | Risk Estimate | | |
|--|---------------|-------------------------|----------------|
| | Value | 95% Confidence Interval | |
| | | Lower | Upper |
| Odds Ratio for KAT_DK (LAMA / SINGKAT) | 17.250 | 2.528 | 117.722 |
| For cohort KAT_MSDS = RISIKO TINGGI | 2.300 | 1.067 | 4.957 |
| For cohort KAT_MSDS = RISIKO RENDAH | .133 | .032 | .553 |
| N of Valid Cases | 35 | | |