

DAFTAR PUSTAKA

Aquilar et all, 2011, *A dynamic warm-up model increases quadriceps strength and hamstring flexibility.*

Akinpelu. A.D/. Bakare. U., Adegoke B.O.A. 2005. *Influence of Age on Hamstring Tightness in Apparently Healthy Nigerians.* Journal of The Nigeria Society of Physiotherapy – Vol. 15 No. 2. Department of Physiotherapy, Collage of Medicine, University of Ibadan. Ibadan.

Duchateau dan Enoka, 2011. *Human motor unit recordings: origins and insight into the integrated motor system.* Laboratory of Applied Biology, Université Libre de Bruxelles, 808 Route de Lennik, Brussels, Belgium.

Fakhrana, 2012, “ *Active Isolated Strechching (Ais)* Lebih Baik dari *Passive Streching* dalam mengurangi *Tighness Hamstring* ”. Digilib Esa Unggul.

Fry et al., 2003. *Effect of Knee Position on Hip and Knee Torques During the Barbell Squat.* Human Performance Laboratories, The University of Memphis, Memphis, Tennessee 38152.

Hadiwijaya, S. 2005 . Anatomi Extremitas Jilid 1 Extremitas Superior. Surakarta: Sebelas Maret University Press.

Haryati M.H. 2011. Penambahan Intervensi Micro Wave Diathermy Pada Intervensi Muscle Energy Technique Meningkatkan Fleksibilitas Lumbal Pada Kondisi Nyeri Punggung Bawah.jakarta. Skripsi Universitas Esa Unggul.

Hendriko. 2012. Profil Fleksibilitas Otot Hamstring pada Atlit Voli Koni Propinsi DKI Jakarta, Studi Pendahuluan untuk Evaluasi Pencegahan Cedera

Olahraga. Jakarta. Program Studi Ilmu Kedokteran Fisik dan Rehabilitasi Universitas Indonesia.

Kisner, Carolyn and Lynn Allen Coiby. 2007. *Therapeutic Exercise Foundations and Techniques*. Philadelphia: F.A. Davis Company.

Kisner, Carolyn and Lynn Allen Coiby. 2012. *Therapeutic Exercise Foundations and Techniques*. Philadelphia: F.A. Davis Company.

Lesmana, Syahmirza Indra. 2012. Perbedaan Pengaruh Metode Latihan Beban Terhadap Kekuatan Dan Daya Tahan Otot Biceps Brachialis Ditinjau Dari Perbedaan Gender (Studi Komparasi Pemberian Latihan Beban Metode Delorme dan Metode Oxford Pada Mahasiswa Fakultas Ilmu Kesehatan dan Fisioterapi. Universitas Esa Unggul. Jakarta.

Lubis, D.R. 2011. Beda Efek antara *Static Stretching* dengan *Dynamic Stretching* terhadap Pemanjangan Otot Iliopsoas pada Kasus *Tightness Iliopsoas* pada Mahasiswa. Jakarta. Skripsi Universitas Esa Unggul.

Lovitt, 2004 : 39. *Exercise for Your Muscle Type: The Smart Way to Get Fit.*

Paul Grimshaw, Andrian Less, Neil Fowler and Adrian Burden, *Sport & Exercise Biomechanics*, (New York : Taylor & Francis Group, 2006).

Ramos et al., 2016, *Relationship Between Vertical Jump Height and Swimming Start Performance Before and After an Altitude Training Camp*. Department of Physical Education and Sport, Faculty of Sport Sciences, University of Granada, Granada, Spain; and 2High Performance Center of Sierra Nevada, Granada, Spain.

Staron et al., 2000. *Fiber type composition of the vastus lateralis muscle of young men and women*. Department of Biomedical Sciences, College of Osteopathic Medicine, Ohio University, Athens, Ohio 45701, USA

Wismanto. 2011. Pelatihan Metode Active Isolated Stretching lebih Efektif daripada Contract Relax Stretching dalam Meningkatkan Fleksibilitas Otot Hamstring. Bandung. Jurnal Fisioterapi.

Witvrouw, E., Ballemans, J. & Victor, 2013, " *Manipulation Under Anesthesia versus Lower Strech Device in Poor Range of Motion after TKA* ", Knee Surg Sports Traumatol Arthrosc, Vol 21, Issue 12, pp 2751-2758.